



# Crabgrass and Spurge Preventer Plus Fertilizer 11-2-2

26 JUN 1992

3234-28

- Prevents hairy and smooth crabgrass
- Prevents prostrate and spotted spurge
- Prevents common chickweed
- Fertilizes the lawn

#### ACTIVE INGREDIENTS

DCPA (dimethyl tetrachloroterephthalate)	3.28%
Inert ingredients	96.72%
<b>TOTAL</b>	<b>100.00%</b>

\*Used as a pre-emergent herbicide patented under U.S. Patent No. 2,932,834

#### GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N)	11.0%
1.3% ammoniacal nitrogen	
9.7% urea nitrogen	
Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> )	2.0%
Soluble Potash (K <sub>2</sub> O)	2.0%
From Ammonium phosphate, urea, and muriate of potash	

EPA Reg. No. 3234-28  
EPA Est. No. 3234-UT-01

KEEP OUT OF REACH OF CHILDREN  
CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water. For eyes, flush with water for 15 minutes and get medical attention.

[SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS]

#### PAX COMPANY

580 West 13th South Salt Lake City, UT  
84115

## Net Wt. 14 Lbs.

# Crabgrass and Spurge Preventer



# Plus Fertilizer

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly after handling.

### STATEMENT OF PRACTICAL TREATMENT

In case of contact wash skin with soap and water. IF IN EYES, flush with plenty of water. Call a physician if irritation persists.

### ENVIRONMENTAL HAZARDS

Collect and incorporate granules spilled on the soil surface. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate water by cleaning of equipment or disposal of wastes.

### Groundwater Advisory:

Tetrachloroterephthalic acid, a breakdown product of Dacthal, is known to leach through soil as a result of agricultural and turf uses and has been found in groundwater which may be used for drinking water. Users are advised not to apply Dacthal to sand and loamy sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e. well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater used for drinking water.

Handling: USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING: Wear long-sleeved shirt and long-legged pants and chemical resistant gloves.

IMPORTANT: If the pesticide comes in contact with skin wash off with soap and water. Always wash hands, face, and arms with soap and water before smoking, eating, drinking or toileting.

AFTER USE: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Do not reuse contaminated clothing. Clothing worn during use must be laundered separately from household articles.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

CAUTION: May injure fine bladed fescues and bentgrass. DO NOT USE ON DICHONDRA

### WHEN TO APPLY

Pax Crabgrass and Spurge Preventer is a pre-emergence control. It must be applied prior to crabgrass seed germination. The two-way action of ammoniacal and urea nitrogen gives your lawn the early feeding it needs.

### HOW TO APPLY

Determine sq. ft. area to be covered (for example, 40' X 50' covers 2000 sq. ft.). One 14 lb. bag of Pax Crabgrass & Spurge Preventer covers 2,000 sq. ft. The product will not burn when applied at recommended rate. Set spreader as recommended below. Fill spreader where spilled material will not fall on lawn. Shake spreader to settle material. Make application in two crisscross coverages. Spreader settings below are for crisscross application. Immediately after application, wash off the foliage with a medium spray from a hand-held nozzle. Do not water lawn for 12 hours after washing in, then resume normal watering practice.

### SPREADER SETTINGS

MAKE & MODEL	SETTING	MAKE & MODEL	SETTING
Pax	7	Central	7
Sears	7	Scott	6
Ortho	7	Modern	3
Bandini	7	Jackson	16

SETTINGS: The above settings are for crisscross application. If your spreader is not included above, set spreader opening at lowest setting and then crisscross. Continue until proper amount is applied. Broadcast spreaders are not recommended.

### WEEDS CONTROLLED

Annual Bluegrass	Foxtail (Green, Yellow)	Purslane
Barnyardgrass	Goosegrass	Redstem Filaree
Carpet Weed	Johnsongrass (from seed)	Spotted Spurge
Common Chickweed	Lambsquarter	Spiny Pigweed
Crabgrass (Hairy, Smooth)	Palmer Amaranth	Stinkgrass
Dodder	Panicum (Fall, Browntop)	Texas Millet
Florida Pusley	Prostrate Spurge	Witch Grass
	Wright Groundcherry	

### SEEDING

If spring seeding is desired apply seed as early as possible. Wait until new grass has been mowed twice before applying. After an application of this product, wait 60 days before reseeding.

### MOWING

After application do not mow lawn for 24 hours.

### RAKING

Complete any planned raking or digging of the lawn before applying. Disturbing the soil surface after application may lessen the effectiveness of the product.

### STORAGE AND DISPOSAL

Keep away from food, feedstuffs, and domestic water supplies. Keep container closed. Store partially used container in a closed locked storage area. Do not reuse empty container. Securely wrap original container in several layers of newspaper and discard in trash.

### NOTICES

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



BEST AVAILABLE COPY

0 57243 10320 4