



Net Wt. 15 lbs.
Treats 2000 sq. ft.



ACCEPTED
DEC 16 1970
UNITED STATES DEPARTMENT OF AGRICULTURE
FOR ECONOMIC ENTOMOLOGY
REGISTERED UNDER NO. 243, 244, 245
TO ATTRACT

blade and dichondra CRABGRASS CONTROL


blade and
dichondra
CRABGRASS CONTROL

Prevents Crabgrass For Full Season (GUARANTEED)

Feeds Three Types Nitrogen 12-0-0

Supplies Iron, Sulfur, Manganese, Zinc

Effective and Sure on Any Lawn




ACTIVE INGREDIENTS
Dichloro-D-PAA (pre-mixed)
Water Soluble Nitrogen
Iron Sulfate
Manganese Sulfate
Zinc Sulfate
Total 100.00%

USE AND RECOMMENDATIONS
Apply to lawn in early fall or late summer.
Apply to lawn in early fall or late summer.
Apply to lawn in early fall or late summer.
Apply to lawn in early fall or late summer.
Apply to lawn in early fall or late summer.
Apply to lawn in early fall or late summer.
Apply to lawn in early fall or late summer.
Apply to lawn in early fall or late summer.

CAUTION - KEEP OUT OF REACH OF CHILDREN
This product is highly toxic to fish and aquatic life.
Do not apply to water bodies or areas adjacent to water.
Do not apply to areas where children or pets play.
Do not apply to areas where livestock graze.
Do not apply to areas where birds nest.
Do not apply to areas where bees forage.
Do not apply to areas where butterflies feed.
Do not apply to areas where other beneficial insects live.

PAX Company 200 West 10th South Salt Lake City Utah 84115
U.S. Pat. Reg. 2,214,215

LPAX blade and dichondra CRABGRASS CONTROL



blade and dichondra

CRABGRASS CONTROL



200.16, 1970

WHEN TO APPLY:

Southern California, Sacramento, and San Joaquin Valleys
September 1st through March 31.
San Francisco Bay Area and Peninsula September 1st through
April 30.

SEEDING:


Blade & Dichondra for Crabgrass Control can be applied to established lawns at time of seeding. It will not harm nor inhibit dichondra seed germination.
Blade Grass: Do not reseed within four months after application. Apply only to well established blade grass lawns.
Annual Ryegrass: Pre-seeding of Ryegrass with annual ryegrass should not be done in conjunction with application of this product. Wait until ryegrass has been mowed twice before making application.

Cameraman's Note
Poor Copy

HOW TO APPLY FOR A BETTER LAWN:



1 Measure area to be covered (for example, 20x50). One 2 1/2 lb. bag covers 1,000 sq. ft. Grass foliage should be dry at time of application. Remove grass clipp.



2 Set fertilizer spreader as suggested below. For best control follow staggered pattern as illustrated. Recommended spreader settings given below are for this



3 Immediately after spreading with PAX Blade & Dichondra for Crabgrass Control off the foliage with the medium spray from a hand-held nozzle. Sprinkling systems

Dec. 16/1

SEEDING:

WHEN TO APPLY:


Southern California, Sacramento, and San Joaquin Valleys
September 1st through March 31.
San Francisco Bay Area and Peninsula: September 1st through
April 30.

3/24/31
Blade & Dichondra for Crabgrass Control can be applied to established lawns at time of seeding. It will not harm nor inhibit dichondra seed germination.
Apply only to well established blade grass lawns.
Annual ryegrass: Overseeding of lawns with annual ryegrass should not be done in conjunction with application of this product. Wait until ryegrass has been mowed twice before making application.

HOW TO APPLY FOR A BETTER LAWN:



1 Measure area to be covered (for example, 20x50). One 2 1/2 lb. bag covers 1,000 sq. ft. Grass foliage should be dry at time of application. Remove grass clippings, leaves and other objects so that PAX Blade & Dichondra for Crabgrass Control may evenly contact soil surface.



2 Set fertilizer spreader as suggested below. For best control follow crisscross pattern as illustrated. Recommended spreader settings given are for circle cross patterns. ALWAYS! Never make sharp turns with spreader open. Always close spreader while changing directions.



3 Immediately after spreading with PAX Blade & Dichondra for Crabgrass Control off the foliage with the medium spray from a hand held nozzle. Sprinkling system and automatic sprinklers are less satisfactory. After application do not water lawn for 12 hours. Use normal watering practice.

Suggested Spreader Settings for Crabgrass Application

Spreading rate may vary with the type, model, and condition of the spreader. Check your spreader as an uncalibrated spreader will be inaccurate. If your spreader is not in checked condition set spreader opening at lowest setting. Walk glasses down then gradually about one third open. Spread in one direction and then crisscross it without crisscrossing until proper amount is applied.

| Handed | Lawn Beauty | Roll | Modern | Central | Best | Valley | Camel |
|--------|-------------|--------|--------|---------|-------|--------|--------|
| 20 lb | 10 1/2 | 10 1/2 | 18 lb | 20 lb | 20 lb | 10 1/2 | 10 1/2 |
| 20 lb | 10 1/2 | 10 1/2 | 18 lb | 20 lb | 20 lb | 10 1/2 | 10 1/2 |

Some Common Weeds Controlled

- Smooth crabgrass
- Redroot Pigweed
- Common ragweed
- Hairy crabgrass
- Lamb's quarters
- Field bindweed
- Annual bluegrass
- Shepherd's purse

GUARANTEE: This product will control crabgrass for 12 months. If it does not, you may get a refund. This is a guarantee of effectiveness. It is not a guarantee of safety. It is a guarantee of control. It is a guarantee of results. It is a guarantee of performance. It is a guarantee of quality. It is a guarantee of value. It is a guarantee of satisfaction. It is a guarantee of peace of mind. It is a guarantee of a better lawn. It is a guarantee of a better life.

Cameraman's Note
Poor Copy

PAX blade and dichondra CRABGRASS CONTROL

3/24/51
 Dec. 16/1

SEEDING:

WHEEL TO APPLY:


Southern California, Sacramento, and San Joaquin Valleys
 September 1st through March 31.
 San Francisco Bay Area and Portland: September 1st through
 April 30.

PAX Blade & Dichondra for Crabgrass Control can be applied to established lawns at time of seeding. It will not harm nor inhibit dichondra seed germination.
 Blade grass: Do not reseed within four months after application.
 Annual ryegrass: Overseeding of Bermuda's with annual ryegrass should not be done in conjunction with application of this product. Wait until ryegrass has been mowed twice before making application.

HOW TO APPLY FOR A BETTER LAWN:



1 Measure area to be covered (for example, 20x50). One 2 1/2 lb. bag covers 1,000 sq. ft. Grass foliage should be dry at time of application. Remove grass clippings, leaves and other objects so that PAX Blade & Dichondra for Crabgrass Control may evenly contact soil surface.



2 Set fertilizer spreader as suggested below. For best control follow crisscross pattern as illustrated. Recommended spreader settings given below are for city cross patterns. Always make sharp turns with spreader open. Always close spreader while changing directions.



3 Immediately after spreading, water PAX Blade & Dichondra for Crabgrass Control off the foliage with the medium spray from a hand held nozzle. Sprinkling system and stationary sprinklers are less satisfactory. After application, do not water lawn for 12 hours, then resume normal watering practice.

Suggested Spreader Settings for Crisscross Application

Spreading rate may vary with the size, model, and condition of the spreader. Check your spreader or ask your dealer for the spreading rate with the bag on and that off. If your spreader is not in checked condition, set spreader spreading at lowest setting. Check glass on bag flow, usually about one third open. Spread in one direction and then crisscross. Continue crisscrossing until proper amount is applied.

| Brand | Lawn Beauty | Hand | Modern | Central | Best | Red Top | Garmsing |
|-------|-------------|-------|--------|---------|-------|---------|----------|
| 20 lb | 1 1/2 | 1 1/2 | 1 1/2 | 2 1/2 | 2 1/2 | 2 1/2 | 2 1/2 |
| 10 lb | 3/4 | 3/4 | 3/4 | 1 1/4 | 1 1/4 | 1 1/4 | 1 1/4 |

Some Common Weeds Controlled:

- Smooth crabgrass
- Redtop Pigweed
- Chenopodius
- Hairy ryegrass
- Canada thistle
- Annual bluegrass
- Shepherd's purse

GUARANTEE: This product will control crabgrass in established lawns. If it does not, you may get a refund. This guarantee is void if the product is not used according to the directions on the label. The manufacturer is not responsible for any damage to property or persons caused by the use of this product.

Cameraman's Note
 Poor Copy

PAX blade and dichondra CRABGRASS CONTROL