

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
3234-45

DATE OF ISSUANCE
June 9, 1989

TERM OF ISSUANCE
Until Reregistration

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide Fungicide
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT
Pax Fungicide Insecticide
Fertilizer

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

PAX Company
580 West 1300 South
Salt Lake City, UT 84115

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 3234-45" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-70 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

ENCLOSURES
 ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards Jr

DATE
6/9/89

9/88

PAX FUNGICIDE, INSECTICIDE, FERTILIZER LABEL
(Front of bag)

ACCEPTED
with COMMENTS
in EPA Letter Dated

PAX
FUNGICIDE
INSECTICIDE
FERTILIZER

JUN - 9 1989

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

16-0-0

3234-45

USE AS A PREVENTATIVE OR CURATIVE* TREATMENT FOR FUNGUS
PROBLEMS IN YOUR LAWN. DISEASES CONTROLLED INCLUDE :
BROWN PATCH, COPPER SPOT, MELTING OUT, RUSTS AND DOLLAR
SPOT. ✓

*Depending on time and rate of application

KILLS LAWN MOTH LARVAE, ANTS, EARWIGS, CUTWORMS,
AND CERTAIN OTHER INSECTS. ✓

PLUS FERTILIZES YOUR LAWN WITH PAX LAWN FOOD

ACTIVE INGREDIENTS

Carbaryl (1-Naphthyl-N-methylcarbamate)**.....	0.57%	✓
2,4-dichloro-6-(0-chloroanilino)-s-triazine***.....	1.70%	
INERT INGREDIENTS.....	97.73%	
TOTAL.....	100.00%	

** U.S. Patent No. 2,903,478

*** U.S. Patent No. 2,720,480 Canadian Patent No. 546,027

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N).....	16.0%
8.2% Urea nitrogen	
7.8% water insoluble nitrogen	

Derived from: Ureaform and urea.

EPA Reg. No. 3234-

EPA Est. No. 3234-UT-01


KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; for
eyes flush with plenty of water and get medical attention. ✓

(SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

NET WT. 16 LBS.
FEEDS AND TREATS 2,000 SQ. FT.



(Rear panel of bag)

PAX FUNGICIDE, INSECTICIDE, FERTILIZER
FOR USE ON DICHONDRA AND BLADEGRASS LAWNS

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May cause eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water. Protective clothing should be worn during periods of exposure, such as during application or when contacting treated foliage. ANILAZINE may cause a temporary allergic skin reaction in a few susceptible persons. This condition should be treated as an allergic dermatitis. There is no evidence of after-effects or permanent injury. **DO NOT ALLOW CHILDREN OR PETS TO PLAY ON LAWN FOR 24 HOURS AFTER TREATMENT.**

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water. Cover or incorporate spills.

DISEASES CONTROLLED

Brown Patch
Melting Out
Rusts

Copper Spot
Dollar Spot

COMMON INSECTS CONTROLLED

Lawn Moth Larvae
Sod Webworms
Flea Beetle
Sowbugs

Ants
Earwigs
Cutworm

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.


WHEN TO APPLY

AS A PREVENTATIVE

Use once a month at the recommended rate before disease symptoms appear.

AS A CURATIVE

After fungus symptoms develop, make three applications two weeks apart at the recommended rate.



HOW TO APPLY

Determine sq. ft. area to be covered, measure if necessary. One 16 lb. bag covers 2,000 sq. ft. (40' X 50') at the preventative rate. At the curative rate, one 16 lb. bag covers 1500 sq. ft. (30' X 50'). Set spreader as recommended below for either preventative or curative setting. Fill spreader where spilled material will not fall on lawn. Shake spreader to settle material. Make application in two crisscross applications. Spreader settings below are for crisscross applications. Sprinkle turf lightly after application, then wash in thoroughly 12 to 24 hours later.

Spreader rate may vary with the age, model, and condition of the spreader. Check your spreader over a known size area. A 16 lb. bag covers 2,000 sq. ft. The above settings are for crisscross application. If your spreader is not included above, set spreader opening at lowest setting which gives an even flow, usually about one-third open. Spread in one direction, then crisscross. Continue crisscrossing until proper amount is applied. Broadcast spreaders are not recommended.

SPREADER SETTINGS

MARK & MODEL	PREVENTATIVE	CURATIVE
Pax	7 1/4	7 1/2
Scotts	7	7 1/4
Modern	6	6 1/4
Central	7	7 1/4
Sears	6	6 1/4

SEEDING


Reseeding can be done at any time. However, grass seedlings should not be treated for a month after germination. An application to the seed bed prior to planting will help prevent damping off.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination do not store near other fertilizers or near herbicides, insecticides, fungicides or seeds. Do not store at temperatures above 100° F.

PRODUCT DISPOSAL: To dispose of bags which contain unused product, securely wrap bag in several layers of newspapers and discard in trash

CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard in trash.



NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

PAX COMPANY
580 West 1300 South
Salt Lake City, Utah 84115

2025

PM 12
US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20480

3234-45
EPA REGISTRATION NO.
3234-45

page 1 of 2
DATE OF ISSUANCE
June 9, 1989

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE
Until Reregistration
NAME OF PESTICIDE PRODUCT
Pax Fungicide Insecticide
Fertilizer

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

PAX Company
580 West 1300 South
Salt Lake City, UT 84115

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 3234-45" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

Enclosures
 ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards Jr

DATE

6/9/89

9/88

2/5

PAX FUNGICIDE, INSECTICIDE, FERTILIZER LABEL
(Front of bag)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

**PAX
FUNGICIDE
INSECTICIDE
FERTILIZER**

JUN - 9 1987

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

16-0-0

3234-45

**USE AS A PREVENTATIVE OR CURATIVE* TREATMENT FOR FUNGUS
PROBLEMS IN YOUR LAWN. DISEASES CONTROLLED INCLUDE :
BROWN PATCH, COPPER SPOT, MELTING OUT, RUSTS AND DOLLAR
SPOT.**

***Depending on time and rate of application**

**KILLS LAWN MOTH LARVAE, ANTS, EARWIGS, CUTWORMS,
AND CERTAIN OTHER INSECTS.**

PLUS FERTILIZES YOUR LAWN WITH PAX LAWN FOOD

ACTIVE INGREDIENTS

Carbaryl (1-Naphthyl N-methylcarbamate)**.....	0.57%
2,4-dichloro-6-(0-chloroanilino)-s-triazine***.....	1.70%
INERT INGREDIENTS.....	97.73%
TOTAL.....	100.00%

** U.S. Patent No. 2,903,478

*** U.S. Patent No. 2,720,480 Canadian Patent No. 546,027

GUARANTEED FERTILIZER ANALYSIS

Total Nitrogen (N).....	16.0%
8.2% Urea nitrogen	
7.8% water insoluble nitrogen	
Derived from: Ureaform and urea.	

EPA Reg. No. 3234-

EPA Est. No. 3234-UT-01


**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with plenty of soap and water; for
eyes flush with plenty of water and get medical attention.

(SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS).

**NET WT. 16 LBS.
FEEDS AND TREATS 2,000 SQ. FT.**



(Rear panel of bag)

**PAX FUNGICIDE, INSECTICIDE, FERTILIZER
FOR USE ON DICHONDRA AND BLADEGRASS LAWNS**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May cause eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water. Protective clothing should be worn during periods of exposure, such as during application or when contacting treated foliage. ANILAZINE may cause a temporary allergic skin reaction in a few susceptible persons. This condition should be treated as an allergic dermatitis. There is no evidence of after-effects or permanent injury. **DO NOT ALLOW CHILDREN OR PETS TO PLAY ON LAWN FOR 24 HOURS AFTER TREATMENT.**

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water. Cover or incorporate spills.

DISEASES CONTROLLED

Brown Patch
Melting Out
Rusts

Copper Spot
Dollar Spot

COMMON INSECTS CONTROLLED

Lawn Moth Larvae
Sod Webworms
Flea Beetle
Sowbugs

Ants
Earwigs
Cutworm

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.


WHEN TO APPLY

AS A PREVENTATIVE

Use once a month at the recommended rate before disease symptoms appear.

AS A CURATIVE

After fungus symptoms develop, make three applications two weeks apart at the recommended rate.



HOW TO APPLY

Determine sq. ft. area to be covered, measure if necessary. One 16 lb. bag covers 2,000 sq. ft. (40' X 50') at the preventative rate. At the curative rate, one 16 lb. bag covers 1500 sq. ft. (30' X 50'). Set spreader as recommended below for either preventative or curative setting. Fill spreader where spilled material will not fall on lawn. Shake spreader to settle material. Make application in two crisscross applications. Spreader settings below are for crisscross applications. Sprinkle turf lightly after application, then wash in thoroughly 12 to 24 hours later.

Spreader rate may vary with the age, model, and condition of the spreader. Check your spreader over a known size area. A 16 lb. bag covers 2,000 sq. ft. The above settings are for crisscross application. If your spreader is not included above, set spreader opening at lowest setting which gives an even flow, usually about one-third open. Spread in one direction, then crisscross. Continue crisscrossing until proper amount is applied. Broadcast spreaders are not recommended.

SPREADER SETTINGS

MAKE & MODEL	PREVENTATIVE	CURATIVE
Pax	7 1/4	7 1/2
Scotts	7	7 1/4
Modern	6	6 1/4
Central	7	7 1/4
Sears	6	6 1/4

SEEDING


Reseeding can be done at any time. However, grass seedlings should not be treated for a month after germination. An application to the seed bed prior to planting will help prevent damping off.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs. To prevent cross-contamination do not store near other fertilizers or near herbicides, insecticides, fungicides or seeds. Do not store at temperatures above 100° F.

PRODUCT DISPOSAL: To dispose of bags which contain unused product, securely wrap bag in several layers of newspapers and discard in trash.

CONTAINER DISPOSAL: Do not reuse empty bag. Fold empty bag and discard in trash.



NOTICE

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

**PAX COMPANY
580 West 1300 South
Salt Lake City, Utah 84115**

