

STANDARD BRAI)

5% SEVIN® 3.4% COPPER 75% SULFUR DUST

DIRECTIONS FOR USE

To be used as a dust without dilution in conventional ground or air dusters. Dusts should be applied when the wind velocity is less than 5 miles per hour. The best hours for dusting are usually between 5:00 P.M. and 9:00 A.M. For disease control begin application before diseases occur and repeat at 7-10 day intervals as needed.

CROP, INSECTS & DISEASES	RATE PER ACRE	INTERVAL (Last Application to Harvest)
PEANUTS—Blister Beetles, Mexican Bean Beetle, Grasshoppers No time limitation	10-20 lbs	
Thrips, Leafhoppers, Three cornered Alfalfa Mopper, Cucumber Beetles, Bean Leaf Beetle, Japanese Beetle, Alfalfa Caterpillar, Velvet Bean Caterpillar, Green Cloverworm, Leaf Spot Apply at first sign of disease and repeat at 2 week intervals. Dust 3 or 4 times depending on how early disease appears.	20 lbs	
Armyworms, Webworms, Corn Earworm, Stink Bug Some leaf injury may occur if applied when tender foliage is wet.	20-30 lbs	

WARNING - For protection of honey bees avoid use, if possible, during periods when honey bees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application.

ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N-methylcarbamate)	5.0%
Copper, as metallic (in the form of copper oxide)	3.4%
Sulfur	75.0%
INERT INGREDIENTS	16.6%
Total	100.0%

Screen Test, Sulfur, through 325 mesh — 95%
 © Registered Trademark of Union Carbide Corporation for Carbaryl Insecticide

NET CONTENTS _____ LB(S)

CAUTION


KEEP OUT OF REACH OF CHILDREN

Harmful if inhaled or swallowed. Do not take internally. Do not breathe dust. Avoid prolonged or repeated breathing of dust. Skin contact with any insecticide may be harmful. Avoid unnecessary contact. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved work clothes. Change to clean clothing daily. Keep out of reach of children and animals.

Application of this material which contains sulfur should not be made just prior to or during periods of excessively high temperatures. Do not apply any sprays containing oil, dinitro materials or captan within 30 days to foliage dusted with sulfur. Sulfur may burn foliage when temperatures are excessively high (90 F. or above).

NOTE FOR PHYSICIAN: CARBARYL IS A MODERATELY REVERSIBLE, CHOLINESTERASE INHIBITOR. ATROPINE IS ANTIDOTAL.

Mfg. by Standard Spray & Chemical Co.,
Lakeland, Fla. — Severn, N. C.



3238-18 NOTICE TO BUYER

Seller warrants that the within product will comply with the description of the goods contained on the label but Buyer's remedy under this warranty shall be limited exclusively to the remedy of rescission. This warranty is expressly in lieu of all other warranties and conditions expressed or implied, all liability for negligence, and all other obligations or liabilities on Seller's part or on the part of anyone in Seller's chain of title. If unwilling to accept the product under these conditions, Buyer may return it for full credit.

U.S. PATENT OFFICE

STANDARD BRAI) EVIN® 3.4% COPPER 75% SULFU

S FOR USE

Application in conventional ground or air when the wind velocity is less than 5 mph. For dusting are usually between 10 and 20 lbs per acre. For disease control begin application before harvest and repeat at 2 week intervals as needed.

CROPS	RATE PER ACRE	INTERVAL (Last Application to Harvest)
Bean Beetle	10-20 lbs	
Alfalfa	20 lbs	
Leaf Beetle		
Velvet Bean		
Spot		
Stink Bug	20-30 lbs	

Applied when tender foliage is wet

ACTIVE INGREDIENTS:

Carbaryl (1-Naphthyl N-methylcarbamate) 5.0%
Copper, as metallic (in the form of copper oxide) 3.4%
Sulfur 75.0%

INERT INGREDIENTS

Total

16.6%
100.0%

Screen Test, Sulfur, through 325 mesh — 95%

® Registered Trademark of Union Carbide Corporation for Carbaryl Insecticide.

NET CONTENTS _____ LB(S)

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if inhaled or swallowed. Do not take internally.

Do not breathe dust. Avoid prolonged or repeated breath-

ing. Avoid contact with eyes, nose, mouth, and skin.

ACCEPT
MAR 4 - 1965
UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED UNDER NO. 3228-15
EQ ATTACHED COMMENTS

3228-15 NOT

Seller warrants

comply with th

contained on th

under the man