

3238-36

04/23/1968

1/3

31

FRONT PANEL

MICRO-SPERSE WETTABLE SULFUR

GUARANTEED ANALYSIS

Active Ingredients,		
Sulphur	90%	
Inert Ingredients	10%	

Particle Size - Average 5 Micron.

CAUTION (18 pt.)

KEEP OUT OF REACH OF CHILDREN (12 pt.)

BEST DOCUMENT AVAILABLE

Manufactured By

STANDARD SPRAY AND CHEMICAL COMPANY
Lakeland, Florida Orlando, Florida

ACCEPTED

APR 23 1968

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 3238-36 SUBJECT
TO ATTACHED COMMENTS.


7

LEFT PANEL

32^{2/3}

DIRECTIONS

- APPLE: Scab, Powdery Mildew - Use 6 to 8 lb. per 100 gal. of water in the pre-bloom, bloom and petal-fall sprays; 4 to 6 lb. in the cover sprays.
- PEACH: Brown Rot, Scab, Powdery Mildew - Use 6 to 8 lb. per 100 gal. of water in the pink and bloom sprays; 4 to 6 lb. in the petal-fall, shuck and cover sprays. A coarser, less adherent sulphur such as 325-mesh spraying or dusting sulphur preferred in the pre-harvest sprays.
- BEANS, PEAS: Powdery Mildew, Rust - Use 6 to 8 lb. per acre in sufficient water for thorough coverage. Begin applications at first sign of infection and repeat in 7 to 14 days as necessary. Keep new growth protected.
- ROSES: Black Spot, Powdery Mildew - Use 4 to 8 lb. per 100 gal. of water (3 to 6 tablespoons per gal.). Make first application as soon as growth starts in the spring; repeat application at 7 to 14-day intervals. Keep new growth protected.



BEST DOCUMENT AVAILABLE

RIGHT PANEL

CAUTION: Some fruits and other plants are susceptible to injury from sulphur under certain climatic conditions. The user is advised not to use sulphur on any crop unless local use has proven that sulphur is safe in that locality.

During periods of high temperature sulphur may burn foliage and fruit. Do not make sulphur applications at excessively high temperatures. Do not use Micro-Sperse Sulphur with oil or within 3 weeks after oil application.

When using lead arsenate with Micro-Sperse Wettable Sulphur, always add the same amount of hydrated lime, or other softener, as would be used when applying lead arsenate without sulphur.

WARRANTY: Our merchandise is guaranteed as set forth on our labels. Its use being beyond our control, we make no warranty, expressed or implied, as to the results or effects. The "Buyer" agrees that the seller is not responsible, or held liable for injuries to crops, persons or property resulting from its use and buyer accepts material for his use under these conditions.

ACCEPTED
Apr. 23, 1968
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
AS AMENDED AND UNDER REGISTER-
ED TRADE NAMES SUBJECT
TO THE FOLLOWING COMMENTS.

BEST DOCUMENT AVAILABLE