

FRONT PANEL

SEVIN® 5 FLOWABLE

An Aqueous Solution Containing 5 lbs. Sevin® per gallon

Active Ingredients, Not Less Than:

Carbaryl (1-Naphthyl N-methylcarbamate) 54.0%

Inert Ingredients, Not More Than 46.0%

TOTAL 100.0%

CAUTION (18 pt.)

KEEP OUT OF REACH OF CHILDREN (12 pt.)

Harmful if inhaled or swallowed. Do not take internally. Avoid breathing spray mist. May cause irritation of nose, throat, or skin. Avoid contact with eyes, skin and clothing. Skin contact may be harmful. Avoid prolonged or repeated contact with skin. Wash hands before eating. Take shower or bath after work. Wear regular long sleeved work clothes. Change to clean clothing daily. Do not contaminate feed and feedstuffs.

Do not apply to any area not specified on label.

Note for Physician: Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

® Registered Trademark of Union Carbide Corporation for Carbaryl Insecticide

Manufactured By

STANDARD SPRAY AND CHEMICAL COMPANY
Lakeland, Florida
Severn, North Carolina

ACCEPTED
MAR 25 1969
UNDER THE FEDERAL INSECTICIDE ACT
LONGER AND PERSISTENTLY
FOR ECONOMIC AND PUBLIC HEALTH
ED UNDER NO. 3228-38
TO ATTACHED COMMENTS

LEFT PANEL

DIRECTIONS FOR USE


Use of this material in a manner other than in accordance with this label may cause serious plant, crop, or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

PEANUTS - For control of Corn Earworms, Fall Armyworms, Green Cloverworms, Leafhoppers, Southern Armyworms, Spotted Cucumber Beetles, Thrips and Velvet-bean Caterpillars, apply as soon as there is any evidence of insect damage. Mix $1\frac{1}{2}$ to $1\frac{2}{3}$ pints of SEVIN 5 FLOWABLE in 10-20 gallons of water* to cover one acre. May be applied in a preventive program at 14 day intervals.

* The amount of water used depends on type of equipment used.

Consult your State Agriculture Experiment Station or State Extension Service Specialists for complete details on the peanut spraying program best suited to your local conditions.

WARNING - For protection of honey bees avoid use, if possible, during periods when honey bees are visiting the crop. When necessary to use during such periods, warn beekeepers well in advance to locate hives at a safe distance until one week after application.



RIGHT PANEL

DIRECTIONS FOR MIXING

BEFORE USING, STIR UNTIL SMOOTH

Wash recommended amount through screen into partially filled spray tank. Keep agitator running during filling and spraying operations. DO NOT ALLOW MIXTURE TO STAND. Failure to maintain agitation will cause SEVIN[®] 5 FLOWABLE to settle and may necessitate manual stirring to redisperse.

SEVIN[®] 5 FLOWABLE's strong adhesive properties act as a sticker on the plant, and this sticking characteristic necessitates the flushing of equipment with water after each day's use.

NOTICE TO USER: Standard Spray and Chemical Company can accept no responsibility for injury to persons or animals or for loss or damage to crops, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.

