

**RECOMMENDATION:** This material contains Borax and is manufactured for use only on peanuts for Boron deficiency and the control of leaf spot, thrips, leafhoppers, cucumber beetles, bean leaf beetles, velvet bean caterpillar, corn earworm and armyworm. The application of 20 lbs. per acre of this material will supply 1/2 lb of Boron per acre. Use in excess of 20 lbs per acre may injure the crop. It should not be used more than one time in a single growing season. Its use on other crops may result in serious injury

For additional applications for the above insects and disease, use Sevin<sup>®</sup> Copper Sulphur **without Boron.**

Apply Sevin<sup>®</sup> Copper Sulphur plus Boron at first sign of infestation and repeat at 2 week intervals with Sevin<sup>®</sup> Copper Sulphur **without Boron.** Dust 3 or 4 times depending on how early infestation appears.

**DIRECTIONS FOR USE:** Apply as a dust without dilution. Adequate and uniform coverage of the entire plant is essential. Dust should be applied when the wind velocity is less than 5 miles per hour. The best hours are usually between 5:00 p.m. and 9:00 a.m.

**STANDARD BRAND**

# Sevin<sup>®</sup> Copper Sulphur plus Boron

<b>ACTIVE INGREDIENTS:</b>	
Carbaryl (1-naphthyl N-methylcarbamate)	5.00%
Copper Expressed as Metallic (Copper derived from Cuprous and Cupric Oxide)	4.00%
Sulphur	60.00%
<b>INERT INGREDIENTS:</b>	31.00%
Total	100.00%

(Contains 2.5 lbs. Boron per 100 lbs. which is 22.15 lbs. Borax per 100 lbs.)

## WARNING

**KEEP OUT OF REACH OF CHILDREN**


Harmful if swallowed or inhaled. Do not take internally. Avoid breathing dust. Avoid prolonged or repeated contact with skin. Skin contact may be harmful. Avoid contact. Wear regular long sleeved work clothing. Wash thoroughly after handling. Change contaminated clothing daily. Avoid contamination of food and feedstuffs. Do not get in eyes, on skin, or on clothing. **NOTE TO PHYSICIAN:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

®Sevin is a Registered Trademark of Union Carbide Corporation for Carbaryl Insecticide.

Manufactured By

**Standard Spray and Chemical Company**  
LAKELAND, FLORIDA                      SEVERN, NORTH CAROLINA

**Notice to User**—Standard Spray and Chemical Company can accept no responsibility for injury to persons or animals or for loss or damage to crops, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.



USDA REG NO 3238-46