

## **FORMULA NO. 645**

Our Formula No. 645 Fungicidal Clear is the result of our chemists years of experience in the paint industry and is recognized as the finest clear fungicidal under-coating obtainable.

### **USES**

This clear coating is formulated for application to dry or comparatively damp surfaces. It is an excellent undercoating for Formula No. 655 Fungicidal Enamel. It can be used over previously painted, white washed, or unfinished surfaces, such as brick, masonry, plaster, wood, composition board and properly primed metal.

Its penetrating and preservative qualities make it a superior product on wood to control fungi and dry rot infection.

### **DIRECTIONS**

This product is ready to use. No other materials should be added to it. Surfaces should be free from all foreign and loose particles. Where mold infection now exists remove the mold with wire brush. When a grease like condition exists wash the infected area with a strong solution of tri-sodium phosphate. Rinse and allow surface to rid itself of free water and apply one brush coat of Formula No. 645. Allow 24 hours drying time before applying Formula No. 655.

Wood varies in absorption, therefore, when using Formula No. 645 as a preservative it may be necessary to apply succeeding coats to secure the desired finish. Allow 24 hours drying time between coats.

### **CAUTION! COMBUSTIBLE!**

Keep away from heat and open flame. USE WITH ADEQUATE VENTILATION. Avoid breathing of vapor or spray mist and prolonged contact with skin. Harmful if swallowed. Wash thoroughly after handling and before eating or smoking. Not for painting surfaces in direct contact with food. Close can when not in use.

Do Not reuse container. Destroy when empty.

This product is toxic to fish. Do not contaminate water by cleaning of equipment, or disposal of wastes.

### **KEEP OUT OF REACH OF CHILDREN**

GALLON U.S. MEASURE

USDA REG. NO. 5242-2

3-15-71

LEFT PANEL

DIRECTIONS FOR USE

To be used as a dust without dilution in conventional ground or air dusters. Dusts should be applied when the wind velocity is less than 5 miles per hour. The best hours for dusting are usually between 5:00 P.M. and 9:00 A.M. For disease control begin application before diseases occur and repeat at 7 to 10-day intervals as needed.

Use of this material other than in accordance with this label may cause serious plant, crop, or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

PEANUTS - For the prevention of Cercospora Leaf Spot, begin application at the rate of 25 lbs. per acre at early bloom stage (approximately 6 weeks after planting). Repeat at 7 to 10 day intervals until a minimum of at least 5 applications have been made. MAGI-CAL<sup>(tm)</sup> contains calcium which supplements your regular landplaster practice.

Some leaf injury may occur if applied when tender foliage is wet.

Consult your State Agricultural Experiment Station or State Extension Service Specialist for complete details on the peanut dust and spraying program best suited to your local conditions.



RIGHT PANEL

Net Weight 50 Lbs.

NOTICE TO USER: Standard Spray and Chemical Company can accept no responsibility for injury to persons or animals or for loss or damage to crops, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.



USDA Reg. No. 3238-47