

DIRECTIONS FOR USE

To be used as a dust without dilution in conventional ground or air dusters. Dusts should be applied when the wind velocity is less than 5 miles per hour. The best hours for dusting are usually between 5:00 P.M. and 9:00 A.M. For disease control begin application before diseases occur and repeat at 7 to 10-day intervals as needed.

Use of this material other than in accordance with this label may cause serious plant, crop, or personal injury, excessive residues, unsatisfactory control or other unintended consequences.

PEANUTS: For the control of Corn Earworms, Fall Armyworms, Green Cloverworms, Leafhoppers, Southern Armyworms, Spotted Cucumber Beetles, Thrips, Velvet Bean Caterpillars, and Cercospora Leaf Spot, apply at the rate of 25 lbs. per acre as soon as there is any evidence of insect damage or leaf spotting. Repeat at 7 to 10-day intervals until a minimum of at least five applications have been made.

MAGI-CAL™ contains calcium which supplements your regular landplaster practice.

Some leaf injury may occur if applied when tender foliage is wet.

Consult your State Agricultural Experiment Station or State Extension Service Specialist for complete details on the peanut dust and spraying program best suited to your local conditions.

WARNING: This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Co-operative Agricultural Extension Service.

MICRO-SPERSE[®]

"S"

Peanut Dust

WITH CALCIUM SULFATE
(MAGI-CAL™ ADDED)

ACTIVE INGREDIENTS, not less than	
Sulphur	48.0%
Copper as metallic (in the form of Basic Copper Sulfate)	3.0%
Carbaryl (1-Naphthyl N-methylcarbamate)	6.0%
INERT INGREDIENTS, not more than	43.0%
	TOTAL 100.0%
Calcium Sulfate	36.0%

MICRO-SPERSE[®] is a registered trademark of Standard Spray and Chemical Company for premium grade insecticides and fungicides having an average particle size of less than 5 microns.

Pat. Pending

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if inhaled or swallowed. Do not take internally. Do not breathe dust. May cause irritation of nose, throat or skin. Avoid contact with eyes, skin and clothing. Wash hands before eating. Take shower or bath after work. Wear long-sleeved work clothes. Change to clean clothing daily. Do not contaminate feed and feedstuffs. Keep out of reach of children and animals.

Sulphur may burn foliage when temperatures are excessively high (90 F. or above). Do not apply any sprays containing oil, dinitro materials or Gactan within 30 days to foliage dusted with sulphur. Do not apply to areas not specified on label.

Do not re-use container. Destroy by burying in a safe place. Do not burn. NOTE FOR PHYSICIAN: Carbaryl is a moderate reversibility cholinesterase inhibitor. Atropine is antidotal.

Manufactured By


STANDARD SPRAY & CHEMICAL CO.

Lakeland, Fla. — Severn, N. C.

COLUMBIA, ALABAMA

NOTICE TO USER

Standard Spray and Chemical Company can accept no responsibility for injury to persons or animals or for loss or damage to crops, soil or other property resulting from failure to follow directions for use or to observe cautions printed on this package.



3238-49

USDA Reg. No. 3238-49

5/71