

Standard Brand Toxaphene 8-EC Insecticide is a water emulsifiable insecticidal concentrate containing 8 lbs. actual Toxaphene per gallon.

DIRECTIONS FOR USE

For best results premix with a small amount of water and thoroughly agitate before adding to sprayer tank. Rinse empty container with water and drain into spray tank. Repeat twice more.

RECOMMENDATIONS

ALFALFA: Alfalfa weevil, armyworms, sweet clover weevil—use 2 pints suitably diluted in water per acre. Lygus bugs—use 1½ pints suitably diluted with water per acre. Leafhoppers, thrips—use 2¼ pints suitably diluted with water per acre. Apply in early spring or after cutting before new growth is 4 inches tall. DO NOT feed treated forage to dairy animals or to animals being finished for slaughter. Do not use on alfalfa to be sold commercially or to be shipped interstate.

BEANS: Bean leafminer, serpentine leafminer—apply at the rate of 2 pints suitably diluted with water per acre. Make 2 applications at 15-day intervals. Make no applications to green or snap beans after pods start to form. Do not feed treated vines to dairy animals or animals being finished for slaughter.

COLE CROPS: (Broccoli, Brussels Sprouts, Cabbage, Cauliflower): Diamond-back moth, cabbage looper, climbing cutworms—apply 2 to 3 pints suitably diluted with water per acre at 7 to 10 day intervals. Do not apply after edible parts begin to form.

COTTON: For control of boll weevil, bollworm, cutworms, fall armyworms, lygus bugs, leafworm, grasshoppers, use 2 to 3 pints suitably diluted with water per acre. For control of thrips and fleahoppers use 1 pint suitably diluted with water per acre. Cotton which has received late applications of this material should not be grazed by dairy animals or animals being finished for slaughter.

TOMATOES: Cabbage looper, climbing cutworms, Colorado potato beetle, russet mite, serpentine leafminer, tomato hornworm, tomato fruitworm—apply at the rate of 2 to 4 pints suitably diluted with water per acre. Do not apply low rate (2 pints per acre) just before harvest. Do not apply high rate (4 pints per acre) within 7 days of harvest.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

ACCEPTED
MAY-1-1973
3238-

STANDARD BRAND

TOXAPHENE 8-EC INSECTICIDE

(Contains 8 pounds Toxaphene per Gallon)

ACTIVE INGREDIENTS:	By Weight
Toxaphene (Chlorinated Camphene containing 67-69% Chlorine)	70.7%
Aromatic Petroleum Derivative Solvents	22.3%
INERT INGREDIENTS	7.0%
	<hr/> 100.0%

WARNING KEEP OUT OF REACH OF CHILDREN

Read Entire Label for Additional Handling Precautions.

WARNING: May be fatal if swallowed. Do not get on skin, in eyes, or on clothing. Can be absorbed through skin. Wash thoroughly after using. Do not breathe spray mist. Avoid contamination of feed or foodstuffs. Do not use on dairy animals or in dairy barns. Do not use on cucurbits. Not for use or storage in or around the home.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Apply only as specified on the label. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Manufactured by



STANDARD SPRAY
and chemical company

LAKELAND, FLORIDA

COLUMBIA, ALABAMA

NET CONTENTS

Internal—Give sodium chloride glass of warm water and immediately.

External—Wash with soap and

CONTAINER

Rinse empty container with water more.

Do not re-use container. Make bottom. Crush. Bury in isolated

NOTICE: Seller warrants that description and is reasonably fit used in accordance with directions neither this warranty nor any other for a particular purpose, express or handling of this product on normal conditions, or under conditions and buyer assumes the risk of are not limited to damage to crop or injury to control pests, damage can personal injury.

STANDARD BRAND
TOXAPHENE
8-EC INSECTICIDE

(Contains 8 pounds Toxaphene per Gallon)

ACTIVE INGREDIENTS:	By Weight
Toxaphene (Chlorinated Camphene containing 67-69% Chlorine)	70.7%
Aromatic Petroleum Derivative Solvents	22.3%
INERT INGREDIENTS	7.0%
	<hr/> 100.0%

WARNING
KEEP OUT OF REACH OF CHILDREN

Read Entire Label for Additional Handling Precautions.

WARNING: May be fatal if swallowed. Do not get on skin, in eyes, or on clothing. Can be absorbed through skin. Wash thoroughly after using. Do not breathe spray mist. Avoid contamination of feed or foodstuffs. Do not use on dairy animals or in dairy barns. Do not use on cucurbits. Not for use or storage in or around the home.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Apply only as specified on the label. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Manufactured by



STANDARD SPRAY
and chemical company

LAKELAND, FLORIDA

COLUMBIA, ALABAMA

NET CONTENTS: _____ GALLONS

ANTIDOTE

Internal—Give sodium chloride 15 g. (one tablespoonful of table salt) in glass of warm water and repeat until vomit is clear. Call a doctor immediately.

External—Wash with soap and water.

CONTAINER DISPOSAL

Rinse empty container with water and drain into spray tank. Repeat twice more.

Do not re-use container. Make unusable by punching holes in top and bottom. Crush. Bury in isolated area away from water supplies.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to damage to crops to which the material is applied, failure to control pests, damage caused by drift to other plants or crops, and personal injury.

EPA Reg. No. 3238-58