

RESTRICTED PESTICIDE

For Use Only By Applicator Licensed Under Applicable State Law

Standard Brand Endrin 1.6 EC Insecticide is a water emulsifiable insecticidal concentrate for application in water base sprays against certain insects as directed below. Use contrary to these directions may cause serious plant, crop or personal injury.

NOTE: In some states Endrin is classified as a persistent pesticide and is not to be applied in a broadcast manner.

DIRECTIONS FOR USE

Pour specified amount of this product into nearly filled spray tank. Add balance of water to fill tank. Rinse empty container with water and drain into spray tank—repeat twice more. Maintain agitation during filling and spraying operations. A proper water mixture will have appearance of a milky emulsion with no free oil on the surface. Agitate before use until a uniform, milky emulsion is formed.

NOTE: A precipitate may deposit in cold weather. In such case, warm gently and agitate until redissolved before using.

USE IN POWER-OPERATED GROUND SPRAYERS—Use specified dosage of the spray concentrate in 3 to 20 gallons of water per acre to obtain thorough coverage.

USE IN AERIAL APPLICATION—Use specified dosage of the spray concentrate in 3 to 10 gallons of water per acre to obtain thorough coverage.

RECOMMENDATIONS

COTTON: Thrips, Cotton Fleahopper—Early Season: Use 1/2 pint per acre in sufficient water for good coverage. Mid-Season: Use 2/3 pint per acre in sufficient water for good coverage.

Boll Weevil, Cotton Bollworm, Rapid Plant Bug, Tarnished Plant Bug—Early Season: Use 1 pint per acre. Mid-season and Late season: Use 1 pint to 2 pints per acre.

Leafworms—applications when necessary. Use 1 pint per acre.

Grasshoppers—applications when necessary. Use 1 1/4 pints per acre.

NOTE: Do not apply within 5 days of hand picking. Workers entering fields within 5 days after treatment should be protected. Do not graze dairy animals or animals being finished for slaughter on treated fields.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

STOP! READ THE LABEL

POISON

See side panels for use directions and additional warning statements



DANGER

Keep out of reach of children

**STANDARD BRAND
ENDRIN 1.6
EC INSECTICIDE**

(Contains 1.6 lbs. Endrin per gallon)

ACTIVE INGREDIENTS:	By Weight
Endrin (Hexachloroepoxyoctahydro-Endo, Endo)	19.7%
Dimethanonaphthalene	74.3%
Aromatic Petroleum Derivative Solvents	6.0%
INERT INGREDIENTS	100%

DO NOT INHALE. DO NOT GET ON SKIN. DO NOT TAKE INTERNALLY. Poisonous by skin contact, inhalation, or swallowing. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes; for eyes, get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. Wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Bureau of Mines.

ANTIDOTE: IF SWALLOWED: Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. CALL A PHYSICIAN IMMEDIATELY.

IF ON SKIN: Wash immediately with soap and water.

NOTE TO PHYSICIAN: In case of poisoning administer barbitrates as for anti-convulsant therapy. Observe patient carefully since repeated treatment may be needed.



Manufactured by
**STANDARD SPRAY
and chemical company**

LAKELAND, FLORIDA

COLUMBIA, ALABAMA

ACCEPTED
APR 30 1973
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 3238-64
SUBJECT TO ATTACHED COMMENTS.

NET CONTENTS: _____ GALLONS

DANGER TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Birds feeding on treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not contaminate feed and foodstuffs. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

CONTAINER DISPOSAL — DO NOT RE-USE CONTAINER

1. Rinse empty container with water and drain into spray tank. Repeat twice more.
2. Decontamination: Fill container with water; add 3 tablespoonsful caustic (alkaline) substance, such as washing soda (sodium carbonate) or lime. Allow container with water and caustic to stand overnight. Bury wash solution at least 18 in. deep in an isolated location away from water supplies.
3. Disposal: Punch holes in top and bottom of container; crush container and bury in an isolated area away from water supplies.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to damage to plants, crops and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops and personal injury.

EPA Reg. No. 3238-64