

RESTRICTED PESTICIDE

FOR USE ONLY BY APPLICATOR LICENSED UNDER APPLICABLE STATE LAW
Standard Brand 6-3 Ethyl-Methyl Parathion EC is a water emulsifiable insecticidal concentrate for application in water base sprays against certain insects as directed below. Use contrary to these directions may cause serious plant, crop or personal injury.

DIRECTIONS FOR USE

Pour specified amount of this product into nearly filled spray tank. Add balance of water to fill tank. Maintain agitation during filling and spraying operations. Rinse empty container with water and drain into spray tank. Repeat twice more.

USE IN POWER-OPERATED GROUND SPRAYERS—Use specified dosage of the spray concentrate in 20 to 100 gallons of water per acre to obtain thorough coverage.

USE IN AERIAL APPLICATION—Use specified dosage of the spray concentrate in 3 to 20 gallons of water per acre to obtain thorough coverage.

RECOMMENDATIONS

ALFALFA, CLOVER, GRASS, VETCH: Alfalfa weevil, alfalfa caterpillars, armyworms (up to 3rd instar), climbing cutworms, grasshoppers—use ¼ to ½ pint. Blister beetle, leafhoppers, spider mites, spotted alfalfa aphid, flea beetle, alfalfa weevil larvae—use ¼ to ⅓ pint. Tortricid moth—use ⅔ pint. Do not graze animals on treated pasture or cut for hay within 15 days of application.

NOTE: Do not spray legumes during bloom to avoid injury to bees. Birds and other wildlife in treated areas may be killed.

ARTICHOKES: Plume moths—use 4 5 pint. Do not apply within 7 days of harvest.

CARROTS: Aphids, vegetable weevils—use ½ pint. Do not apply within 15 days of harvest. Do not use treated carrot tops for food or feed.

CELERY: Aphids, celery leaf tiers, celery worms, spider mites—use ½ pint. Do not apply within 21 days of harvest.

COLE CROPS: (Broccoli, Brussels sprouts, Cabbage, Cauliflower, Kohlrabi): Aphid, vegetable weevil—use ¼ to ½ pint. Cabbage loopers—use ⅔ pint. Do not apply within 7 days of harvest on broccoli, Brussels sprouts, cauliflower, kohlrabi; or within 21 days of harvest on cabbage.

COLLARDS, KALE, MUSTARD GREENS, SPINACH: Aphids, leafminers, vegetable weevils—use ½ pint. Cabbage loopers—use ⅔ pint. Do not apply within 10 days of harvest on collards, kale and mustard greens; or within 14 days of harvest on spinach.

CORN (Field): Aphids, budworms, European corn borer (make 1 or more applications when borer damage threatens depending on the extent of infestation and degree of control desired. Consult your State Agricultural Experiment Station for proper timing of treatments), spider mites—use ½ pint. Armyworms (up to 3rd instar), fall armyworms, rootworm adults—use ¼ pint. Do not apply within 12 days of harvest or cutting for forage.

CORN (Sweet): Armyworms (up to 3rd instar), fall armyworms, spider mites—use ⅔ pint. Do not apply within 12 days of harvest.

COTTON: Boll weevil, overwintered boll weevil, salt marsh caterpillar—use ⅔ to 1 ⅓ pint. Aphids, armyworms (up to 3rd instar), cabbage looper, stink bug—use 1 pint. Brown cotton leafworm, cotton leafworm, cotton fleahopper, garden webworm, leafhoppers, leaf rollers, lygus bugs, red spider mites, serpentine leaf miner, thrips—use ½ pint. Bellworm, tobacco budworm—use 1-3 5 pint. Do not apply within 7 days of handpicking or harvest. Workers entering fields within 24 hours of application should wear protective clothing.

DRY BEANS: Aphids, armyworms (up to 3rd instar), leafhoppers, leafminers, leafrollers, Mexican bean beetles, red spider mites—use ½ pint. Do not apply within 15 days of harvest.

GARDEN PEAS, BLACK EYE PEAS: Aphids, pea weevils—use ½ pint. Do not apply within 15 days of harvest.

GREEN BEANS: Aphids, armyworms (up to 3rd instar), leafhoppers, leafminers, leafrollers, Mexican bean beetles, red spider mites—use ½ pint. Do not apply within 15 days of harvest.

LETTUCE: (Leaf, Bibb and Head): Aphids—use ¼ to ⅓ pint. Cabbage loopers—use ⅔ pint. Do not apply within 21 days of harvest.

PEPPERS: Aphids, leafminers—use ½ pint. Do not apply within 15 days of harvest.

POTATOES: Aphids, blister beetles, leafhoppers, leafminers, plant bugs, potato psyllids, thrips, vegetable weevils—use ⅔ pint. Do not apply within 5 days of harvest.

RED BEETS: Aphids, blister beetles—use ½ pint. Do not apply within 15 days of harvest. Do not apply within 21 days of harvest if tops are to be used as food.

RUTABAGAS: Aphids, cabbage loopers—use ⅔ pint. Do not apply within 7 days of harvest.

SAFFLOWER: Aphids, lygus bugs—use 2 5 pint. Do not apply after flowering.

SMALL GRAINS (Barley, Oats, Wheat): Fall armyworms, winter grain mites—use ¼ pint. Aphids (green bug), armyworms (up to 3rd instar), black grass bug (Irbisia), blister beetles, brown wheat mite (Petrobia), grasshoppers, leafhoppers, stink bugs—use ½ to ⅔ pint. Do not apply within 15 days of harvest.



DO NOT SWALLOW



DO NOT TOUCH



DO NOT BREATHE

DANGER—POIS IN—PRECAUTIONS

CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.

CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).

CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply when runoff is likely to occur.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not contaminate water by cleaning of equipment or disposal of wastes.


DO NOT USE, POUR, SPILL or STORE NEAR HEAT or OPEN FLAME

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH CAUTIONS, WARNINGS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS. TIMING AND DOSAGE MAY VARY AS A CONSEQUENCE OF LOCAL WEATHER OR CONDITIONS; WE RECOMMEND REFERENCE TO AGRICULTURAL EXPERIMENT STATIONS ON SPECIFIC USAGE.

CONTAINER DISPOSAL—DO NOT RE-USE CONTAINER

1. Rinse empty container with water and drain into spray tank. Repeat twice more.
2. Decontamination: Pour the following mixture into empty container:
5 gallon drums: 2 quarts water, ½ cup caustic soda (household lye), 2 tbsp detergent
30 gallon drums: 3 gallons water, 1 lb. caustic soda (household lye), ½ cup detergent
55 gallon drums: 5 gallons water, 2 lbs. caustic soda (household lye), 1 cup detergent
Rotate container carefully until all inner surfaces are thoroughly wet. Bury wash solution at least 18 in. deep in an isolated location away from water supplies. (CAUTION. Handle caustic soda (household lye) with extreme care. Do not get on skin, eyes, or on clothing. Read all directions and follow them carefully.)
3. Disposal: Punch holes in top and bottom of container, crush container and bury in isolated area away from water supplies.

POISON
See side panel
for antidote
and precautions



6-3
Parathion

(Contains 6 lbs.)

ACTIVE INGREDIENT

Parathion (O, O-dimethyl O-
*O, O-Dimethyl O-
Aromatic Petroleum

INERT INGREDIENTS

*Methyl Parathion

Lakeland

NOTICE: Seller warrants that this product is reasonably fit for the uses and directions under normal conditions. Seller's warranty of merchantability extends to the use, or under abnormal conditions, of the product. Seller's liability is not limited to damages for personal injury, but extends to property damage and personal injury.

STOP! READ THE LABEL

POISON

See side panels
for antidotes
and precautions



DANGER

Keep out of reach
of children

CAN KILL YOU

STANDARD BRAND

6-3 Ethyl-Methyl Parathion EC Insecticide

(Contains 6 lbs. Ethyl Parathion and 3 lbs. Methyl Parathion per gallon)

ACTIVE INGREDIENTS:

Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate)
*O, O-Dimethyl O-p-nitrophenyl phosphorothioate
Aromatic Petroleum Derivative Solvents

INERT INGREDIENTS

By Weight	
Parathion (O, O-diethyl O-p-nitrophenyl phosphorothioate)	58.02%
*O, O-Dimethyl O-p-nitrophenyl phosphorothioate	29.04%
Aromatic Petroleum Derivative Solvents	7.26%
INERT INGREDIENTS	5.68%
Total	100.0%

*Methyl Parathion

NOT FOR HOME USE

NET CONTENTS _____ GALLONS

Manufactured By



**STANDARD SPRAY
and chemical company**

Lakeland, Florida

Columbia, Alabama

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to damage to plants, crops and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops, and personal injury.

SORGHUM: Corn earworms, corn leaf aphids, false chinch bugs, sorghum webworms—use 1/3 pint. Sorghum midge—use 1/2 pint. Do not apply within 21 days of harvest. May cause injury to some varieties of sorghum.

SOYBEANS: Aphids, bollworm, fall armyworm, stink bugs, three-cornered alfalfa hopper, velvet bean caterpillar—use 1/3 to 1 pint. Do not apply within 20 days of harvest.

SUGAR BEETS: Aphids, armyworms (up to 3rd instar), blister beetles, climbing cutworms, fall armyworms, flea beetles, grasshoppers, leafhoppers, leafminers, mites—use 1/3 pint. Alfalfa loopers, lygus bugs, stink bugs—use 1/2 pint. Do not apply within 20 days of harvest. Do not apply within 60 days of harvest if tops are to be fed to livestock.

TOMATOES: Aphids, armyworms (up to 3rd instar), grasshoppers, leafminers, spider mites, Tomato russet mites, white flies—use 1/2 pint. Cabbage loopers—use 2/3 pint. Do not apply within 10 days of harvest.

TURNIPS: Aphids, vegetable weevils—use 1/4 to 1/3 pint. Cabbage loopers—use 2/3 pint. Do not apply within 15 days of harvest. Do not apply within 21 days of harvest if tops are to be used as food or feed.

**USE ONLY WHEN WEARING THE FOLLOWING
PROTECTIVE EQUIPMENT AND CLOTHING**

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or twitching of mouth and nose, muscle spasms and coma.

+ FIRST AID TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses. TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minutes intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

POST TREATED AREA

Consult your State Agricultural Extension Service Experiment Station regarding posting treated areas.

ACCEPTED

JUL 20 1973

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MITICIDE ACT
FOR ECONOMIC POLICIES REGISTERED
UNDER NO. 3238-66

ER
twice more.

); 2 tbsp. detergent
); 1/2 cup detergent
); 1 cup detergent
ury wash solution at
ION. Handle caustic
n clothing. Read all
ner and bury in isc.

Reg. No 3238-66