NET WEIGHT

INERT INGREDIENTS:

*Total Zinc as Metallic in Zineb 17.7%

CAUTION **KEEP OUT OF THE REACH OF CHILDREN**

May cause irritation of eyes, nose, throat and skin. Harmful if inhaled or swallowed. Avoid breathing dust or spray mist. Avoid contact with skin, eyes and clothing. Keep away from fire or sparks. In case of contact, flush with plenty of water; for eyes, get medical attention / /

Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

IMPORTANT: Never allow material to become wet during storage. This may lead to certain chemical changes which will reduce the effectiveness of the Zineb as a fungicide and create vapors which may be flammable. Keep container closed when not in use. Do not use Zineb 75 Wettable in combination with copper compounds.

DIRECTIONS FOR USE

Start filling tank with water. Sift in required amount of Zineb 75 Wettable when agitator paddles are covered or the jet or recirculating pipe from the pump is covered. Fill tank with water when Zineb 75 Wettable is thoroughly mixed. Spray all foliage thoroughly.

CITRUS (Florida): (Grapefruit, Lemons, Limes, Oranges, Tangelos and Tangerines) --- Greasy Spot Control - use 1 lb. per 100 gallons of water. Make two applications at 4 . 3 week intervals during July and August.

NOTE: Zineb is ineffective against greasy spot in the Indian River area.

Do not re-use container. Destroy by burying in a safe place away from water supplies.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to damage to plants, crops and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops, and personal injury.

EPA Est. 3238-FL-2






LAKELAND, FLORIDA

ORLANDO, FLORIDA

POUNDS



Manufactured By

