



POSITIVE PESTICIDES

outdoor Flea Dust

Outdoor Flea Dust contains Sevin insecticide for use against Fleas and Ticks on kennels, animal buildings, and in lawn areas plus Armyworms and Sod Webworms on lawns.

DIRECTIONS

Fleas and Ticks: Do not apply to lawn grasses during extremely hot weather as injury (burn) to grass blades and runners may result. Treat in and around dog kennels and out buildings including porches, yards and lawns. Do not apply to dense places. Spread evenly with a finely flow fert. zer spreader or with a low setting garden hose with coarse mesh bag at the rate of 1 lb. per 100 sq. ft. of area. Repeat after 10-14 days.

Armyworms and Sod Webworms: Do not apply to lawn grasses during extremely hot weather as injury (burn) to grass blades and runners may result. Apply to lawn at the rate of 1 lb. per 100 sq. ft. of area. Spread evenly with a finely flow fert. zer spreader or with a low setting garden hose with coarse mesh bag at the rate of 1 lb. per 100 sq. ft. of area.

CAUTION: Harmful to birds and animals. Do not take dust into mouth or breathe it. Do not get dust on face or hands. Do not get dust on clothing. Do not get dust on bare skin. Do not get dust on eyes. Do not get dust on mouth. Do not get dust on nose. Do not get dust on ears. Do not get dust on hair. Do not get dust on teeth. Do not get dust on gums. Do not get dust on tongue. Do not get dust on throat. Do not get dust on windpipe. Do not get dust on lungs. Do not get dust on stomach. Do not get dust on intestines. Do not get dust on bladder. Do not get dust on kidneys. Do not get dust on liver. Do not get dust on spleen. Do not get dust on pancreas. Do not get dust on gallbladder. Do not get dust on biliary tract. Do not get dust on small intestine. Do not get dust on large intestine. Do not get dust on rectum. Do not get dust on sigmoid colon. Do not get dust on descending colon. Do not get dust on ascending colon. Do not get dust on cecum. Do not get dust on appendix. Do not get dust on uterus. Do not get dust on ovaries. Do not get dust on fallopian tubes. Do not get dust on vagina. Do not get dust on cervix. Do not get dust on uterus. Do not get dust on vagina. Do not get dust on cervix.

Note to Physician: In case of poisoning, give 1-2 glasses of milk or water immediately.

CONDITIONS OF SALE

This product is sold as a general use insecticide. It is not to be used for the control of insects on food crops, ornamental plants, or in homes. It is not to be used for the control of insects on animals. It is not to be used for the control of insects on birds. It is not to be used for the control of insects on fish. It is not to be used for the control of insects on aquatic life. It is not to be used for the control of insects on insects.

*Sevin Trade Mark of Union Carbide for (1-Naphthyl N Methyl carbamate)



POSITIVE PESTICIDES

outdoor Flea Dust

KILLS Fleas, Sod Webworms, Ticks, Armyworms

3750-41
1972-11-19

ACTIVE INGREDIENTS BY WT
Carbaryl (1-Naphthyl N-methyl carbamate) 15.0
INERT INGREDIENTS 85.0

CAUTION Keep out of reach of children. See back panel for first aid instructions.

Net Weight 1 Pound

