
Mix thoroughly one part of this CONCENTRATE with nineteen parts by weight of a cereal type bait material such as corn meal, and/or rolled oats. A small amount of an edible oil such as mineral, corn or peanut oil may be used up to 5% to prevent dusting or to increase acceptability.

Baits should be placed in locations frequented by rats and mice and preferably where they are known to feed. Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable. Baiting should be maintained continuously as long as any evidence of feeding is observed. Average kill times are from 6 to 14 days, but some feeding may continue to the fourth week.

FOR RATS, bait should be placed in amounts of from ½ pound up to 1 pound and exposed for at least ten days. For MICE, the amount should be reduced to 1 tablespoonful. Mice travel shorter distances than rats and are more difficult to control. The bait should be placed at intervals of 8 to 10 ft. and exposed for at least 15 days.

Baits should be placed in areas inaccessible to children, pets and domestic animals or in tamper-proof bait boxes.



Bait placements should be examined regularly and replenished before completely eaten. Should baits become sour, moldy or infested with insects, they must be replaced. Where reinfestation is likely, permanent bait stations should be used, and bait placed in them as often as necessary.

KEEP OUT OF REACH OF CHILDREN. Baits should be placed in areas inaccessible to children, pets and domestic animals or in tamper-proof bait boxes.

Keep away from humans, domestic animals and pets. If swallowed by humans, domestic animals, or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of Vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by over 202 to 5 bishydroxy-coumarin.

Do not leuse empty container. Destroy it by burying it with waste or burning. Stay away from smoke or fumes.