

10/1

3240-28

11/14

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: Treated baits must be placed in locations not accessible to children, pets, domestic animals, wildlife, or placed in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

For control of house mice in and around homes, industrial, commercial, agricultural, poultry buildings, and similar manmade structures. Rampage may also be used inside transport vehicles (ships, trains, aircraft) and in and around related ports or terminal buildings.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been observed. Protect bait from rain and snow. Remove as much food as possible.

APPLICATION DIRECTIONS

HOUSE MICE: Place 1 to 2 Rampage place pacs at intervals of 8 to 12 feet per placement. Larger placements (up to 3 place pacs) may be needed at points of high mouse activity. This pac contains enough bait for one or two mice. Maintain an uninterrupted supply of fresh bait for 10 days or until all signs of mouse activity cease.



**MOUSE SEED
READY-TO-USE PLACE PAC**

Active Ingredient:	
Cholecalciferol075%
Inert Ingredients	99.925%
TOTAL	100.000%

CAUTION
KEEP OUT OF REACH OF CHILDREN
See right panel for additional precautionary statements.

NET WEIGHT .36 oz. (10 grams)

Manufactured by
Motomco Ltd. EPA EST. NO. 3240-WI-1
Clearwater, FL 34615 U.S.A. EPA REG. NO. 3240-28

MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

**PRECAUTIONARY
STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION: Keep away from humans, domestic animals and pets.
STATEMENT OF PRACTICAL TREATMENT: If swallowed drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Avoid use of all oils.
NOTICE TO PHYSICIAN: If serum calcium levels are elevated, treatment with Calcitonin is effective in reducing calcium to normal levels. Continue monitoring serum calcium and treat as necessary for hypercalcemia (Reference, A.M.A. Drug Evaluations, Third Edition (1977), Chapter 16, pp. 248-251).

ENVIRONMENTAL HAZARDS
Keep out of lakes, streams, or ponds.

STORAGE AND DISPOSAL
STORAGE: Store only in original container, in a dry place inaccessible to children and pets.
DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

BEST AVAILABLE COPY

ACCEPTED

FEB 15 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3240-28