

PM 14

3240-28 ; subject

149

MAR 25 1994

5461336 $\frac{301}{38}$

5457020 $\frac{300}{18}$

Motomco Ltd.
Box 8422
Madison, WI 53708

Attention: Ms. Victoria J. Dunnum

Subject: Rampage Mouse Seed Ready-To-Use Place Pac
EPA Registration No. 3240-28
Your letters of October 21, 1993, and
March 22, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. On your Outer Container label, delete the rat control claims which appear in several places within the "DIRECTIONS FOR USE." The specific changes needed are listed below.
 - a. Under "USE RESTRICTIONS," delete "Norway rats, roof rats, and" from the first phrase of this subsection.
 - b. Delete "rats and" from the first sentence of "SELECTION OF TREATMENT AREAS."
2. Submit five (5) copies of revised labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

2 of 4

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

Enclosures: 1. Stamped label
2. A-79 Enclosure

Peacock WP#4:A:3240.28:305-5407,-6600:3/24/94

3 of 4

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAR 25 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

3240-28

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are filled, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats, and house mice in and around homes, industrial, commercial and agricultural buildings, and similar man-made structures. This product may also be used inside transport vehicles (ships, trains, aircraft) and in related port or terminal buildings.

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

RAMPAGE®

MOUSE SEED

Ready-To-Use Place Pac

ACTIVE INGREDIENT:

Cholecalciferol	0.075%
INERT INGREDIENTS.....	99.925%
TOTAL	100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

(See right side panel for additional precautionary statements.)

NET CONTENTS: 100 x 10 grams

EPA EST. NO. 3240-WI-1

EPA REG. NO. 3240-28

Manufactured by:

Motomco Ltd. Clearwater, FL 34615 U.S.A.

APPLICATION DIRECTIONS

Apply 1 to 2 RAMPAGE PLACE PACS at each placement at 8- to 12- foot intervals. Larger PACS) may be needed at points of very high uninterrupted supply of fresh bait for at least mouse activity cease.

Replace contaminated or spoiled bait immediately. Remove all dead animals and leftover bait properly. If sources of rodent food, water, and harborage are not eliminated, reinfestation does occur, repeat treatment. If infestation is present, establish permanent bait stations as needed.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, away from children and pets.

DISPOSAL: Do not reuse empty container. Empty container and discard in trash.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Keep away from humans, domestic animals, and pets.

STATEMENT OF PRACTICAL USE

If swallowed, drink 1 or 2 glasses of water and brush back of throat with finger. Avoid use of all oral medications. **NOTICE TO PHYSICIAN:** If serum calcium level is low, treatment with Calcitonin is effective in reducing calcium levels. Monitor serum calcium and treat as needed. (Reference, AMA Drug Evaluations, Third Edition, 248-251).

ENVIRONMENTAL HAZARDS: Keep out of reach of children and pets.

BEST AVAILABLE COPY

