

BEST AVAILABLE COPY

304
17
141, 147

Motanco Ltd.
Box 8422
Madison, WI 53708

Gentlemen:

Subject: Rampage Rat and Mouse Bait
EPA Registration No. 3240-29
Your Letter of November 29, 1984

Since you have elected to retain this product as a bulk product, we assume that you will no longer be marketing this product in one-ounce packages.

Make the labeling changes listed below before you release the product for shipment:

- (1) For the 2 ounce container label only, add the following sentence to the end of the rat directions: "This box contains sufficient bait for 1 or 2 rats."

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.


Please note that the schedule for submission of data for Vitamin D₃ has been modified as follows:

<u>Type of Submission</u>	<u>Deadline for Submission</u>
1. All Outstanding Laboratory Tests-Acute Oral LD ₅₀ , Roof rats	August 1, 1985

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



William H. Miller
Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

FRONT PANEL

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR 22 1975

RAMPAGETM

RAT & MOUSE BAIT
KILLS RATS & MICE

Under the Fungicide, and Act
as amended, for the pesticide
registered under EPA Reg. No.

3240-29

Active Ingredient:

Cholecalciferol.....	.075%
Inert Ingredients.....	99.925%

TOTAL	100.000%
-------	----------

CAUTION

KEEP OUT OF REACH OF CHILDREN

See left panel for additional precautionary statements


NOTE TO USER: This product has been shown to be effective through a number of laboratory and field studies. Further field studies will be conducted which may alter claims and directions for use.

NET WEIGHT

Manufactured by
Motomco, Ltd.
Clearwater, FL 33515 U.S.A.

EPA EST. NO. 3240-WI-1

EPA REG. NO. 3240-29



RIGHT PANEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

Treated baits must be placed in locations not accessible to children, pets, domestic animals, wildlife or placed in tamper-proof bait stations. Do not place baits in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

For control of Norway rats, Roof rats, and House mice in and around homes, industrial, commercial, agricultural, poultry buildings, and similar manmade structures. RAMPAGE may also be used inside transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings.

SELECTION OF TREATMENT AREAS:


Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS

RATS: Apply 2 to 8 ounces of bait (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of rat activity cease.

HOUSE MICE: Apply $\frac{1}{4}$ to $\frac{1}{2}$ ounce of bait at intervals of 8 to 12 feet per placement. Larger placements (up to 1 ounce) may be needed at points of high mouse activity. Maintain an uninterrupted supply of fresh bait for 10 days or until all signs of mouse activity cease.

RATS & MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.



LEFT PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets.

STATEMENT OF PRACTICAL TREATMENT: If swallowed drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Avoid use of all oils.

NOTICE TO PHYSICIAN: If serum calcium levels are elevated, treatment with Calcitonin is effective in reducing calcium to normal levels. Continue monitoring serum calcium and treat as necessary for hypercalcemia (Reference, AMA Drug Evaluations, Third Edition (1977), Chapter 16, pp. 248-251).

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams, or ponds.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

