

Pg 1 of 5

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-367) WASHINGTON, D.C. 20460	EPA REGISTRATION NO. 3240-41	DATE OF ISSUANCE 3/22/85														
	TERM OF ISSUANCE															
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT Banpage Mouse Seed															
	NAME AND ADDRESS OF REGISTRANT (Include ZIP code)															
Motonco Ltd. P.O. Box 8422 Madison, WI 53708	$\frac{161}{18}$ $\frac{147,402}{1}$ $\frac{161}{16}$ $\frac{146,773}{1}$ $\frac{161}{16}$ $\frac{140,004}{1}$															
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p style="text-align: center;">This product is conditionally registered in accordance with the provisions of Section 3(c)(7)(C) of the Act, since you have agreed that:</p> <p>A. You will submit the data listed below according to the following schedule:</p> <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;"><u>Type of Submission</u></th> <th style="text-align: center;"><u>Deadline for Submission</u></th> </tr> </thead> <tbody> <tr> <td colspan="2">1. Acceptable Field Tests</td> </tr> <tr> <td style="padding-left: 20px;">a. First Interim Report</td> <td style="text-align: right;">May 1, 1985</td> </tr> <tr> <td style="padding-left: 20px;">b. Second Interim Report</td> <td style="text-align: right;">September 1, 1985</td> </tr> <tr> <td style="padding-left: 20px;">c. Final Report</td> <td style="text-align: right;">January 1, 1986</td> </tr> <tr> <td colspan="2">2. All Outstanding Laboratory Tests</td> </tr> <tr> <td style="padding-left: 20px;">a. Acute Oral LD₅₀, Roof rats</td> <td style="text-align: right;">August 1, 1985</td> </tr> </tbody> </table>			<u>Type of Submission</u>	<u>Deadline for Submission</u>	1. Acceptable Field Tests		a. First Interim Report	May 1, 1985	b. Second Interim Report	September 1, 1985	c. Final Report	January 1, 1986	2. All Outstanding Laboratory Tests		a. Acute Oral LD ₅₀ , Roof rats	August 1, 1985
<u>Type of Submission</u>	<u>Deadline for Submission</u>															
1. Acceptable Field Tests																
a. First Interim Report	May 1, 1985															
b. Second Interim Report	September 1, 1985															
c. Final Report	January 1, 1986															
2. All Outstanding Laboratory Tests																
a. Acute Oral LD ₅₀ , Roof rats	August 1, 1985															
<input checked="" type="checkbox"/> ATTACHMENT IS APPLICABLE																
SIGNATURE OF APPROVING OFFICIAL		DATE														

Active Ingredient:
 Cholecalciferol..... .0750
 Inert Ingredients..... 99.9250
 TOTAL 100.0000

CAUTION

KEEP OUT OF REACH OF CHILDREN

See left panel for additional precautionary statements

NOTE TO USER: This product has been shown to be effective through a number of laboratory and field studies. Further field studies will be conducted which may alter claims and directions for use.

NET WEIGHT
 10 Gram
 Manufactured by
 Motomco, Ltd.
 Clearwater, FL 33515 U.S.A.

EPA EST. NO. 3240-WI-1

EPA REG. NO. 3240-

12455-57

12455-57

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	12455-57	2/22/85
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> RENEWAL (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	

RIGHT PANEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS:

Treated baits must be placed in locations not accessible to children, pets, domestic animals, wildlife or placed in tamper-proof bait stations. Do not place baits in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

For control of House mice in and around homes, industrial, commercial, agricultural, poultry buildings, and similar manmade structures. RAMPAGE may also be used inside transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings.

SELECTION OF TREATMENT AREAS:

Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS

HOUSE MICE: Apply $\frac{1}{4}$ to $\frac{1}{2}$ ounce of RAMPAGE at intervals of 8 to 12 feet per placement. Larger placements (up to 1 ounce) may be needed at points of high mouse activity. Maintain an uninterrupted supply of fresh bait for 10 days or until all signs of mouse activity cease.

MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

LEFT PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets.

STATEMENT OF PRACTICAL TREATMENT: If swallowed drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Avoid use of all oils.

NOTICE TO PHYSICIAN: If serum calcium levels are elevated, treatment with Calcitonin is effective in reducing calcium to normal levels. Continue monitoring serum calcium and treat as necessary for hypercalcaemia (Reference, AMA Drug Evaluations, Third Edition (1977), Chapter 16, pp. 248-251).

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams, or ponds.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

