

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OCT 7 1993

5449407

305
17

Ms. Victoria J. Dunnum
Registration Specialist
Motomco Ltd.
Box 8422
Madison, WI 53708

Dear Ms. Dunnum:

Subject: RAMPAGE RAT AND MOUSE BAIT READY-TO-USE PLACE PAC
EPA Registration No. 3240-42
Your Submission of September 7, 1993

The wording on the label for the 30-g placepack (the only size accepted for this product) is acceptable. Because the "APPLICATION DIRECTIONS" direct use of 2-8 placepacks per placement for controlling commensal rats, however, these 30-g placepacks may not be sold individually as long as claims for control of rats are stated or implied by the label. If more than one but fewer than eight packs are to be sold together, an appropriate qualifying statement pertaining to the rat control claims must be proposed for the label and accepted by the Agency.

No label was submitted for outer packaging for containers which hold more than one placepack. The text of this label must correspond to the text accepted for the 30-g placepack, except for appropriate differences in the statement of net contents.

Submit five (5) copies of final printed labels for the 30-g placepack and for the outer package.

Sincerely yours,

Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

2 of 2

ACCEPTED
OCT 7 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act, on amended, for the pesticide registered under EPA Reg. No. 3240-42

APPLICATION - DIRECTIONS
RATS: Apply 2 to 8 RAMPAGE PLACE PACS per placement. Space placements at intervals of 15 to 30 feet. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of rat activity cease.
MICE: Apply one RAMPAGE PLACE PAC at each placement location. Space placements at 8- to 12-foot intervals. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of mouse activity cease.
RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent infestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL
STORAGE: Store only in original container in a dry place inaccessible to children and pets.
DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

RAMPAGE®

RAT & MOUSE BAIT

Ready-To-Use Place Pac

KILLS RATS & MICE

ACTIVE INGREDIENT:
Cholecalciferol 0.075%
INERT INGREDIENTS 99.925%
TOTAL 100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION: Keep away from humans, domestic animals, and pets.
STATEMENT OF PRACTICAL TREATMENT
If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Avoid use of all oils.
NOTICE TO PHYSICIAN: If serum calcium levels are elevated, treatment with Calcitonin is effective in reducing calcium to normal levels. Continue monitoring serum calcium and treat as necessary for hypercalcemia (Reference, AMA Drug Evaluations, Third Edition (1977), Chapter 16, pp. 248-251).
ENVIRONMENTAL HAZARDS: Keep out of lakes, streams or ponds.

NET WEIGHT: 1.07 oz. (30 grams)

Manufactured by:
Motomco Ltd.
Clearwater, FL 34615 U.S.A.

EPA EST. NO. 3240-WI-1
EPA REG. NO. 3240-47

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling
READ THIS LABEL: Read the entire label and follow all use directions and use precautions

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents.

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be wired in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are filled, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to feral livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats, and house mice in and around homes, industrial, commercial and agricultural buildings, and other man-made structures. This product may also be used inside transport vehicles (trucks, trains, aircraft) and in related port or terminal buildings.

SELECTION OF TREATMENT / REAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these are along walls, by gnawed or frayed in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

BEST AVAILABLE COPY