

PART NO. 32804

DIRECTIONS

Before using teat cup assemblies, hoses, milker pails and all other utensils and parts coming in contact with the milk, sanitize two minutes in a 100 ppm solution of Universal Uni-Chlor. Use clean warm (90°-95° F.) water. Do not rinse with water after using this solution. Do not let strength fall below 50 ppm.

IMPORTANT!

**KEEP COVER CLOSED WHEN NOT IN USE
STORE IN COOL DRY PLACE**

Universal Milking Machine Division

NATIONAL COOPERATIVES, INC.
ALBERT LEA, MINN.

Branches at Wales, Wisc. and Syracuse, N. Y.



20% AVAILABLE CHLORINE CONCENTRATE
For General Dairy Equipment Sanitizing
1/2 Oz. to 8 Gals. of water gives 200 ppm solution

WARNING

**KEEP OUT OF REACH OF CHILDREN
SEE OTHER WARNINGS ON SIDE PANEL**

ACTIVE INGREDIENTS
Sodium Dichloro-S-Triazinetrione 36%
(Providing 20% available chlorine)
INERT INGREDIENTS 64%

FORMULA #600
Contents 5 lbs.

External

Internal -
or starc
tablespoo

Strong ox
eyes and
not allow
bustible o

U.S

ACCEPT

MAR 4 - 19

UNDER THE FEDERAL I
FUNGICIDE AND RODEN
FOR ECONOMIC POISON
ED UNDER NO. 3226-
TO ATTACHED COMME

32

hoses,
and parts
sanitize two
Universal Uni-
F.) water.
s solution.

IN USE
FACE

Division



20% AVAILABLE CHLORINE CONCENTRATE
For General Dairy Equipment Sanitizing
1/2 Oz. to 8 Gals. of water gives 200 ppm solution

WARNING
KEEP OUT OF REACH OF CHILDREN
SEE OTHER WARNINGS ON SIDE PANEL

ACTIVE INGREDIENTS
Sodium Dichloro-S-Triazinetrione 36%
(Providing 20% available chlorine)
INERT INGREDIENTS 64%

FORMULA #600
Contents 5 lbs.

6 - 5 LB. PKGS.

POISON
ANTIDOTE

External -- Wash with water.

Internal -- Drink milk, raw egg, or thin flour or starch solution. Induce vomiting (with tablespoon mustard in glass of warm water).

CAUTION

Strong oxidizing agent. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Do not allow to come in contact with acids, combustible or oxidizable material.

U.S.D.A. REG. No. 3276-9

UN-F631-66

ACCEPTED
MAR 4 - 1967
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 3276-9 SUBJECT
TO ATTACHED COMMENTS.

3276-9

PART NO. 32804

DIRECTIONS


Before using teat cup assemblies, hoses, milker pails and all other utensils and parts coming in contact with the milk, sanitize two minutes in a 100 ppm solution of Universal Uni-Chlor. Use clean warm (90°-95° F.) water. Do not rinse with water after using this solution. Do not let strength fall below 50 ppm.

IMPORTANT!

**KEEP COVER CLOSED WHEN NOT IN USE
STORE IN COOL DRY PLACE**

Universal Milking Machine Division

NATIONAL COOPERATIVES, INC.
ALBERT L.E.A., MANAGER
Brooklyn, N.Y.



**20% AVAILABLE CHLORINE CONCENTRATE
For General Dairy Equipment Sanitizing**
1/2 Oz. to 8 Gals. of water gives 200 ppm solution

WARNING

**KEEP OUT OF REACH OF CHILDREN
SEE OTHER WARNINGS ON SIDE PANEL**

ACTIVE INGREDIENTS
Sodium Dichloro-S-Triazinetrione 36%
(Providing 20% available chlorine)
INERT INGREDIENTS 64%

FORMULA #600
Contents 5 lbs.

6-5 LB. PKGS.

**FALCON
ANTIDOTE**

External -- Wash with water.

Internal -- Drink milk, raw egg, or thin flour or starch solution. Induce vomiting (with tablespoon mustard in glass of warm water).

CAUTION

Strong oxidizing agent. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Do not allow to come in contact with acids, combustible or oxidizable material.

U.S.D.A. REG. No. 3276-9

UN-F031-66

ACCEPTED
MAR 4 - 1967
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 3276-9 SUBJECT
TO ATTACHED COMMENTS.

3276-9

9
7