

**Directions for Treating Poultry
Drinking Water with 6PPM Iodine**

For 9 gallons water use 1/2 ounce.
POULTRY IODINE SANITIZER.

For 18 gallons water use 1 ounce.
POULTRY IODINE SANITIZER.

For 54 gallons water use 3 ounces
POULTRY IODINE SANITIZER.

For 108 gallons water use 6 ounces.
POULTRY IODINE SANITIZER.

For 216 gallons water use 12 ounces
POULTRY IODINE SANITIZER.

CAUTION: Avoid contamination of Feeds. Avoid contact with eyes. In case of contact with the eye, flush with plenty of water. If irritation persists, get medical Attention. Harmful if swallowed. Avoid getting on the skin. Causes skin irritation.

KEEP COOL .. KEEP FROM FREEZING
KEEP BOTTLE CLOSED

ACCEPTED

APR 10 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 3276-20

**POULTRY IODINE
SANITIZER
and
POULTRY DRINKING
WATER TREATMENT**

ACTIVE INGREDIENTS

| | |
|--------------------------------|---------------|
| Alpha-alkyl (C-11-C-15) omega- | |
| hydroxy poly (oxyethylene) - | |
| iodine complex (providing | |
| 1.75% titratable Iodine) | 15.75% |
| Phosphoric Acid | 8.50% |
| INERT INGREDIENTS | 75.75% |

CAUTION

KEEP OUT OF REACH OF CHILDREN

(See side panel for additional required precautions)

Contents One Gallon

APR 10 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 3276-20

POULTRY IODINE SANITIZER and POULTRY DRINKING WATER TREATMENT

ACTIVE INGREDIENTS

| | |
|------------------------------|---------------|
| Alpha-alkyl (C11-C15) omega- | |
| hydroxy poly (oxyethylene) - | |
| iodine complex (providing | |
| 1.75% titratable Iodine) | 15.75% |
| Phosphoric Acid | 3.50% |
| INERT INGREDIENTS | 75.75% |

CAUTION

KEEP OUT OF REACH OF CHILDREN

(See side panel for additional required precautions)

Contents One Gallon

Directions for Sanitizing of Drinking and Feed- ing Equipment, Incubators, and Other Poultry Utensils.

Clean all surfaces thoroughly before Sanitizing.

Sanitize with 12½ PPM solution of POULTRY
IODINE SANITIZER.

(1 ounce SANITIZER to 10 gallons water)

Contact time — 2 minutes.

Rinse empty container thoroughly with water and
discard it.

E.P.A. Registration No. 3276.—20

U.S. Patent 2,977,315

a product of

A & L LABORATORIES, INC.

Minneapolis, Minnesota 55405

Avoid
h the
ation.
ul if
causes