
OFFICE OF PESTICIDES PROGRAMS	3282-3
REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	TERM OF ISSUANCE
NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION	NAME OF PESTICIDE PRODUCT
(Under the Federal Insecticide, Fungicide,	d-CON Concentrate Kills Rats
and Rodenticide Act, as amended)	and Mice
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)	······································
Г	
The d-CON Company, Inc.	5423581 675/22
225 Summit Avenue	
Montvale, NJ 07645	
1	
_	_
	from that accepted in connection with this registration must be or to use of the label in commerce. In any correspondence on this or the label in commerce, in any correspondence on this or the label in commerce.
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereby Registered/Reregistered under
A copy of the labeling accepted in connection with this Re	gistration/Re-agistration is returned herewith.
health and the environment, the "Iministrator, on his motionicide in accordance with the Act. The acceptance of any na	nt or approval of this product by this Agency. In order to protect on, may at any time suspend or cancel the registration of a pestame in connection with the registration of a product under this o exclusive use of the name or to its use if it has been covered
Document, EPA has reregistered Enclosed is a copy of your laborated is taken under the authority of Insecticide, Fungicide, and Rockeregistration under this section to the continual reassessment of pest	pel stamped "Accepted". This action of section 4(g)(2)(C) of the Federal
the product for shipment with	nal printed label before releasing the revised labeling. Registrants wed to sell or distribute products ptember 6, 1993.
	Anne E. Lindsay, Director Registration Division (H7505C)
ATTACHMENT IS APPLICABLE	
SIGNATURE OF APPROVING OFFICIAL	DATE

d-CON® CONCENTRATE KILLS RATS AND MICE

Makes 6 Pounds of Bait

A Concentrate for Preparing Baits to Kill Norway Rats, Roof Rats, and House Mice



KEEP OUT OF REACH OF CHILDREN CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY
STATEMENTS

THE d-CON COMPANY, INC. Montvale, New Jersey 07645

EPA Reg. No. 3282-3

EPA Est. No. 3282-OH-1

NET CONTENTS 8 oz.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled and unconsumed bait as specified on this label

USE RESTRICTIONS - For control of Norway rats, roof rats, and house mice in and around homes, industrial buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS - Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

MIXING DIRECTIONS

In a disposable container such as a double-ply plastic utility bag, thoroughly mix one part of concentrate (<u>determined by weight</u>) with 11 parts of suitable bait materials. Amounts of all materials to be used in making baits must be determined by weight, not by volume. For example:

1. Place 13 parts of rolled oat groats into the bag. Add 1 part of corn oil to the bag and shake mixture vigorously for 3 minutes.



- 2. Add 5 parts of whole yellow commeal and 1 part of sugar (10X confectioners) and shake the bag vigorously for another 3 minutes. Determine the total weight of bait materials in the bag.
- 3. Add d-Con Concentrate to bait materials in bag at ratio of 1 part of concentrate per 11 parts of bait materials. Shake the bag vigorously for 3-5 additional minutes.

Adjust the amounts of ingredients use, without altering their relative proportions, to obtain the quantity of bait needed. To make six pounds of bait, use 57 oz. of rolled oat groats, 22 oz. of whole yellow cornmeal, 4.5 oz. of 10X confectioners sugar, 4.5 oz. of corn oil, and 8 oz. of d-Con Concentrate.

Bait materials resembling human foods must be altered in form by crushing, balling, or pelletizing so that they are not readily recognizable as foods.

APPLICATION DIRECTIONS

RATS:

Apply 4 to 15 oz. of bait per placement. Maintain an

uninterrupted supply of fresh bait for at least 10 days.

MICE:

Apply 1/4 to 1/2 oz. (1-2 level tablespoons) of bait at 8- to 12-foot intervals. Larger placements (up to 2 oz.) may be needed at points of very high mouse activity. Maintain an uninterrupted

supply of fresh bait for at least 15 days.

RATS/MICE:

Replace contaminated or spoiled bait immediately. Check perishable baits daily. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

STORAGE AND DISPOSAL

Storage:

Store only in original container, in a dry place inaccessible to

children and pets.

Disposal:

Do not reuse empty container. Securely wrap in newspaper

and discard in trash.



PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals and pets. Exposure during pregnancy should be avoided. Warfarin may cause harm to the fetus, including possible birth defects. If swallowed, this materials may reduce the clotting ability of the blood and cause bleeding. When mixing baits, wear dust respirators and rubber gloves. If product contacts skin, wash with soap and water.

NOTE TO PHYSICIAN - If ingested, administer Vitamin K₁ intramuscularly or orally, as indicated in bishydroxycour arin overdoses. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS:

This product is toxic to mammals and birds. Do not apply this product to water, swamps, bogs or potholes.