

3282-3

8/2/2006

Page 1 of 4


d-CON® Concentrate Kills Rats and Mice
EPA Reg. No.: 3282-3

Revised: May 23, 2006
Page: 1 of 4

**d-CON® Concentrate
KILLS RATS AND MICE**

Makes 6 Pounds of Bait

A Concentrate for Preparing Baits to Kill
Norway Rats, Roof Rats, and House Mice



ACTIVE INGREDIENT:		
Warfarin [3-(alpha-Acetylbenzyl)-4-hydroxycoumarin].....		0.3%
OTHER INGREDIENTS:		99.7%
TOTAL:		100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE BACK (SIDE) PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No.: 3282-3
EPA Est. No.: 475-MS-1

NET CONTENTS: 8.0 OZ. (226.7 g)

NOTE: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier] The term "this product" used throughout this document may be replaced with the marketed product brand name.

2 3 4

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats, and house mice in and around homes, industrial buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Protect bait from rain or snow. Remove as much alternative food as possible.

MIXING DIRECTIONS: In a disposable container such as a double-ply utility bag, thoroughly mix one part of concentrate (determined by weight) with 11 parts of suitable bait materials. Amounts of all materials to be used in making baits must be determined by weight, not by volume. For example:

1. Place 13 parts of rolled oat groats into the bag. Add 1 part of corn oil to the bag and shake mixture vigorously for 3 minutes.
2. Add 5 parts of whole yellow cornmeal and 1 part of sugar (10X confectioners) and shake the bag vigorously for another 3 minutes. Determine the total weight of bait materials in the bag.
3. Add d-Con Concentrate to bait materials in bag at ratio of 1 part of concentrate per 11 parts of bait materials. Shake the bag vigorously for 3-5 additional minutes.

Adjust the amounts of ingredients use, without altering their relative proportions, to obtain the quantity of bait needed. To make six pounds of bait, use 57 oz. of rolled oat groats, 22 oz. of whole yellow cornmeal, 4.5 oz of 10X confectioners sugar, 4.5 oz. of corn oil, and 8 oz. of d-Con Concentrate.

Bait Materials resembling human foods must be altered in form by crushing, balling, or pelletizing so that they are not readily recognizable as foods.

NOTE: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier] The term "this product" used throughout this document may be replaced with the marketed product brand name.

APPLICATION DIRECTIONS:

- RATS:** Apply 4 to 16 oz. of bait per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.
- MICE:** Apply ¼ to ½ oz. (1-2 level tablespoons) of bait at 8-12-foot intervals. Larger placements (up to 2 oz.) may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.
- FOLLOW-UP:** Replace contaminated or spoiled bait immediately. Check perishable baits daily. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestations does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from human, domestic animals, and pets. Exposure during pregnancy should be avoided. Warfarin may cause harm to the fetus, including possible birth defects. If swallowed, this materials may reduce the clotting ability of the blood an cause bleeding. When mixing baits, wear dust respirators and rubber gloves. If product contacts skin, wash with soap and water.

FIRST AID	
Have label with you when obtaining treatment advice. You may also contact 1-800-228-4722 for emergency medical treatment information.	
If swallowed	<ul style="list-style-type: none"> • Call a Poison Control Center, doctor immediately for treatment advice. • Have a person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes, • Call a Poison Control center or doctor immediately for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. • Call a Poison Control center or doctor immediately for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. • Call a Poison Control center or doctor immediately for treatment advice.
Note to Physician: If ingested, administer Vitamin K ₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.	

NOTE: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier] The term "this product" used throughout this document may be replaced with the marketed product brand name.

4 7 4

ENVIRONMENTAL HAZARDS: This product is toxic to mammals and birds. Do not apply this product to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposing of wastes.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool dry area inaccessible to children, pets and domestic animals. Store in a locked area in original container separate from other products to prevent cross-contamination of other pesticides, fertilizer, food and feed. If container is damaged or if product has spilled, adequately ventilate the area. Shovel and/or sweep up into a suitable container. Dissolve remaining spilled material with an appropriate solvent and collect in a suitable container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous waste representative at the nearest EPA Regional office for guidance.

CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum cannot be reused, dispose of in the same manner.

NOTICE TO BUYER AND USER: Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Questions? Comments? Call 1-800-228-4722

Distributed by: Reckitt Benckiser Inc. Parsippany, NJ 07054-0224
Made in U.S.A. © RBI {year}