

3282-4

8/2/2006

Page 1 of 3

d-CON® Ready Mixed Kills Rats and Mice
EPA Reg. No.: 3282-4

Revised: May 23, 2006
Page: 1 of 3

ACCEPTED
AUG 2 2006
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3282-4

**d-CON® Ready Mixed
KILLS RATS AND MICE**

"Baitbits"

Kills Norway Rats, Roof Rats, and House Mice

4 Ready-to-use BAIT FILLED TRAYS
See Side Panel

ACTIVE INGREDIENT:

Warfarin [3-(alpha-Acetylbenzyl)-4-hydroxycoumarin].....0.025%

OTHER INGREDIENTS: 99.975%

TOTAL: 100.000%

KEEP OUT OF REACH OF CHILDREN

CAUTION:

SEE BACK (SIDE) PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No.: 3282-4

EPA Est. No.: 475-MS-1

NET CONTENTS: 1 LB. (16 OZ.) 453 g

Questions? Comments? Call 1-800-228-4722

Distributed by: Reckitt Benckiser Inc.

Parsippany, NJ 07054-0224

Made in U.S.A. © RBI {year}

NOTE: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier] The term "this product" used throughout this document may be replaced with the marketed product brand name.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats, and house mice in and around homes, industrial buildings, and similar man-made structures. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

APPLICATION DIRECTIONS:

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Remove as much alternative food as possible.

To Control Rats: Apply 1-4 bait trays per placement. Maintain an uninterrupted supply of fresh bait for at least 10 days.

To Control Mice: Open tray and apply ¼ to ½ oz. (1-2 level tablespoons) of bait at 8 to 12-foot intervals. Larger placements (up to 2 oz.) may be needed at points of extremely high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Follow-up: Check bait location every two days for signs of feeding. Replenish bait if more than ½ of the original amount has been removed by rodents. Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Keep away from humans, domestic animals, and pets. If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. Wear gloves if bait is handled.

FIRST AID	
<i>Have label with you when obtaining treatment advice. You may also contact 1-800-228-4722 for emergency medical treatment information.</i>	
If swallowed	<ul style="list-style-type: none"> • Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor.
If on skin	<ul style="list-style-type: none"> • Wash with plenty of soap and water.
Note to Physician or Veterinarian: If ingested, administer Vitamin K ₁ intramuscularly or orally, as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.	

ENVIRONMENTAL HAZARDS: This product is toxic to mammals and birds. Do not apply directly to water.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: **If empty:** Do not reuse empty container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO BUYER AND USER: Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. **SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.**

NOTE: Bracketed information is denoted as: <<directive>>, {insert as noted}, (optional text), [required qualifier] The term "this product" used throughout this document may be replaced with the marketed product brand name.