

10 3/4" - WIDTH
 10 7/16" - HEIGHT
 9" - DEPTH


CONTAINS 90 4-OZ. READY-TO-USE BAIT TRAYS

NET WEIGHT 22 1/2 LBS.

EPA Reg No 3282 37 AA


**ITEM NO.
281**

**ITEM NO.
281**



DIRECTIONS FOR USE

Use common sense when baiting with d-CON. The most important part of a good rat control program is proper baiting. Bait trays should be placed in locations where signs indicate that rats have frequented. Look for signs of rats such as droppings, runways, burrows, gnawing marks, etc. Most important of all are those areas where rats are known to live, breed or feed. These locations represent the best of all possible bait locations. If there is any evidence of rats frequenting an available water source (e.g., gutters, ponds, drains, ditch banks, etc.) the area makes an ideal location for a protected bait placement. One area requiring baiting are pinpointed, protected areas such as:



1. Rest bait tray in each area which shows activity or indicates to be a frequent feeding location. The tray should be covered by means of a bait box or board, and should be placed in a dark, out-of-the-way location. Bait trays should never be placed out in the open.



2. For best results, bait trays should remain undisturbed for at least 3 days. Bait trays should not be replaced if a fresh food supply is present.


3. After 2 days, check bait trays at each location for evidence of consumption. If half the contents of the tray are consumed at any or all locations, place a fresh tray next to it. If the entire tray has been consumed, place 2 or more fresh bait trays in the same location, since rapid consumption indicates you have selected a good baiting area. Check again 2 days later. Continue to add new trays until such time as a complete lack of feeding is noted.



4. If, however, your daily inspection of one tray does not indicate any consumption, allow the tray to remain for 3 additional days. No sign of feeding after 5 days indicates that the location of the tray should be changed.

Evidence of control occurs in 5 days. For complete control, continue baiting for at least 15 days. If you are located in an area where there is a danger of reinfestation from adjoining property, permanent bait stations should be maintained. These stations should be checked periodically and immediately replaced if bait should be replaced.

CAUTION: Place bait trays only as described in the directions. Whether baiting is done inside or outside, trays should be placed in areas that are inaccessible to children, wild life, pets or domestic animals. If any bait tray placements are in easily accessible areas, tamper proof bait boxes should be used. In case of ingestion by humans, call physician. Treat as for overdose of Dicumarol.



THE d-CON COMPANY, INC.

SUBSIDIARY OF STERLING DRUG, INC.

90 Park Avenue, New York, New York 10016

d-CON
 READY MIXED
KILLS RATS AND MICE
**AMERICA'S BEST-SELLING
 RAT AND MOUSE KILLER**

FOR INDUSTRIAL USE ONLY

Restaurants
 Retail Food Stores
 Food and Beverage Processors
 Meat, Poultry, and Seafood Processing Plants
 Hotels and Motels
 Hospitals
 Apartments

Office Buildings
 Wherever Food Is Stored
 Farms of All Kinds
 Grain Elevators
 Factories
 Waterfronts
 etc.


HOW TO USE
 1. CUT TAPE. BE CAREFUL NOT TO DAMAGE CONTENTS

K
AMEI

An exclusive after test rat and mouse killer

CAUTION: Keep out of the reach of children

HOW TO SET UP CARRY HANDLE



ITEM NO.
281

CONTAINS 90 4-OZ. READY-TO-USE BAIT TRAYS

ITEM NO.
281

ITEM NO.
281

INDUSTRIAL CARRY PACK

d-CON[®]

READY MIXED

**KILLS RATS
AND MICE**

AMERICA'S BEST-SELLING RAT AND MOUSE KILLER

PROVED AND EFFECTIVE

An exclusive blend of natural ingredients that appeals to rats. Test after test confirms these facts. That's why d-CON outsells all other rat and mouse killers combined.

d-CON

READY MIXED

KILLS RATS AND MICE

**AMERICA'S BEST-SELLING
RAT AND MOUSE KILLER**

FOR INDUSTRIAL USE ONLY

- | | |
|--|--------------------------|
| Restaurant | Office Buildings |
| Retail Food Stores | Wherever Food is Stored |
| Food and Beverage Processing | Farms of All Kinds |
| Meat, Poultry, and Seafood Processing Plants | Grain Elevators |
| Hotels and Motels | Factories |
| Hospitals | Waterfront Installations |
| Apartment Buildings | |

CAUTION: Keep out of the reach of children.

ACTIVE INGREDIENT: Warfarin (alpha A-acetylbenzyl-4-hydroxycoumarin) 0.025%



KILLS RATS AND MICE

EPA REG. NO. 3282-37-AA

d-CON
READY MIXED

KILLS RATS AND MICE

CAUTION: Place bait trays only as described in the directions. Whether baiting is done inside or outside, trays should be placed in areas that are inaccessible to children, wild life, pets or domestic animals. If any bait tray placements are in easily accessible areas, tamper-proof bait boxes should be used. In case of ingestion by humans, call physician. Treat as for overdose of Dicumarol.

THE d-CON COMPANY, INC., Subsidiary of Sterling Drug, Inc.
90 Park Avenue, New York, New York 10017

TO OPEN: SEE REVERSE SIDE

KILLS RATS AND MICE

KILLS RATS AND MICE

Aug 23, 1973

NET WT. 4 OZS

ACTIVE INGREDIENT

Warfarin (3-(alpha-Acetoxybenzyl)-4-hydroxycoumarin*)

0.025%


INERT INGREDIENTS

99.975%

*Wincon - a highly purified and refined rodenticide

CAUTION: Keep out of the reach of children.
See caution on back.

TO OPEN:



LIFT
AND

PULL UP
YELLOW
TAB



PULL TAB

