

3282-05

5/13/2009

1049

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Ms. Heather Bjornson
Regulatory Consultant to Reckitt Benckiser
Technology Sciences Group, Inc
1150 18th St, N.W.
Washington, D.C. 20036

MAY 13 2009

Dear Ms. Bjornson:

Subject: Labeling Amendment to d-Con Mouse-Prufe II
EPA Registration No. 3282-65
Submission Date: February 11, 2009

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the above mentioned label before releasing the product for shipment. If you have any questions regarding this label, please contact Jennifer Gaines at (703) 305-5967.

This product is not consistent with the Agency's May 28, 2008, "Risk Management Decision for Ten Rodenticides." EPA anticipates cancellation of those existing products that are not consistent with the Risk Mitigation Decision to occur no later than June 4, 2011. In the meantime, EPA is approving new registrations and amendments to existing registrations of rodenticide bait products, on a time-limited basis, so long as the registrations do not present greater risks of unreasonable adverse effects than existing products. Accordingly, this amendment is approved only subject to the condition that the registration shall expire on June 4, 2011. This condition of registration may be amended in conjunction with amendments to conform to the Risk Mitigation Decision. Absent such amendments, product released for shipment by the registrant after June 4, 2011, would be in violation of FIFRA.

Sincerely yours,

A handwritten signature in black ink, appearing to read "John Hebert".

John Hebert
Product Manager (07)
Insecticide-Rodenticide Branch
Registration Division (7505P)

1.5 oz and 3.0 oz sizes – Front Label

(GOOD HOUSEKEEPING SEAL)

d-CON® Mouse-Prufe II

KILLS MICE

CAN KILL IN ONE FEEDING*

*House Mice may consume a lethal dose in one feeding with first dead mice appearing 4 or 5 days after feeding begins.

Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.


Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

Brodifacoum 3-[3-(4'-bromo-{1,1'-biphenyl}-4-yl)-
1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-
benzopyran-2-one.....0.005%

OTHER INGREDIENTS:99.995%

TOTAL 100.000%



NET WEIGHT: 1.5 OZ. (43 g)
3.0 OZ. (85 g)

(1) Bait Wedge

SATISFACTION GUARANTEED OR YOUR MONEY BACK

Call 1-800-228-4722

Important: For directions for use and first aid instruction in Spanish, please call 1-866-648-1819

1.5 oz and 3.0 oz sizes – Back Label

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

USE RESTRICTIONS:

THIS IS NOT A TAMPER-PROOF OR TAMPER RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS, OR NONTARGET WILDLIFE. DO NOT USE THIS PRODUCT OUTDOORS.

This product may only be used to control house mice in homes, industrial, commercial, agricultural and public buildings. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Wedges of Mouse Prufe II may be placed indoors along walls, in corners and in concealed places where house mice are active and where children, nontarget mammals and birds will not be exposed to the bait.

APPLICATION DIRECTIONS:

While wearing gloves, place wedge in horizontal position. Pull tab, lift and twist off. Space wedges at intervals of 8 to 12 feet if house mouse activity is not highly localized and placements can be made in areas not accessible to children and nontarget animals. While wearing gloves replace wedges as their contents are consumed. Wedges not touched after 3 days should be moved to new locations appropriate for bait placements (see **USE RESTRICTIONS:**) if house mouse activity persists. Maintain a supply of fresh bait for at least 15 days. Collect and dispose of all dead animals and leftover bait properly.

1.5 oz and 3.0 oz sizes – Back Label

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Wash hands after handling bait.

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed by human	<ul style="list-style-type: none">• Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice.• Do not induce vomiting unless told to do so by the poison control center or doctor.
If swallowed by pet or animal	<ul style="list-style-type: none">• Call a veterinarian immediately for treatment advice.
NOTE TO PHYSICIAN AND VETERINARIAN	
<p>This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K₁ are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). FOR HUMAN CASES: Vitamin K₁ is antidotal at doses of 10 to 20 mg (<u>not</u> mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. FOR ANIMAL CASES: Vitamin K₁ is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K₁ should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.</p>	

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Important: For directions for use and first aid instruction in Spanish, please call 1-866-648-1819

1.5 oz and 3.0 oz sizes -- Back Label

NOTICE TO BUYER AND USER: To the extent consistent with applicable law, Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Questions? Comments? Call 1-800-228-4722

Distributed by: Reckitt Benckiser, Inc. Parsippany, NJ 07054(-xxxx)

EPA Reg. No. 3282-65
EPA Est. No. 475-MS-1

MADE IN THE USA

Important: For directions for use and first aid instruction in Spanish, please call 1-866-648-1819

6oz (170g) Outer Carton (4/1.5oz wedges) – Front Label

(GOOD HOUSEKEEPING SEAL)

Graphic – Mouse

**d-CON®
Mouse-Prufe II**

KILLS MICE

CAN KILL IN ONE FEEDING*

* House Mice may consume a lethal dose in one feeding with first dead mice appearing 4 or 5 days after feeding begins.

Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

ACTIVE INGREDIENT: Brodifacoum 3-[3-(4'-bromo-{1,1'-biphenyl}-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one.....0.005%

OTHER INGREDIENTS:99.995%

TOTAL 100.000%

NET WEIGHT: 4/1.5 OZ. (42 g)
6 OZ. (170 g)

Multi-(Value) Pack
4 Pack of Mouse Prufe II
(4) Bait Wedges

SATISFACTION GUARANTEED OR YOUR MONEY BACK

Call 1-800-228-4722

Important: For directions for use and first aid instruction in Spanish, please call 1-866-648-1819

6oz (170g) Outer Carton (4/1.5oz wedges) – Back Label

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

USE RESTRICTIONS:

THIS IS NOT A TAMPER-PROOF OR TAMPER RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS, OR NONTARGET WILDLIFE. DO NOT USE THIS PRODUCT OUTDOORS.

This product may only be used to control house mice in homes, industrial, commercial, agricultural and public buildings. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Wedges of Mouse Prufe II may be placed indoors along walls, in corners and in concealed places where house mice are active and where children, nontarget mammals and birds will not be exposed to the bait.

APPLICATION DIRECTIONS:

While wearing gloves place wedge in horizontal position. Pull tab, lift and twist off. Space wedges at intervals of 8 to 12 feet if house mouse activity is not highly localized and placements can be made in areas not accessible to children and nontarget animals. While wearing gloves replace wedges as their contents are consumed. Wedges not touched after 3 days should be moved to new locations appropriate for bait placements (see **USE RESTRICTIONS:**) if house mouse activity persists. Maintain a supply of fresh bait for at least 15 days. Collect and dispose of all dead animals and leftover bait properly.

6oz (170g) Outer Carton (4/1.5oz wedges) – Back Label

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed by human	<ul style="list-style-type: none">• Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice.• Do not induce vomiting unless told to do so by the poison control center or doctor.
If swallowed by pet or animal	<ul style="list-style-type: none">• Call a veterinarian immediately for treatment advice.
NOTE TO PHYSICIAN AND VETERINARIAN	
The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K ₁ are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). FOR HUMAN CASES: Vitamin K ₁ is antidotal at doses of 10 to 20 mg (<u>not</u> mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. FOR ANIMAL CASES: Vitamin K ₁ is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K ₁ should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.	

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

6oz (170g) Outer Carton (4/1.5oz wedges)- Back Panel

NOTICE TO BUYER AND USER: To the extent consistent with applicable law, Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Questions? Comments? Call 1-800-228-4722

Distributed by: Reckitt Benckiser, Inc. Parsippany, NJ 07054(-xxxx)

EPA Reg. No. 3282-65
EPA Est. No. 475-MS-1

MADE IN THE USA

Important: For directions for use and first aid instruction in Spanish, please call 1-866-648-1819.