

**d-CON**  
**LIM-N8**  
**RAT KILLER**  
 IN READY-TO-USE BAIT PACKS (Pellets)  
 KILLS RATS AND MICE 10 BAIT PACKS  
 Satisfaction Guaranteed  
 or your money back


**DIRECTIONS FOR USE**  
 Use Restrictions: For use on Norway Rats, Roof Rats, and House Mice in and around homes, industries, restaurants, hotels, and public buildings. It may also be used on Norway Rats and House Mice in barns, schools, and related structures. Do not use in areas where the bait will be consumed by children, pets, or other animals. Do not use in areas where there is a probability of contact with food or other articles that come in direct contact with food.

**Selection of Treatment Areas:** Examine areas where rats and mice most likely find and consume the bait, especially in areas of cracks, walls, by gnawed openings, in the basements, attics, and crawl spaces. Between floors and walls or in locations where rodents of these signs have been observed.

**APPLICATION DIRECTIONS**  
**Norway and Roof Rats:** Apply 10 bait packs (one per 15 to 30 feet per perimeter). Maintain an uninterrupted supply of bait for 10 days or until signs of rat activity cease.  
**House Mice:** Apply 10 bait packs (one per 15 to 30 feet per perimeter). Maintain an uninterrupted supply of bait for 10 days or until signs of mouse activity cease.  
**Rats and Mice:** Examine areas for gnawed bait immediately. Check and discard all bait and any other bait immediately. Discard baitage. To prevent reinfestation, pour a liberal water solution of household bleach in the areas where the bait was used. Where a continuous infestation is present, establish permanent bait stations and refresh bait as necessary.

**STORAGE AND DISPOSAL**  
 Store in original container in a cool, dry place with unobstructed access. Bait must not be used or allowed to come in contact with food or other articles. Dispose of according to applicable Federal, State, or local procedures.

Distributed by THE d-CON COMPANY, INC.  
 Subsidiary of Sterling Drug, Inc. 275 SUMMIT AVENUE, MONTVALE, N.J. 07045



**d-CON**  
**LIM-N8**  
**RAT KILLER**  
 IN READY-TO-USE BAIT PACKS  
 (Pellets)

**NET CONTENTS TO APPROX. 1.5 OZ. (42.5 G) BAIT PACKS**

**d-CON**  
**LIM-N8**  
**RAT KILLER**  
 IN READY-TO-USE BAIT PACKS  
 (Pellets)

**Kills Rats and Mice. Improved Anticoagulant Formula.**  
 Can kill in one feeding with first dead rodents appearing four or five days after treatment begins.

**NET CONTENTS TO APPROX. 1.5 OZ. (42.5 G) BAIT PACKS**

PAID  
 01100

**PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
 CAUTION: May be harmful if swallowed. Avoid contact with skin and eyes. Wash thoroughly after handling. Do not feed to livestock. Do not use in areas where the bait will be consumed by children, pets, or other animals. Do not use in areas where there is a probability of contact with food or other articles that come in direct contact with food.

**NOTE TO PHYSICIAN AND VETERINARIAN**  
 This product contains a potent anticoagulant. It may be fatal if swallowed. Avoid contact with skin and eyes. Wash thoroughly after handling. Do not feed to livestock. Do not use in areas where the bait will be consumed by children, pets, or other animals. Do not use in areas where there is a probability of contact with food or other articles that come in direct contact with food.

**ENVIRONMENTAL HAZARDS**  
 This product is highly toxic to fish and aquatic life. Do not use in areas where the bait will be consumed by children, pets, or other animals. Do not use in areas where there is a probability of contact with food or other articles that come in direct contact with food.

NOV 30 1989

NOV 30 1989

3252-74



**PRECAUTIONARY STATEMENTS - HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION** May be harmful or fatal if swallowed. Keep away from humans, domestic animals, and pets. Wash hands after handling bait. **IF BAIT IS EATEN BY HUMANS**, CALL A PHYSICIAN AT ONCE. For 24-hour emergency assistance, call your local Poison Control Center. **IF BAIT IS EATEN BY ANIMALS OR PETS**, Call your local veterinarian. **NOTE TO PHYSICIAN AND VETERINARIAN**: This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K<sub>1</sub> are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). **For Human Cases**, Vitamin K<sub>1</sub> is antidotal at doses of 10-20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. **For Animal Cases**, Vitamin K<sub>1</sub> is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K<sub>1</sub> should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

**ENVIRONMENTAL HAZARDS** This product is toxic to fish, birds, and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Keep out of any body of water. 10-20091-002 02-0091-002

**d-CON<sup>®</sup> LIM-N8<sup>™</sup> RAT KILLER**  
**IN READY-TO-USE BAIT PACKS (Pellets)**  
**Kills Rats and Mice**  
**Improved Anticoagulant Formula**  
**can kill in one feeding with first**  
**dead rodents appearing four or five**  
**days after treatment begins.**

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
 May be harmful or fatal if swallowed. Read additional precautionary statements on side panel.

**Active Ingredient** d-CON<sup>®</sup> 0.05%  
 1-naphthol 4-hydroxy 3-methyl-2-pyrone 1.0%

**Inert Ingredients** 99.95%  
**Batch Number** 100-000-2

**EPA Reg. No.** 3282-74 **EPA Est. No.** 3787-08-1-2293-W1-1  
**THE d-CON COMPANY, INC.**, Subsidiary of Sterling Drug, Inc.  
 225 SHAWMUT AVENUE, MONTICELLO, NJ 07045  
**NET CONTENTS 43 GM (1.5 OZ) BAIT PACK**

**DIRECTIONS FOR USE** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use **Restrictions**: For control of Norway Rats, Roof Rats and House Mice in and around homes, industrial, commercial, agricultural and public buildings. LIM-N8 may also be used in and around transport vehicles (ships, trains, aircraft) and related port or terminal buildings. Do not use in sewers. This product must be placed in tamper proof bait boxes or in locations not accessible to children, pets, domestic animals or wildlife. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. **Selection of Treatment Areas**: Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls or in locations where rodents or their signs have been observed.

**APPLICATION DIRECTIONS Norway and Roof Rats**: Apply 2 to 8 bait packs (usually at intervals of 15 to 30 feet) per placement. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease. **House Mice**: Apply 1 bait pack at intervals of 8 to 12 feet per placement. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease. **Rats and Mice**: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait according to "Disposal" paragraph. To prevent reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed. **STORAGE AND DISPOSAL**: Store in original container in areas inaccessible to small children and pets. Bait that cannot be used according to label instructions must be disposed of according to applicable federal, state, or local procedures.

6 3/4" NW

BEST AVAILABLE COPY