

PM/14

3282-74

1 of 6

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAY 26 1993

5441317 306
17

Mr. Paul J. Kruger
D-Con Company Inc.
225 Summit Avenue
Montvale, NJ 07645

5440976 306
38

Dear Mr. Kruger:

Subject: D-CON LIM-N8 RAT KILLER
EPA Registration No. 3282-74
Your Letters Dated May 13 and May 24, 1993

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable, subject to the following conditions:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. As you requested, the labeling lacking the new bait protection language for rodenticides may be used until September 15, 1993. We understand that your company mistakenly printed 1,000,000 placepack labels and 55,000 carton labels that are acceptable except for this new language. After September 15, 1993, however, any product distributed and entering channels of trade must bear the labeling with the new bait protection statements.
3. At the next printing, delete the "ADVANCED FORMULA" claim from the labeling. PR Notices 91-7 and 93-6 prohibit any label statement that implies claims of heightened efficacy.
4. Submit one copy of final printed labeling for each version before you release the product for shipment with that label.

This registration will be subject to cancellation in accordance with FIFRA sec. 6(e) if you do not comply with these conditions. Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

CONCURRENCES

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

A stamped copy of each version of the labeling is enclosed for your records.

Sincerely yours,

Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

3/6

BOX: d-CON® LIM-N8 Rat Killer in Ready-to-Use Bait Packs

FRONT PANEL:

CAN KILL IN ONE FEEDING*
ADVANCED FORMULA

Good Housekeeping Seal

* First dead rodents appear in 4 or 5 days after treatment begins

KEEP OUT OF REACH OF CHILDREN

CAUTION:

May be harmful or fatal if swallowed. Read additional precautionary statements on back panel.

ACTIVE INGREDIENT: Brodifacoum 3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one.....	0.005%
INERT INGREDIENTS.....	99.995%
Total	100.000%

NET CONTENTS: 20/1.0 OZ. (28 g) BAIT PACKS

LEFT SIDE PANEL:

ADVANCED FORMULA

KILLS RATS AND MICE

CAN KILL IN ONE FEEDING *

* First dead rodents appear in 4 or 5 days after treatment begins

EPA Reg. No. 3282-74
EPA Est. No. 3282-OH-1

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 26 1993

SATISFACTION GUARANTEED
OR YOUR MONEY BACK

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

3282-74

BOX: d-CON® LIM-N8 Rat Killer in Ready-to-Use Bait Packs

BACK PANEL:

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help to prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, racoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

BOX: d-CON® LIM-N8 Rat Killer in Ready-to-Use Bait Packs

BACK PANEL:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

CAUTION: May be harmful or fatal if swallowed. Keep away from humans, domestic animals and pets. Wash hands after handling bait. **IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN AT ONCE.** for 24-hour emergency assistance, call your local poison control center. **IF BAIT IS EATEN BY ANIMALS OR PETS:** Call your local veterinarian.

NOTE TO PHYSICIAN AND VETERINARIAN: This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K₁ are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin)

For Human Cases:

Vitamin K₁ is antidotal at doses of 10-20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

For Animal Cases:

Vitamin K₁ is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K₁ should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Keep out of any body of water.

STORAGE AND DISPOSAL:

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: Do not reuse empty container. Securely wrap in newspaper and discard in trash.

NOTICE TO BUYER AND USER: Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonably foreseeable to Seller and Buyer and User assumes the risk of any such use. **SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.**

6 of 6

BOX: d-CON® LIM-N8 Rat Killer in Ready-to-Use Bait Packs

BACK PANEL

USE RESTRICTIONS - For Control of Norway rats, roof rats, and house mice in and around homes, industrial, commercial, agricultural and public buildings. LIM-N8 may also be used in and around transport vehicles (ships, trains, aircraft) and related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS - Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been seen. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS -

RATS: Apply 4 to 16 bait packs per placement, usually at intervals of 15 to 30 feet. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

MICE: Apply 1 bait pack per placement. Space placements at intervals of 8 to 12 feet. Up to 2 bait packs may be needed at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

RATS AND MICE: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and leftover bait properly. To prevent reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

