

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND FOXIC SUBSTANCES

APR 24 2007

Ms. Liane Jenkins Registration Specialist Reckitt Benckiser, Inc. 399 Interpace Parkway Parsippany, NJ 07054-0225

RE: Minor Addition to the Label

EPA Registration Number: 3282-74 Date of Submission: January 16, 2007

Dear Ms. Jenkins:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated January 16, 2007, for the product d-CON® Bait Pellets II. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read Instructions on reverse before	completing form.		Form A	proved. OMB No	2070-0	060. Approval expires 2-28-95
 ©EPA	United State Environmental Washington, DC	Protection Agency	Z	Registrati Amendme Other	on	OPP Identifier Number 305608
	Applic	ation for Pesticide -	Section I			
Company/Product Number 3282-74	EE	2. EPA	Product Mar Hebert	nager	3. Pr	oposed Classification
Company/Product (Name)		PM#				None Restricted
d-CON® Bait Pellets II			PM-	-7		
5. Name and Address of Applicant (Include Zi	P Code)			w. In accordance wit		Section 3(c)(3) (b)(i), my product
Reckitt Benckiser Inc. 399 Interpace Parkway Parsippany, NJ 07054-0225				-	-	
Check if this is a new address		Produc	Product Name			
		Section II				
Amendment - Explain Below				els in response to sted		··
Resubmission in response to Agency Letter	dated	"M	e Too" Applic	ation.		
Notification - Explain below.		Ot	Other - explain below.			
Explanation: Use additional page(s) if	recessary. (For s	ection I and Section	ll.)			
Adding the following to the front panel	-		,			
Adding a phone number for Spanish Ins "Important: For Directions for Use and I					ons is a	s follows
4 March 17 (20 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Section III				······································
Material This Product Will Be Packaged Child-Resistant Packaging	in:	Water Soluble Packagin		2. Type of Con	tainer	
Yes* Yes	{	Yes	•	Me		
	· ·	_{N-}			isuc Iss	•
NoNo	No por	If "Yes,"	No per	[per	
* Certification must be submitted.	No. per . container	Package wgt.	No. per container		her (Spa	ecity)
3. Location of Net Contents Information	4. Size(s) of Re	etail Container	5.	Location of Label	Direction	ns .
Label Container On Label On Labeling accompanying product				anving product		
6. Manner in Which Label is Affixed to Product	Lithogra Paper g	lued	Other (_			billying product
	Stencile					
Contact Point (Complete items directly below	for identification of	Section IV	d if necessa	ny to process this	annlica	iton)
Name	, to	Title	4, 11 11 00 00 00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		ne No. (Include Na Code)
Liane Jenkins		Registration Speciali	st		<i>.</i>	(973) 404-2781
I certify that the statements I have made on I acknowledge that any knowingly false for n both under applicable law.		chments thereto are true				Date Application Received (Stamped)
2. Signature	ſ	3. Title				
Share Jenken	0	Registration Spec	ialist			
4. Typed Name		5. Date				
Liane Jenkins		January 16, 2007		}		

RECKITT BENCKISER

January 16, 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac Yard, Room S4900
2777 S. Crystal Drive
Arlington, VA 22202-4501
ATT: John Hebert PM 7

RE: d-CON Bait Pellets II

EPA Registration No.: 3282-74

Certification Statement per PR Notice 98-10

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Liane Jenkins

Regulatory Specialist

Franc Jerkins

Revised:04/03/2007 Page 1 of 20

1.0 oz - Bait Pack (for Mice)

(GOOD HOUSEKEEPING SEAL)

TOTAL 100.000%

Mice (will) eat through (the) (place) (bait) pack

d-CON® Bait Pellets II

KILLS MICE

House Mice may consume a lethal dose in one feeding with first dead mice appearing 4 or 5 days after feeding begins.

Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

NET WEIGHT. 1.0 OZ. (28g)

SATISFACTION GUARANTEED OR YOUR MONEY BACK

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

Ready-to-use

(1) (4) (5) (6) place packs

1.0 oz - Bait Pack (for Mice)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control House Mice in and around homes, industrial, commercial, agricultural and public buildings. d-CON Bait Pellets II may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

1.0 oz - Bait Pack (for Mice)

APPLICATION DIRECTIONS:

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet in infested areas. Up to 2 bait packs may be used at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by mice. If bait packs are not opened by mice for 5 consecutive days, they may be relocated to other places where mice activity exists and where bait placements consistent with the requirements of this label can be made.

Collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

1.0 oz - Bait Pack (for Mice)

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

FIRST AID				
Have label with you when obtaining treatment advice.				
If swallowed by human	• Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice.			
	Do not induce vomiting unless told to do so by the poison control center or doctor.			
If swallowed by pet or animal	Call a veterinarian immediately for treatment advice.			

NOTE TO PHYSICIAN AND VETERINARIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K_1 are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). FOR HUMAN CASES: Vitamin K_1 is antidotal at doses of 10 to 20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. FOR ANIMAL CASES: Vitamin K_1 is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K_1 should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

1.0 oz - Bait Pack (for Mice)

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse empty container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO BUYER AND USER: Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. Seller SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Distributed by: Reckitt Benckiser Inc. Parsippany, NJ 07054

Questions? Comments? Call 1-800-228-4722

EPA Reg. No. 3282-74

EPA Est. No. 475-MS-1

MADE IN THE USA

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

1.0 oz Bait Pack (for Mice and Rats)

(GOOD HOUSEKEEPING SEAL)

Mice (& Rats) (will) eat through (the) (place) (bait) pack

d-CON® Bait Pellets II

KILLS RATS AND MICE

Rats and House Mice may consume a lethal dose in one feeding with first dead rodents appearing 4 or 5 days after feeding begins.

Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

TOTAL 100.000%

NET WEIGHT. 1.0 oz. (28g) Bait Pack

SATISFACTION GUARANTEED OR YOUR MONEY BACK

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

Ready-to-use

(1) (4) (5) (6) place packs

Revised: 04/03/2007 Page 7 of 20

1.0 oz Bait Pack (for Mice and Rats)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control House Mice, Norway Rats, and Roof Rats in and around homes, industrial, commercial, agricultural and public buildings. d-CON Bait Pellets II may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

1.0 oz Bait Pack (for Mice and Rats)

APPLICATION DIRECTIONS:

To Control Norway and Roof Rats: Use 4-16 bait packs per placement. Space placements at intervals of 15-30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days.

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet in infested areas. Up to 2 bait packs may be used at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

For Rats and Mice: Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by rodents. If bait packs are not opened by rodents for 5 consecutive days, they may be relocated to other places where rodent activity exists and where bait placements consistent with the requirements of this label can be made.

Collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

Revised: 04/03/2007 Page 9 of 20

1.0 oz Bait Pack (for Mice and Rats)

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

FIRST AID				
Have label with you when obtaining treatment advice.				
If swallowed by human	• Call a Poison Control Center, doctor, or 1-800-228- 4722 immediately for treatment advice.			
	Do not induce vomiting unless told to do so by the poison control center or doctor.			
If swallowed by pet or animal	Call a veterinarian immediately for treatment advice.			
NAME NO DUVOTOTAN AND VENEDTNADTAN				

NOTE TO PHYSICIAN AND VETERINARIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K_1 are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). FOR HUMAN CASES: Vitamin K_1 is antidotal at doses of 10 to 20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. FOR ANIMAL CASES: Vitamin K_1 is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K_1 should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse empty container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

1.0 oz Bait Pack (for Mice and Rats)

NOTICE TO BUYER AND USER: Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Distributed by: Reckitt Benckiser Inc. Parsippany, NJ 07054

Questions? Comments? Call 1-800-228-4722

EPA Reg. No. 3282-74

EPA Est. No. 475-MS-1

MADE IN THE USA

Revised: 04/03/2007 Page 11 of 20

4,5,6/1.0 oz Bait Pack Outer Box

(GOOD HOUSEKEEPING SEAL)

Graphic - Rodent

Mice (will) eat through (the) (place) (bait) pack

d-CON® Bait Pellets II

KILLS MICE

House Mice may consume a lethal dose in one feeding with first dead mice appearing 4 or 5 days after feeding begins.

Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

TOTAL 100.000%

NET WEIGHT 4/1.0 oz (28g) bait packs (4 place packs) 5/1.0 oz (28g) bait packs (5 place packs) 6/1.0 oz (28g) bait packs (6 place packs)

SATISFACTION GUARANTEED OR YOUR MONEY BACK

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

Ready-to-use (4)(5)(6) place packs

4,5,6/1.0 oz Bait Pack Outer Box

Kills Mice

Kills Warfarin-Resistant House Mice

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other non-target animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control House Mice in and around homes, industrial, commercial, agricultural and public buildings. d-CON Bait Pellets II may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

4,5,6/1.0 oz Bait Pack Outer Box

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

APPLICATION DIRECTIONS:

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet in infested areas. Up to 2 bait packs may be used at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by mice. If bait packs are not opened by mice for 5 consecutive days, they may be relocated to other places where mice activity exists and where bait placements consistent with the requirements of this label can be made.

Collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

Revised: 04/03/2007 Page 14 of 20

4,5,6/1.0 oz Bait Pack Outer Box

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

FIRST AID				
Have label with you when obtaining treatment advice.				
If swallowed by human	 Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. 			
If swallowed by pet or animal	Call a veterinarian immediately for treatment advice.			
NOTE TO PHYSICIAN AND VETERINARIAN				

This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K_1 are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). FOR HUMAN CASES: Vitamin K_1 is antidotal at doses of 10 to 20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. FOR ANIMAL CASES: Vitamin K_1 is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K_1 should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse empty container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

4,5,6/1.0 oz Bait Pack Outer Box

NOTICE TO BUYER AND USER: Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Distributed by: Reckitt Benckiser Inc. Parsippany, NJ 07054 Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

Questions? Comments? Call 1-800-228-4722

EPA Reg. No. 3282-74

EPA Est. No. 475-MS-1

MADE IN THE USA

20/1.0 oz Bait Pack Outer Box

(GOOD HOUSEKEEPING SEAL)

Graphic - Rodent

Mice (& Rats) (will) eat through (the) (place) (bait) pack

d-CON® Bait Pellets II

KILLS RATS AND MICE

Rats and House Mice may consume a lethal dose in one feeding with first dead rodents appearing 4 or 5 days after feeding begins.

Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

TOTAL 100.000%

NET WEIGHT 20/1.0 oz (28g) bait packs (20 place packs)

SATISFACTION GUARANTEED OR YOUR MONEY BACK

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

Ready-to-use (20) place packs

20/1.0 oz Bait Pack Outer Box

Kills Rats and Mice Kills Warfarin-Resistant Norway Rats and Warfarin-Resistant House Mice

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other non-target animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control House Mice, Norway Rats, and Roof Rats in and around homes, industrial, commercial, agricultural and public buildings. d-CON Bait Pellets II may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

20/1.0 oz Bait Pack Outer Box

most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

APPLICATION DIRECTIONS:

To Control Norway and Roof Rats: Use 4-16 bait packs per placement. Space placements at intervals of 15-30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days.

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet in infested areas. Up to 2 bait packs may be used at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

For Rats and Mice: Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by rodents. If bait packs are not opened by rodents for 5 consecutive days, they may be relocated to other places where rodent activity exists and where bait placements consistent with the requirements of this label can be made.

Collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

d-CON® Bait Pellets II EPA REG. NO: 3282-74

20/1.0 oz Bait Pack Outer Box

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

FIRST AID Rave label with you when obtaining treatment advice.		
If swallowed by human	 Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. 	
If swallowed by pet or animal	Call a veterinarian immediately for treatment advice.	

NOTE TO PHYSICIAN AND VETERINARIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoaqulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K1 are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). FOR HUMAN CASES: Vitamin K1 is antidotal at doses of 10 to 20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. FOR ANIMAL CASES: Vitamin K1 is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K1 should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: If empty: Do not reuse empty container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

20/1.0 oz Bait Pack Outer Box

NOTICE TO BUYER AND USER: Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Distributed by: Reckitt Benckiser Inc. Parsippany, NJ 07054

Questions? Comments? Call 1-800-228-4722

EPA Req. No. 3282-74

EPA Est. No. 475-MS-1

MADE IN THE USA

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

RECKITT BENCKISER

January 16, 2007

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac Yard, Room S4900
2777 S. Crystal Drive
Arlington, VA 22202

Attention: John Hebert, PM-7

Ref.: d-CON® Bait Pellets II

EPA Reg. No.: 3282-74
OPP ID No.: 305608
Minor additions to the label

Dear John.

Reckitt Benckiser is submitting a Notification to add minor changes to the Master Label for the above mentioned Registration. The additions we are adding are the following:

- (1) (4) (5) (6) Place Packs
- Adding a phone number for Spanish Instructions. The statement will be in Spanish, the English translations is as follows: Important: For directions for use and first aid instructions in Spanish, please call 1-866-648-1819."

There are no other changes made to the Master Label.

The enclosed documents support this registration action:

- EPA Application of Pesticide Registration, Form 8570-1, OPP ID No. 305608
- Certification Statement as per PR Notice 95-2

Thank you for your prompt assistance with this registration action. If you have any questions, please contact me at (973) 404-2781 or via e-mail at liane.jenkins@reckittbenckiser.com.

Sincerely,

Liane Jenkins

Registration Specialist

Chare Genkins