



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

OCT 3 1 2008

Liane Jenkins Senior Registration Specialist Reckitt Benckiser Inc. 399 Interpace Parkway Parsippany, NJ 07054-0225

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4 and 98-10

Change inert ingredients to other ingredients Added phone number for consumer questions

Dear Ms. Jenkins:

The Agency is in receipt of your Application(s) for Pesticide Notification(s) under Pesticide Registration Notice (PRN) 2007-4 and 98-10 dated September 25, 2008 for:

EPA Registration 3282-74

d-CON Bait Pellets II

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and 98-10 and finds that the label change(s) requested falls within the scope of PRN-2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-8893.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions on reverse before completing form.		. Fo	orm Appro	ved. OMB No. 2	2070-00	60. Approval expires 2-28-95	
United Sta	tes.		F	Registratio	n [OPP Identifier Number	
EPA Environmental Washington, DO	,	nency		Amendmer	nt	202000	
Washington, DO		gonoy		Other		303690	
Application for Pesticide - Section I							
Company/Product Number 3282-74	1	EPA Produ John Heber	•	er	3. Pro	posed Classification	
Company/Product (Name)		PM#	<u> </u>			None Restricted	
		F 191#	DM 7		V		
d-CON® Bait Pellets II PM-7						2 1 2/10/11/19	
5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in coloration.							
Reckitt Benckiser Inc. 399 Interpace Parkway							
Parsippany, NJ 07054-0225		EPA Reg. N	lo	OCT 3 1	ാവാ		
		1				' ' '	
Check if this is a new address		Product Nar	ne			· · · · · · · · · · · · · · · · · · ·	
	Section			•			
Amendment - Explain Below	•			in response to			
├ ─┤						· ,	
Resubmission in response to Agency Letter dated	·	"Me Too"	'Application	n.			
Notification - Explain below.	•	Other - ex	kplain belo	w.			
		Onetine III					
Explanation: Use additional page(s) if necessary. (For	section I and	Section II.)		•			
Notification of label change per PR Notice 2007-4 to a	ddress the nev	w Container R	ule, PR	Notice 97-6 fo	or term	"Inert" ingredients and	
phone number addition	• .	•	-				
			•				
• •			•				
	Section	on III	····				
Material This Product Will Be Packaged In:							
Child-Resistant Packaging Unit Packaging	Water Soluble	e Packaging		2. Type of Cont			
Yes* Yes	Yes			Pla	stic	·	
No No ·	No			Gla Par			
If "yes," No. per	If "Yes,"	No.	• ,		er (Spe	cify)	
* Certification must be Unit Package wgt. container	Package wgt.	cont	ainer				
Suplimited.	 Retail Container		5 10	cation of Label D	Direction)c	
Label Container 6 ct & 20				On Label			
6. Manner in Which Label is Affixed to Product Lithog	··	<u> </u>	<u> </u>	On Labeling	accomp	anying product	
Paper	glued		u ICI (/	
Stenciled Section IV							
Contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for identification of the contact Point (Complete items directly below for iden			ecessarv	to process this	applica	iton)	
Name	Title	,		, 10 , 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		ne No. (Indude Area Code)	
Liane Jenkins	Senior Res	gistration Specia	alist		رورد	. (973) 404-2781	
					, υς τ τ - υτ	t t	
Certification Certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.							
I acknowledge that any knowingly false for misleading statement may be punishable by fine or imprisonment or							
both under applicable law.					4	c (Sửaṇiped)	
2. Signature	3. Title					~ · · · · · · ·	
Tran Jenkins	Senior F	Registration Sp	ecialist	•			
						, , , , ,	
4. Typed Name	5. Date	-		•	•]		
Liane Jenkins		September	25, 200	8			

RECKITT BENCKISER

September 25, 2008

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency One Potomac Yard, Room S4900 2777 S. Crystal Drive Arlington, VA 22202

Attention:

Linda Arrington

Ref.: d-CON® Bait Pellets II

EPA Reg. No.:

3282-74

OPP ID No.:

303690

Label Change to meet PR Notice 97-6 and 2007-4

Dear Ms. Arrington,

Reckitt Benckiser is notifying the Agency of a few label changes made to the above mentioned registration. These changes should be allowed via Notification. All changes to the proposed Master label are indicted in red text. Below is a summary of these changes:

- Revising the Disposal Instruction as per PR Notice 2007-1. The revised language is taken directly from this PR Notice.
- Changing "Inert" Ingredients to "Other" ingredients as allowed by PR Notice 97-6
- Adding a phone number for consumers to call for questions.

The enclosed documents support this registration action:

- EPA Application of Pesticide Registration, Form 8570-1, OPP ID No. 303690
- Certification Statement as per PR Notice 95-2
- One copy of proposed label with changes highlighted in red text

Thank you for your assistance with this registration action. If you have any questions, please contact me at (973) 404-2781 or via e-mail at liane.ienkins@reckittbenckiser.com.

Sincerely,

Liane Jenkins

Senior Registration Specialist

Grace Genkins

Page 1 of 18 September 25, 2008

1.0 oz - Bait Pack (for Mice)

(GOOD HOUSEKEEPING SEAL)

Mice (will) eat through (the)(place)(bait) pack

d-CON®

Bait Pellets II

NOTIFICATION OCT 3 1 2008

KILLS MICE

House Mice may consume a lethal dose in one feeding with first dead mice appearing 4 or 5 days after feeding begins.

Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

NET WEIGHT. 1.0 OZ. (28g)

SATISFACTION GUARANTEED OR YOUR MONEY BACK Call 1-800-228-4722

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

Ready-to-use (1) (4) (5) (6) place packs

1.0 oz - Bait Pack (for Mice)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control House Mice in and around homes, industrial, commercial, agricultural and public buildings. d-CON Bait Pellets II may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

d-CON® Bait Pellets II EPA REG. NO: 3282-74

Page 3 of 18 September 25, 2008

1.0 oz - Bait Pack (for Mice)

APPLICATION DIRECTIONS:

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet in infested areas. Up to 2 bait packs may be used at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by mice. If bait packs are not opened by mice for 5 consecutive days, they may be relocated to other places where mice activity exists and where bait placements consistent with the requirements of this label can be made.

Collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

Page 4 of 18 September 25, 2008

1.0 oz – Bait Pack (for Mice)

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

	FIRST AID	
Have label with you when obtaining treatment advice.		
If swallowed	• Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for	
by human	treatment advice.	
	• Do not induce vomiting unless told to do so by the poison control center or doctor.	
If swallowed	Call a veterinarian immediately for treatment advice.	
by pet or animal		
	NOTE TO PHYSICIAN AND VETERINARIAN	

This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K_1 are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). **FOR HUMAN CASES**: Vitamin K_1 is antidotal at doses of 10 to 20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. **FOR ANIMAL CASES**: Vitamin K_1 is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K_1 should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

Page 5 of 18 September 25, 2008

1.0 oz - Bait Pack (for Mice)

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: If empty: Non-refillable container. Do not reuse or refill container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO BUYER AND USER: Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Questions? Comments? Call 1-800-228-4722

Distributed by:

Reckitt Benckiser Inc. Parsippany, NJ 07054

EPA Reg. No. 3282-74 EPA Est. No. 475-MS-1

MADE IN THE USA

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

1.0 oz Bait Pack (for Mice and Rats)

(GOOD HOUSEKEEPING SEAL)

Mice (& Rats)(will) eat through (the)(place)(bait) pack

d-CON® Bait Pellets II

KILLS RATS AND MICE

Rats and House Mice may consume a lethal dose in one feeding with first dead rodents appearing 4 or 5 days after feeding begins.

Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

NET WEIGHT. 1.0 oz. (28g) Bait Pack

SATISFACTION GUARANTEED OR YOUR MONEY BACK Call 1-800-228-4722

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

Ready-to-use

(1) (4) (5) (6) place packs

Page 7 of 18

1.0 oz Bait Pack (for Mice and Rats)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

- Store product not in use in a location out of reach of children and pets. 1.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label. 3.

USE RESTRICTIONS: This product may be used to control House Mice, Norway Rats, and Roof Rats in and around homes, industrial, commercial, agricultural and public buildings, d-CON Bait Pellets II may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

d-CON® Bait Pellets II EPA REG. NO: 3282-74 Page 8 of 18 September 25, 2008

1.0 oz Bait Pack (for Mice and Rats)

APPLICATION DIRECTIONS:

To Control Norway and Roof Rats: Use 4-16 bait packs per placement. Space placements at intervals of 15-30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days.

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet in infested areas. Up to 2 bait packs may be used at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

For Rats and Mice: Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by rodents. If bait packs are not opened by rodents for 5 consecutive days, they may be relocated to other places where rodent activity exists and where bait placements consistent with the requirements of this label can be made.

Collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

1.0 oz Bait Pack (for Mice and Rats)

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

	FIRST AID		
Have label with you when obtaining treatment advice.			
If swallowed by human	 Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. 		
If swallowed by pet or animal	Call a veterinarian immediately for treatment advice.		
	NOTE TO PHYSICIAN AND VETERINARIAN		

This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K₁ are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). FOR HUMAN CASES: Vitamin K₁ is antidotal at doses of 10 to 20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. FOR ANIMAL CASES: Vitamin K₁ is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K₁ should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: If empty: Non-refillable container. Do not reuse or refill container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

1.0 oz Bait Pack (for Mice and Rats)

NOTICE TO BUYER AND USER: Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Questions? Call 1-800-228-4722

Distributed by:

Reckitt Benckiser Inc. Parsippany, NJ 07054

EPA Reg. No. 3282-74 EPA Est. No. 475-MS-1

MADE IN THE USA

d-CON® Bait Pellets II EPA REG. NO: 3282-74

Page 11 of 18 **September 25, 2008**

4,5,6/1.0 oz Bait Pack Outer Box

(GOOD HOUSEKEEPING SEAL)

Graphic - Rodent

Mice (will) eat through (the)(place)(bait) pack

d-CON® **Bait Pellets II**

KILLS MICE

House Mice may consume a lethal dose in one feeding with first dead mice appearing 4 or 5 days after feeding begins.

Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

Brodifacoum 3-[3-(4'-bromo-{1,1'-biphenyl}-4-yl)-

1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-

OTHER INGREDIENTS:99.995%

TOTAL 100.000%

NET WEIGHT

4/1.0 oz (28g) bait packs (4 place packs)

5/1.0 oz (28g) bait packs (5 place packs)

6/1.0 oz (28g) bait packs (6 place packs)

SATISFACTION GUARANTEED OR YOUR MONEY BACK Call 1-800-228-4722

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

Ready-to-use (4)(5)(6) place packs

Page 12 of 18 September 25, 2008

4,5,6/1.0 oz Bait Pack Outer Box

Kills Mice

Kills Warfarin-Resistant House Mice

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other non-target animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control House Mice in and around homes, industrial, commercial, agricultural and public buildings. d-CON Bait Pellets II may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

Page 13 of 18 September 25, 2008

4,5,6/1.0 oz Bait Pack Outer Box

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

APPLICATION DIRECTIONS:

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet in infested areas. Up to 2 bait packs may be used at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by mice. If bait packs are not opened by mice for 5 consecutive days, they may be relocated to other places where mice activity exists and where bait placements consistent with the requirements of this label can be made.

Collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

	FIRST AID			
Have label with you when obtaining treatment advice.				
If swallowed by human	 Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. 			
If swallowed by pet or animal	Call a veterinarian immediately for treatment advice.			
	NOTE TO PHYSICIAN AND VETERINARIAN (. ' . ' ' .			

NOTE TO PHYSICIAN AND VETERINARIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. The action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If prisoning occurs, intramuscular and oral administration of Vitamin K_1 are indicated, as in poisening from overdose of dicumarol (bishydroxy coumarin). FOR HUMAN CASES: Vitamin K_1 is antidotal at doses of 10 to 20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. FOR ANIMAL CASES: Vitamin K_1 is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K_1 should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.

4,5,6/1.0 oz Bait Pack Outer Box

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: If empty: Non-refillable container. Do not reuse or refill container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO BUYER AND USER: Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Ouestions? Comments? Call 1-800-228-4722

Distributed by:

Reckitt Benckiser Inc. Parsippany, NJ 07054

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

EPA Reg. No. 3282-74 EPA Est. No. 475-MS-1

MADE IN THE USA

Page 15 of 18 September 25, 2008

20/1.0 oz Bait Pack Outer Box

(GOOD HOUSEKEEPING SEAL)

Graphic – Rodent

Mice (& Rats)(will) eat through (the)(place)(bait) pack

d-CON® **Bait Pellets II**

KILLS RATS AND MICE

Rats and House Mice may consume a lethal dose in one feeding with first dead rodents appearing 4 or 5 days after feeding begins.

Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

TOTAL 100.000%

ACTIVE INGREDIENT:

Brodifacoum 3-[3-(4'-bromo-{1,1'-biphenyl}-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-**OTHER INGREDIENTS:**99.995%

NET WEIGHT 20/1.0 oz (28g) bait packs (20 place packs)

SATISFACTION GUARANTEED OR YOUR MONEY BACK Call 1-800-228-4722

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

Ready-to-use (20) place packs

Page 16 of 18 September 25, 2008

20/1.0 oz Bait Pack Outer Box

Kills Rats and Mice Kills Warfarin-Resistant Norway Rats and Warfarin-Resistant House Mice

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other non-target animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control House Mice, Norway Rats, and Roof Rats in and around homes, industrial, commercial, agricultural and public buildings. d-CON Bait Pellets II may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

Page 17 of 18 September 25, 2008

APPLICATION DIRECTIONS:

To Control Norway and Roof Rats: Use 4-16 bait packs per placement. Space placements at intervals of 15-30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days.

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet in infested areas. Up to 2 bait packs may be used at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

For Rats and Mice: Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by rodents. If bait packs are not opened by rodents for 5 consecutive days, they may be relocated to other places where rodent activity exists and where bait placements consistent with the requirements of this label can be made.

Collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

	FIRST AID Have label with you when obtaining treatment advice.
If swallowed by human	 Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor.
If swallowed by pet or animal	Call a veterinarian immediately for treatment advice.
	NOTE TO PHYSICIAN AND VETERINARIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K_1 are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). **FOR HUMAN CASES**: Vitamin K_1 is antidotal at doses of 10 to 20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. **FOR ANIMAL CASES**: Vitamin K_1 is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K_1 should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.

Page 18 of 18 September 25, 2008

20/1.0 oz Bait Pack Outer Box

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

STORAGE AND DISPOSAL

STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

DISPOSAL: If empty: Non-refillable container. Do not reuse or refill container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO BUYER AND USER: Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Ouestions? Comments? Call 1-800-228-4722

Distributed by:

Reckitt Benckiser Inc. Parsippany, NJ 07054

EPA Reg. No. 3282-74 EPA Est. No. 475-MS-1

MADE IN THE USA

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819