

3282-74

4/25/2012

1/21



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

APR 25 2012

Reckitt Benckiser Inc.
c/o Heather Bjornson
Technology Sciences Group, Inc.
1150 18th St., N.W., Ste. 1000
Washington, D.C. 20036

Subject: Notification to Add Additional Container Size (64-1oz. packs)
d-Con Bait Pellets II
EPA Reg. No. 3282-74

Dear Ms. Bjornson:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 27, 2012 for the product d-Con Bait Pellets II. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-5967 or via email at gaines.jennifer@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "Jennifer Gaines".

Jennifer Gaines
Wildlife Biologist
Insecticide-Rodenticide Branch
Registration Division (7505P)
Office of Pesticide Programs



United States
Environmental Protection Agency
Washington, DC 20460

- Registration
- Amendment
- Other

OPP Identifier Number

Application for Pesticide – Section I

1. Company/Product Number 3282-74	2. EPA Product Manager John Herbert	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) d-CON Bait Pellets II	PM# PM-7	
5. Name And Address Of Applicant (Include ZIP Code) Reckitt Benckiser Inc. 399 Interpace Parkway Parsippany, NJ 07054-0225 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. <u>APR 25 2012</u> Product Name _____

Section II

- Amendment – Explain below.
- Final Printed labels in response to Agency letter dated _____
- Resubmission in response to Agency letter dated _____
- "Me Too" Application.
- Notification – Explain below.
- Other – Explain Below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

This notification is to add an additional package size for 64 bait packs. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that is it a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" No. per Unit Packaging wgt. Container 1.0 OZ: 4,5,6,20, 64 pks	If "Yes" No. per Unit Packaging wgt. Container		
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(S) Retail Container 4 lb		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product				<input type="checkbox"/> Other _____	
<input checked="" type="checkbox"/> Lithographed				<input type="checkbox"/> Stenciled	
<input type="checkbox"/> Pager glued					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Heather Bjornson	Title Senior Regulatory Consultant	Telephone No. (Include Area Code) (202) 828-8945
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Senior Regulatory Consultant	
4. Typed Name Heather Bjornson	5. Date March 27, 2012	




Technology Sciences Group Inc.

1150 18th Street, NW, Suite 1000
Washington, D.C. 20036
Direct: (202) 828-8945
Fax: (202) 872-0745
E-Mail: hbjornson@tsgusa.com

Heather R. Bjornson
Senior Regulatory Consultant

John Herbert
Office of Pesticide Products
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

March 27, 2012



Re: d-CON – Bait Pellets II
EPA Registration No. 3282-74
Notification per PR Notice 98-10 to update container size

Dear John:

Technology Sciences Group, Inc., on behalf Reckitt, is submitting the enclosed notification to add an additional container size (64-1 OZ. packs – equivalent to 4 lbs.) to the aforementioned product. You will find the following included to support this amendment:

- 1) Amendment application form,
- 2) One redline version of the revised label, and
- 3) One clean copy of the revised label.

Please do not hesitate to contact me with any questions at (202) 828-8945 or via e-mail: hbjornson@tsgusa.com .

Sincerely,

Heather R. Bjornson
Senior Regulatory Consultant

4/21

1.0 oz – Bait Pack (for Mice)

(GOOD HOUSEKEEPING SEAL)

House Mice (will) eat through (the)(place)(bait) pack

NOTIFICATION


APR 25 2012

**d-CON®
Bait Pellets II**

KILLS MICE

CAN KILL IN ONE FEEDING*

* House Mice may consume a lethal dose in one feeding with first dead mice appearing 4 or 5 days after feeding begins.



Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.
Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

Brodifacoum 3-[3-(4'-bromo-{1,1'-biphenyl}-4-yl)-
1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-
benzopyran-2-one.....0.005%

OTHER INGREDIENTS:99.995%
TOTAL 100.000%

NET WEIGHT: 1.0 OZ. (28 g)

SATISFACTION GUARANTEED OR YOUR MONEY BACK
Call 1-800-228-4722

Important: For directions for use and first aid instruction in Spanish, please call 1-866-648-1819

Ready-to-use
(1) (4) (5) (6) (ready-to-use) place packs

5/21

1.0 oz – Bait Pack (for Mice)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may only be used to control House Mice in and around homes, industrial, commercial, agricultural and public buildings. d-CON Bait Pellets II may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where their signs have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see **"IMPORTANT:"**).

6/21


1.0 oz – Bait Pack (for Mice)

APPLICATION DIRECTIONS:

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet in infested areas. Up to 2 bait packs may be used at points of very high house mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by mice. If bait packs are not opened by house mice for 5 consecutive days, they may be relocated to other places where house mice activity exists and where bait placements consistent with the requirements of this label can be made.

While wearing gloves, collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.



7/21

1.0 oz – Bait Pack (for Mice)

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed by human	<ul style="list-style-type: none">• Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice.• Do not induce vomiting unless told to do so by the poison control center or doctor.
If swallowed by pet or animal	<ul style="list-style-type: none">• Call a veterinarian immediately for treatment advice.

NOTE TO PHYSICIAN AND VETERINARIAN

This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K₁ are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). **FOR HUMAN CASES:** Vitamin K₁ is antidotal at doses of 10 to 20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. **FOR ANIMAL CASES:** Vitamin K₁ is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K₁ should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

8/21

1.0 oz – Bait Pack (for Mice)

STORAGE AND DISPOSAL

Do not contaminate water, food, feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO BUYER AND USER: To the extent consistent with applicable law, Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Questions? Comments? Call 1-800-228-4722


Distributed by: Reckitt Benckiser Inc. Parsippany, NJ 07054(-xxxx)

EPA Reg. No.: 3282-74

EPA Est. No.: 475-MS-1

MADE IN THE USA

Important: For directions for use and first aid instruction in Spanish, please call 1-866-648-1819



9/21

1.0 oz Bait Pack (for Mice and Rats)

(GOOD HOUSEKEEPING SEAL)

House Mice (& Norway and Roof Rats)(will) eat through (the)(place)(bait) pack

**d-CON®
Bait Pellets II**

KILLS RATS AND MICE

CAN KILL IN ONE FEEDING*

*Norway rats, Roof Rats and House Mice may consume a lethal dose in one feeding with first dead rodents appearing 4 or 5 days after feeding begins.

Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

Brodifacoum 3-[3-(4'-bromo-{1,1'-biphenyl}-4-yl)-
1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-
benzopyran-2-one.....0.005%

OTHER INGREDIENTS:99.995%

TOTAL 100.000%

NET WEIGHT: 1.0 OZ (28 g)


SATISFACTION GUARANTEED OR YOUR MONEY BACK

Call 1-800-228-4722

Important: For directions for use and first aid instruction in Spanish, please call 1-866-648-1819

Ready-to-use

(1) (4) (5) (6) (ready-to-use) place packs



16/21

1.0 oz Bait Pack (for Mice and Rats)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may only be used to control House Mice, Norway Rats, and Roof Rats in and around homes, industrial, commercial, agricultural and public buildings. d-CON Bait Pellets II may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where their signs have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see **"IMPORTANT:"**).

11/21

1.0 oz Bait Pack (for Mice and Rats)


APPLICATION DIRECTIONS:

To Control Norway and Roof Rats: Use 4-16 bait packs per placement. Space placements at intervals of 15-30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days.

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet in infested areas. Up to 2 bait packs may be used at points of very high mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

For Norway Rats, Roof Rats, and House Mice: Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by rodents. If bait packs are not opened by rats or house mice for 5 consecutive days, they may be relocated to other places where thier activity exists and where bait placements consistent with the requirements of this label can be made.

While wearing gloves, collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.



12/21

1.0 oz Bait Pack (for Mice and Rats)

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed by human	<ul style="list-style-type: none">• Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice.• Do not induce vomiting unless told to do so by the poison control center or doctor.
If swallowed by pet or animal	<ul style="list-style-type: none">• Call a veterinarian immediately for treatment advice.
NOTE TO PHYSICIAN AND VETERINARIAN	
<p>This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K₁ are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). FOR HUMAN CASES: Vitamin K₁ is antidotal at doses of 10 to 20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. FOR ANIMAL CASES: Vitamin K₁ is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K₁ should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.</p>	

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

STORAGE AND DISPOSAL

Do not contaminate water, food, feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

13/21

1.0 oz Bait Pack (for Mice and Rats)


NOTICE TO BUYER AND USER: To the extent consistent with applicable law, Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Questions? Comments? Call 1-800-228-4722

Distributed by: Reckitt Benckiser Inc. Parsippany, NJ 07054(-xxxx)

EPA Reg. No.: 3282-74
EPA Est. No.: 475-MS-1

MADE IN THE USA



14/21

4,5,6/1.0 oz Bait Pack Outer Box

(GOOD HOUSEKEEPING SEAL)

Graphic – Rodent


House Mice (will) eat through (the)(place)(bait) pack

**d-CON®
Bait Pellets II**

KILLS MICE

CAN KILL IN ONE FEEDING*

* House Mice may consume a lethal dose in one feeding with first dead mice appearing 4 or 5 days after feeding begins.



Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

Brodifacoum 3-[3-(4'-bromo-{1,1'-biphenyl}-4-yl)-
1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-
benzopyran-2-one.....0.005%

OTHER INGREDIENTS:99.995%

TOTAL 100.000%

NET WEIGHT: 4/1.0 OZ. (28 g) 4 OZ. (112 g)
 5/1.0 OZ. (28 g) 5 OZ. (140 g)
 6/1.0 OZ. (28 g) 6 OZ. (172 g)

SATISFACTION GUARANTEED OR YOUR MONEY BACK

Call 1-800-228-4722

Important: For directions for use and first aid instruction in Spanish, please call 1-866-648-1819

Ready-to-use

(4)(5)(6) (ready-to-use) place packs

15/21

4,5,6/1.0 oz Bait Pack Outer Box

Kills Mice

Kills Warfarin-Resistant House Mice

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may only be used to control House Mice in and around homes, industrial, commercial, agricultural and public buildings. d-CON Bait Pellets II may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

16/21

4,5,6/1.0 oz Bait Pack Outer Box

SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where their signs have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

APPLICATION DIRECTIONS:

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet in infested areas. Up to 2 bait packs may be used at points of very high house mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by mice. If bait packs are not opened by house mice for 5 consecutive days, they may be relocated to other places where house mice activity exists and where bait placements consistent with the requirements of this label can be made.

While wearing gloves, collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed by human	<ul style="list-style-type: none">• Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice.• Do not induce vomiting unless told to do so by the poison control center or doctor.
If swallowed by pet or animal	<ul style="list-style-type: none">• Call a veterinarian immediately for treatment advice.
NOTE TO PHYSICIAN AND VETERINARIAN	
This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K ₁ are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). FOR HUMAN CASES: Vitamin K ₁ is antidotal at doses of 10 to 20 mg (<u>not</u> mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. FOR ANIMAL CASES: Vitamin K ₁ is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K ₁ should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.	

17/21

4,5,6/1.0 oz Bait Pack Outer Box

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

STORAGE AND DISPOSAL

Do not contaminate water, food, feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO BUYER AND USER: To the extent consistent with applicable law, Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.


Questions? Comments? Call 1-800-228-4722

Distributed by: Reckitt Benckiser Inc. Parsippany, NJ 07054(-xxxx)

Important: For directions for use and first aid instruction in Spanish, please call 1-866-648-1819

EPA Reg. No. 3282-74
EPA Est. No. 475-MS-1

MADE IN THE USA



18/21

20, 64/1.0 oz Bait Pack Outer Box

(GOOD HOUSEKEEPING SEAL)

Graphic – Rodent

House Mice (& Norway and Roof Rats)(will) eat through (the)(place)(bait) pack

**d-CON®
Bait Pellets II**

KILLS RATS AND MICE

CAN KILL IN ONE FEEDING*

*Norway rats, Roof Rats and House Mice may consume a lethal dose in one feeding with first dead rodents appearing 4 or 5 days after feeding begins.


Keep out of reach of children.

CAUTION: May be harmful or fatal if swallowed.
Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

Brodifacoum 3-[3-(4'-bromo-{1,1'-biphenyl}-4-yl)-
1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-
benzopyran-2-one.....0.005%

OTHER INGREDIENTS:99.995%
TOTAL 100.000%



NET WEIGHT: 20/1.0 OZ. (28 g)
20 OZ. (560 g)
64/1.0 OZ. (28 g)
64 OZ. (4 lb) (1.8 kg)

SATISFACTION GUARANTEED OR YOUR MONEY BACK
Call 1-800-228-4722

Important: For directions for use and first aid instruction in Spanish, please call 1-866-648-1819

Ready-to-Use
(20) (64) (Ready-to-use) place packs

19/21

20, 64/1.0 oz Bait Pack Outer Box

Kills Rats and Mice
Kills Warfarin-Resistant Norway Rats and Warfarin-Resistant House Mice

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or other non-target animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may only be used to control House Mice, Norway Rats, and Roof Rats in and around homes, industrial, commercial, agricultural and public buildings. d-CON Bait Pellets II may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where their signs have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

20/21

APPLICATION DIRECTIONS:

To Control Norway and Roof Rats: Use 4-16 bait packs per placement. Space placements at intervals of 15-30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days.

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet in infested areas. Up to 2 bait packs may be used at points of very high house mouse activity. Maintain an uninterrupted supply of fresh bait for at least 15 days.

For Rats and Mice: Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by rodents. If bait packs are not opened by rodents for 5 consecutive days, they may be relocated to other places where their activity exists and where bait placements consistent with the requirements of this label can be made.

While wearing gloves, collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful or fatal if swallowed. This material may reduce the clotting ability of the blood and cause bleeding. Keep away from humans, domestic animals, and pets. Wash hands after handling bait.

FIRST AID	
Have label with you when obtaining treatment advice.	
If swallowed by human	<ul style="list-style-type: none">• Call a Poison Control Center, doctor, or 1-800-228-4722 immediately for treatment advice.• Do not induce vomiting unless told to do so by the poison control center or doctor.
If swallowed by pet or animal	<ul style="list-style-type: none">• Call a veterinarian immediately for treatment advice.
NOTE TO PHYSICIAN AND VETERINARIAN	
This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K ₁ are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). FOR HUMAN CASES: Vitamin K ₁ is antidotal at doses of 10 to 20 mg (<u>not</u> mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. FOR ANIMAL CASES: Vitamin K ₁ is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K ₁ should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.	

21/21

20, 64/1.0 oz Bait Pack Outer Box

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

STORAGE AND DISPOSAL

Do not contaminate water, food, feed by storage or disposal.

PESTICIDE STORAGE: Store only in original container, in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTICE TO BUYER AND USER: To the extent consistent with applicable law, Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Questions? Comments? Call 1-800-228-4722

Distributed by: Reckitt Benckiser Inc. Parsippany, NJ 07054(-xxxx)

EPA Reg. No. 3282-74
EPA Est. No. 475-MS-1

MADE IN THE USA

Important: For directions for use and first aid instruction in Spanish, please call 1-866-648-1819

