

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Liane Jenkins Senior Registration Specialist Reckitt Benckiser Inc. 399 Interpace Parkway Parsippany, NJ 07054-0225

OCT 3 1 2008

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4 and 98-10

Change inert ingredients to other ingredients Added phone number for consumer questions

Dear Ms. Jenkins:

The Agency is in receipt of your Application(s) for Pesticide Notification(s) under Pesticide Registration Notice (PRN) 2007-4 and 98-10 dated September 25, 2008 for:

**EPA Registration 3282-81** 

d-CON Ready Mixed Baitbits

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and 98-10 and finds that the label change(s) requested falls within the scope of PRN-2007-4 and 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please-be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Nicole Williams of my staff at 703-308-8893.

Sincerely,

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

EPA Form 8570-1 (rev. 8-94) Previous editions are obsolete.

Please read instructions on reverse before completing form.		Form Approved. OMB No	o. 2070-0060. Approval expires 2-28-95	
United States Environmental Protection Agency Washington, DC 20460		Registrat		
		Amendmo Other	303691	
Application for Pesticide - Section I				
Company/Product Number     3282-81	2. EPA Pr John He	oduct Manager ebert	3. Proposed Classification	
Company/Product (Name)	PM#		None Restricted	
d-CON® Ready Mixed Baitbits		PM-7		
5. Name and Address of Applicant (Include ZIP Code)	6. Expedit	ed Review. In accordance w	ith FIFRA Section 3(2)(3)(b)(i), my product	
Reckitt Benckiser Inc. 399 Interpace Parkway Parsippany, NJ 07054-0225	-	i. No		
Check if this is a new address		roduct Name		
Orien II III is a view address	Section II			
		printed labels in response to		
Amendment - Explain Below		Agency Letter dated		
Resubmission in response to Agency Letter dated		"Me Too" Application.		
Notification - Explain below.	Othe	r - explain below.		
Explanation: Use additional page(s) if necessary. (For section I and Section II.)				
Notification of label change per PR Notice 2007-4 to address the new Container Rule, PR Notice 97-6 for term "Inert" ingredients and				
phone number addition				
Section III				
1. Material This Product Will Be Packaged In:	hwa can bu ba da da	10.7. (0.		
Child-Resistant Packaging Unit Packaging	Water Soluble Packaging	2. Type of Co	intainer fetal	
Yes* Yes	Yes		lastic	
No No	No	Paper		
If "yes," No. per If "Yes," No. per Unit Package wgt. container Package wgt. container				
* Certification must be Submitted. Unit Package wgt. container Packa				
3. Location of Net Contents Information 4. Size(s) of Retail Container 5. Location of Label Directions				
12 oz (4/3 oz)			a accompanying product	
6. Manner in Which Label is Affixed to Product  Lithograph  Other ()				
Paper glued Stenciled				
Section IV				
Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)				
Name	Title		Telephone No. (Include Area Code)	
Liane Jenkins	Senior Registration Sp	ecialist	(973) 404-27.81	
Certification			e c c c c c c c c c c c c c c c c c c c	
I certify that the statements I have made on this form and all attachments thereto I acknowledge that any knowingly false for misleading statement may be punishal			e e Received e	
both under applicable law.	Ty . I partial about 1110		(Stamped)	
2. Signature	3. Title			
	1		arite (CC)	
	Senior Registration	Specialist	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
France Jenkins	Senior Registration	Specialist		
4. Typed Name	Senior Registration  5. Date	n Specialist		

White - FPA File Copy (original)

Yellow - Aphlicant conv

# RECKITT BENCKISER

September 25, 2008

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
One Potomac Yard, Room S4900
2777 S. Crystal Drive
Arlington, VA 22202

Attention:

Linda Arrington

Ref.: d-CON® Ready Mixed Baitbits

• EPA Reg. No.:

3282-81

OPP ID No.:

303691

Label Change to meet PR Notice 97-6 and 20074

Dear Ms. Arrington,

Reckitt Benckiser is notifying the Agency of a few label changes made to the above mentioned registration. These changes should be allowed via Notification. All changes to the proposed Master label are indicted in red text. Below is a summary of these changes:

- Revising the Disposal Instruction as per PR Notice 2007-1. The revised language is taken directly from this PR Notice.
- Changing "Inert" Ingredients to "Other" ingredients as allowed by PR Notice 97-6
- · Adding a phone number for consumers to call for questions.

The enclosed documents support this registration action:

- EPA Application of Pesticide Registration, Form 8570-1, OPP ID No. 303691
- Certification Statement as per PR Notice 95-2
- One copy of proposed label with changes highlighted in red text

Thank you for your assistance with this registration action. If you have any questions, please contact me at (973) 404-2781 or via e-mail at <a href="mailto:liane.jenkins@reckittbenckiser.com">liane.jenkins@reckittbenckiser.com</a>.

Sincerely,

Liane Jenkins

Senior Registration Specialist

Leave Derkins

Page 1 of 8 September 25, 2008

# 12 OZ AND 3 LB. OUTER BOX FRONT LABEL

(GOOD HOUSEKEEPING SEAL)

# d-CON® READY MIXED BAITBITS

NOTIFICATION OCT 3 1 2008

### KILLS MICE AND RATS

### CAN KILL IN ONE FEEDING

\*Rats and mice may consume a lethal dose in one feeding with first dead rodents appearing 4 or 5 days after feeding begins.

### Keep out of reach of children.

**CAUTION:** May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

#### **ACTIVE INGREDIENT:**

Brodifacoum 3-[3-(4'-bromo-{1,1'-

biphenyl}-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-

hvdroxy-2H-1-benzopyran-2-one......0.005%

OTHER INGREDIENTS: 99.995%

TOTAL 100.000%

4 READY TO USE BAIT FILLED TRAYS 4 BAIT TRAYS NET CONTENTS 4/3.0 OZ. (85g) NET WT. 12 OZ. (340g)

16 READY TO USE BAIT FILLED TRAYS

NET WT. 3 LBS. (1360g)

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648/1819

# 12 OZ BOX AND 3 LB. OUTER BOX BACK LABEL

d-CON READY MIXED GENERATION II

KILLS RATS AND MICE

Kills Warfarin-Resistant House Mice and Warfarin-Resistant Norway Rats

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, or other non target animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and non-target wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** This product may be used to control House Mice, Norway Rats, and Roof Rats in and around homes, industrial, commercial, agricultural and public buildings. d-CON Ready Mixed Generation II may also be used in transport vehicles (ships, trains, aircraft) and in and around related ports or terminal buildings. Do not use in sewers. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

#### APPLICATION DIRECTIONS:

(FOR 12 OZ. BOX ONLY: The amount of bait contained in the trays in this box is unlikely to be sufficient to kill more than 3 to 12 rats. More than one box may be needed to control larger infestations.

- **To Control Norway and Roof Rats:** Place 1 4 bait trays per placement. Space placements at intervals of 15 30 feet in infested areas. If trays are not fed for 5 consecutive days, relocate them to other places where rodent activity exists and where placements consistent with the requirements of this label can be made. Maintain an uninterrupted supply of fresh bait for at least 10 days.
- **To Control House Mice:** Open tray and apply 1/4 1/2 oz. (1 2 level tablespoons) of bait at 8 to 12 foot intervals in infested areas. Larger placements (up to 2 ounces) may be needed at points of extremely high mouse activity. Maintain a supply of fresh bait for at least 15 days.

Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by rodents. Replace contaminated or spoiled bait immediately if rodent activity is still evident. Collect and dispose of all dead animals and leftover bait properly.

To prevent reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

#### PRECAUTIONARY STATEMENTS:

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** May be harmful or fatal if swallowed. Keep away from humans, domestic animals, and pets. Wash hands after handling bait. IF BAIT IS EATEN BY HUMAS, CALL A PHYSICIAN AT ONCE. For 24 hour emergency assistance, call your local Poison Control Center. IF BAIT IS EATEN BY ANIMALS OR PETS: Call your local veterinarian.

**NOTE TO PHYSICIAN AND VETERINARIAN:** This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin  $K_1$  are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). **FOR HUMAN CASES:** Vitamin  $K_1$  is antidotal at doses of 10 to 20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. **FOR ANIMAL CASES:** Contains Brodifacoum, an anticoagulant with a half-life in the dog of 1-4 days. For dogs that have ingested or that are suspected of having ingested Brodifacoum, and/or have obvious poisoning symptoms, such as bleeding or have lowered prothrombin times, give Vitamin  $K_1$  as follows: Vitamin  $K_1$  is antidotal at 5 mg/kg intramuscularly. Oral Vitamin  $K_1$  should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water,

### STORAGE AND DISPOSAL

**STORAGE:** Store only in original container, in a dry place inaccessible to children and pets.

**DISPOSAL: If empty:** Non-refillable container. Do not reuse or refill container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

### 12 OZ. BOX RIGHT SIDE PANEL

d-CON®
PELLETS GENERATION II

KILLS MICE AND RATS

Kills Warfarin-Resistant House Mice and Warfarin-Resistant Norway Rats

**NOTICE TO BUYER AND USER:** Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal use conditions, or under conditions not reasonable foreseeable to Seller, and Buyer and User assumes the risk of any such use.

SELLER DISCLAIMS ALL OTHER WARRANTIES EXPRESSED OR IMPLIED INCLUDING ANY WARRANTY OR FITNESS OR MERCHANTABILITY. SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

EPA Reg. No. 3282-81 EPA Est. No. 475-MS-1; 2393-WI-1

> SATISFACTION GUARANTEED OR YOUR MONEY BACK Call 1-800-228-4722

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

#### 12 OZ. BOX LEFT SIDE PANEL

# d-CON® PELLETS GENERATION II

### KILLS RATS AND MICE

### CAN KILL INONE FEEDING\*

\*Rats and mice may consume a lethal dose in one feeding with first dead rodents appearing 4 or 5 days after feeding begins.

### MADE IN THE USA

d-CON BAITS: KILLING RATS AND MICE IN AMERICA FOR 50 YEARS

> SATISFACTION GUARENTEED OR YOUR MONEY BACK Call 1-800-228-4722

Questions? Comments? Call 1-800-228-4722
Distributed by:
Reckitt Benckiser Inc
Parsippany, NJ 07054

Important: For Direction for use and first aid instruction in Spanish, please call 1-866-648-1819

## 3 OZ. BAIT TRAY FRONT PANEL

## d-CON® PELLETS GENERATION II

### KILLS RATS AND MICE

### READY-TO-USE BAIT TRAY

Kills Warfarin-Resistant House Mice and Warfarin-Resistant Norway Rats

### CAN KILL INONE FEEDING\*

\*Rats and mice may consume a lethal dose in one feeding with first dead rodents appearing 4 or 5 days after feeding begins.

### Keep out of reach of children.

**CAUTION:** May be harmful or fatal if swallowed.

Read additional precautionary statements on back panel.

**ACTIVE INGREDIENT:** Brodifacoum 3-[3-(4'-bromo-{1,1'-

biphenyl}-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-

hydroxy-2H-1-benzopyran-2-one......0.005%

OTHER INGREDIENTS: .....99.995%

TOTAL 100.000%

NET WT. 3 OZ. BAIT TRAY (85g)

# 3 OZ. BAIT TRAY BACK PANEL

Kills Warfarin-Resistant Norway Rats and Warfarin-Resistant House Mice.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label on the outer package before using this product. It is illegal to sell these bait trays individually.

### PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### KEEP OUT OF REACH OF CHILDREN.

Place bait in areas not accessible to children, pets, domestic animals or wildlife or in tamper-resistance bait boxes.

**CAUTION:** May be harmful or fatal if swallowed. Keep away from humans, domestic animals, and pets. Wash hands after handling bait. IF BAIT IS EATEN BY HUMANS, CALL A PHYSICIAN AT ONCE. For 24 hour emergency assistance, call your local Poison Control Center. IF BAIT IS EATEN BY ANIMALS ORPETS: Call your local veterinarian.

NOTE TO PHYSICIAN AND VETERINARIAN: This product may reduce the clotting ability of the blood and cause hemorrhaging. The anticoagulant action of this product may produce prolonged prothrombin times for 20 to 30 days after exposure. If poisoning occurs, intramuscular and oral administration of Vitamin K<sub>1</sub> are indicated, as in poisoning from overdose of dicumarol (bishydroxy coumarin). FOR HUMAN CASES: Vitamin K<sub>1</sub> is antidotal at doses of 10 to 20 mg (not mg/kg). Repeated treatments may need to be given for up to 30 days (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary. FOR ANIMAL CASES: Contains Brodifacoum, an anticoagulant with a half-life in the dog of 1 – 4 days. For dogs that have ingested or that are suspected of having ingested Brodifacoum, and/or have obvious poisoning symptoms, such as bleeding or have lowered prothrombin times, give Vitamin K<sub>1</sub> as follows: Vitamin K<sub>1</sub> is antidotal at 5 mg/kg intramuscularly. Oral Vitamin K<sub>1</sub> should be given for up to 30 days at 5 mg/kg (based on monitoring of prothrombin times). In severe cases blood transfusions may be necessary.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and wildlife. This product can pose a secondary hazard to birds of prey and mammals. Do not apply directly to water.

OTHER INGREDIENTS: .....99.995%

TOTAL 100.000%

Questions? Comments? Call 1-800-228-4722 Distributed by: Reckitt Benckiser Inc Parsippany, NJ 07054

EPA Reg. No. 3282-81

EPA Est. No. 475-MS-1; 2392-WI-1