3282-88 8/3/2006

Page 1318

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460 NOTICE OF PESTICIDE: <u>X</u> Registration (under FIFRA, as amended) <u>U.S. ENVIRONMENTAL PROTECTION AGENCY</u> Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460 NOTICE OF PESTICIDE: <u>X</u> Registration (under FIFRA, as amended) <u>U.S. ENVIRONMENTAL PROTECTION AGENCY</u>	EPA Reg. Number: 3282-88 Term of Issuance: Conditional	Date of Issuance: August 3, 2006
480	Name of Pesticide Produ d-Con® Bait Pac	
Name and Address of Registrant (include ZIP Code):		
Reckitt Benckiser Inc. 1655 Valley Road P.O. Box 943 Wayne, NJ 07474-0943		
Attention: Ms. Liane Jenkins		
Note: Changes in labeling differing in substance from that accepted in connection with this regis Registration Division prior to use of the label in commerce. In any correspondence on this produ		4
On the basis of information furnished by the registrant, the above named pesticide is hereby regi Fungicide and Rodenticide Act.	stered/reregistered under the	Federal Insecticide,
Registration is in no way to be construed as an endorsement or recommendation of this product to environment, the Administrator, on his motion, may at any time suspend or cancel the registration acceptance of any name in connection with the registration of a product under this Act is not to be use of the name or to its use if it has been covered by others.	on of a pesticide in accordance	ce with the Act. The
A. submit one (1) copy of final printed labeling, before with the following change:	you release the pro-	duct for shipment,
1. Modify the graphic submitted your labeling to	avoid implying th	at this product
will instantaneously control the pest species.		
will instantaneously control the pest species.	Date:	

EPA Form 8570-6

Page 2 EPA Reg. No. 3282-88

B. submit a revised Confidential Statement of Formula (CSF), with updated values for Blocks 13a, 13b, 14a, and 14b for your active ingredient. The current values are too high.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed. If you have any questions, please contact Dan Peacock by phone (703-305-5407), fax (703-305-6596), or E-Mail (peacock.dan@epa.gov).

- 1. Enclosure: Stamped Label
- 2. Minimum Type Size Requirements for Final Printed Label

Dan Peacock, Flash Drive, 1G, K:\Difethialone\Notices of Registration, d-Con\3282-88, Notice of Registration, 8-2-2006.doc

# 1.0 oz. Bait Pack - Front Panel (Mice only)

(GOOD HOUSEKEEPING SEAL)

# d-CON® BAIT PACKS III

KILLS MICE

Mice may consume a lethal dose in one night's feeding with first dead mice appearing 4 or 5 days after feeding begins.

#### Keep out of reach of children.

**CAUTION:** May be harmful if swallowed. Read additional precautionary statements on back panel.

ACTIVE INGREDIENT: Difethialone INERT INGREDIENTS:	
	TOTAL 100.0000%
NET WT 1.0 OZ. (28g) Bait Packs	M EPA Letter Dated AUG 3 2006
Kills mice	Under the Federal Insecticity. Rungicide, and Rodentkide Ast

SATISFACTION GUARANTEED OR YOUR MONEY BACK 3282-88

# d-CON® BAIT PACKS III EPA REG. NO: 3282-88

477/8 Revised: August 2, 2006 Page: 2 of 16

### 1.0 oz. Bait Pack - BACK Panel

# DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

#### **USE RESTRICTIONS:**

This product may only be used to control house mice only in the sites identified below.

- In URBAN AREAS, this product may only be used in and around homes; in and around industrial, commercial and public buildings; and in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. All applications "around" buildings must be made in tamper-resistant bait stations placed along the walls or other external parts of buildings (e.g. doorways, ramps, loading docks) where mice might seek to gain entrance. Do not use in sewers.
- In NON-URBAN AREAS, this product may only be used inside of homes and agricultural buildings.

### 1.0 oz. Bait Pack – Back Panel (Mice only)

**SELECTION OF TREATMENT AREAS:** Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

### **APPLICATION DIRECTIONS:**

**To Control House Mice:** Use one bait per placement. Space placements at intervals of 8 to 12 feet. 2 bait packs may be used at points of extremely high mouse activity. Maintain a supply of fresh bait for at least 15 days. Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by rodents. If bait packs are not fed from for 5 consecutive days, relocate them to other places where rodent activity exists and where placements consistent with the requirements of this label can be made. Collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

718 Revised: August 2, 2000 Page: 4 of 16

### 1.0 oz. Bait Pack – Back Panel (Mice only)

# PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** May be harmful if swallowed. Keep away from humans, domestic animals, and pets. Wash hands after handling bait. Wear gloves if bait or dead animals may be handled.

	FIRST AID
ŀ	lave this label with you when obtaining treatment advice.
IF SWALLOWED	Call a Poison Control Center or doctor immediately for treatment advice.
	<ul> <li>Have person sip a glass of water if able to swallow. Do not induce vomiting until told to do so by a Poison Control Center or doctor.</li> </ul>
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
· · · · · · · · · · · · · · · · · · ·	NOTE TO PHYSICIAN AND VETERINARIAN
have obvious poisoning	, an anticoagulant. For humans or dogs that have ingested this product or ng symptoms (bleeding) or elevated prothrombin times, give Vitamin K1 by administration. Check prothrombin time every 3 days until values return to

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water.

# STORAGE AND DISPOSAL

**STORAGE:** Store in original container in a dry place inaccessible to children and pets. **DISPOSAL: if empty,** do not reuse this container. Place in trash or offer for recycling if available. **If partly filled**, Call your local sold waste agency for disposal instructions. Never place unused products down any indoor or outdoor drains.

**NOTICE TO BUYER AND USER:** Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Distributed by: Reckitt Benckiser, Inc Parsippany, NJ 07054

EPA Reg. No.: 3282-88 EPA Est. No.: 475-MS-1

# 1.0 oz. Bait Pack FRONT PANEL (Rats & Mice)

(GOOD HOUSEKEEPING SEAL)

# d-CON® BAIT PACKS III

# KILLS MICE AND RATS

Rats and mice may consume a lethal dose in one night's feeding with first dead rodents appearing 4 or 5 days after feeding begins.

#### Keep out of reach of children.

**CAUTION:** May be harmful if swallowed. Read additional precautionary statements on back panel.

NET WT. 1.0 oz. (28g) Bait Pack

Kills both mice and rats

SATISFACTION GUARANTEED OR YOUR MONEY BACK

# 1.0 oz. Bait Pack - BACK LABEL (Rats & Mice)

# DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. **IMPORTANT:** Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

### **USE RESTRICTIONS:**

This product may be used to control Norway Rats, Roof Rats and house mice only in the sites identified below.

- In URBAN AREAS, this product may only be used in and around homes; in and around industrial, commercial and public buildings; and in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. All applications "around" buildings must be made in tamper-resistant bait stations placed along the walls or other external parts of buildings (e.g. doorways, ramps, loading docks) where rats or mice might seek to gain entrance. Do not use in sewers.
- In NON-URBAN AREAS, this product may only be used inside of homes and agricultural buildings.

9718

## 1.0 oz. Bait Pack - BACK LABEL (Rats & Mice)

**SELECTION OF TREATMENT AREAS:** Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

**To Control Norway and Roof Rats:** Use 4-16 bait packs per placement. Space placements at intervals of 15-30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days.

**To Control House Mice:** Use one bait pack per placement. Space placements at intervals of 8 to 12 feet. 2 bait packs may be used at points of extremely high mouse activity. Maintain a supply of fresh bait for at least 15 days.

**FOR RATS and MICE:** Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by rodents. If bait packs are not fed from for 5 consecutive days, relocate them to other places where rodent activity exists and where placements consistent with the requirements of this label can be made. Collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

10718

#### 1.0 oz. Bait Pack - BACK LABEL (Rats & Mice)

# PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** May be harmful if swallowed. Keep away from humans, domestic animals, and pets. Wash hands after handling bait. Wear gloves if bait or dead animal may be handled.

	FIRST AID
Ha	ave this label with you when obtaining treatment advice.
IF SWALLOWED	<ul> <li>Call a Poison Control Center or doctor immediately for treatment advice.</li> </ul>
	<ul> <li>Have person sip a glass of water if able to swallow. Do not induce vomiting until told to do so by a Poison Control Center or doctor.</li> </ul>
	• Do not give anything by mouth to an unconscious person.
	NOTE TO PHYSICIAN AND VETERINARIAN
have obvious poisonin	an anticoagulant. For humans or dogs that have ingested this product or g symptoms (bleeding) or elevated prothrombin times, give Vitamin K1 by dministration. Check prothrombin time every 3 days until values return to

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water.

# STORAGE AND DISPOSAL

**STORAGE:** Store in original container in a dry place inaccessible to children and pets. **DISPOSAL: If empty,** do not reuse this container. Place in trash or offer for recycling if available. **If partly filled**, Call your local sold waste agency for disposal instructions. Never place unused products down any indoor or outdoor drains.

**NOTICE TO BUYER AND USER:** Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Distributed by: Reckitt Benckiser, Inc Parsippany, NJ 07054

EPA Reg. No.: 3282-88 EPA Est. No.: 475-MS-1

11 7 18

Revised: August 2, 2006 Page: 9 of 16

### 4,5,6/1.0 oz Bait Pack Outer Box FRONT PANEL

(GOOD HOUSEKEEPING SEAL)

## d-CON® BAIT PACKS III

#### **KILLS MICE**

Mice may consume a lethal dose in one night's feeding with first dead mice appearing 4 or 5 days after feeding begins.

# Keep out of reach of children.

**CAUTION:** May be harmful if swallowed. Read additional precautionary statements on back panel.

ACTIVE INGREDIENT: Difethialone		0.0025%
INERT INGREDIENTS:		<u>99.9975%</u>
	TOTAL	100.0000%

NET WT. 20/1.0 oz (28g) bait packs (20 place packs)

Kills mice

SATISFACTION GUARANTEED OR YOUR MONEY BACK

12 7 18

Revised: August 2, 2006 Page: 10 of 16

### 4,5,6/1.0 oz Bait Pack Outer Box - BACK LABEL

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions.

**IMPORTANT:** Do not expose children, pets, or other nontarget animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

# **USE RESTRICTIONS:**

This product may only be used to control house mice only in the sites identified below.

- In URBAN AREAS, this product may only be used in and around homes; in and around industrial, commercial and public buildings; and in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. All applications "around" buildings must be made in tamper-resistant bait stations placed along the walls or other external parts of buildings (e.g. doorways, ramps, loading docks) where mice might seek to gain entrance. Do not use in sewers.
- In NON-URBAN AREAS, this product may only be used inside of homes and agricultural buildings.

13 718

### 4,5,6/1.0 oz Bait Pack Outer Box - BACK LABEL

**SELECTION OF TREATMENT AREAS:** Determine areas where mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

#### **APPLICATION DIRECTIONS:**

**To Control House Mice:** Use one bait pack per placement. Space placements at intervals of 8 to 12 feet. 2 bait packs may be used at points of extremely high mouse activity. Maintain a supply of fresh bait for at least 15 days. Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by rodents. If bait packs are not fed from for 5 consecutive days, relocate them to other places where rodent activity exists and where placements consistent with the requirements of this label can be made. Collect and dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.

14 218

#### 4,5,6/1.0 oz Bait Pack Outer Box - BACK LABEL

# PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** May be harmful if swallowed. Keep away from humans, domestic animals, and pets. Wash hands after handling bait. Wear gloves if bait or dead animal may be handled.

	FIRST AID
ŀ	lave this label with you when obtaining treatment advice. HOT LINE NUMBER: 1-800-228-4722
IF SWALLOWED	Call a Poison Control Center or doctor immediately for treatment advice.
	<ul> <li>Have person sip a glass of water if able to swallow. Do not induce vomiting until told to do so by a Poison Control Center or doctor.</li> </ul>
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
	NOTE TO PHYSICIAN AND VETERINARIAN
have obvious poisoni	e, an anticoagulant. For humans or dogs that have ingested this product or ng symptoms (bleeding) or elevated prothrombin times, give Vitamin K1 by administration. Check prothrombin time every 3 days until values return to

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water.

# STORAGE AND DISPOSAL

**STORAGE:** Store in original container in a dry place inaccessible to children and pets. **DISPOSAL: If empty,** do not reuse this container. Place in trash or offer for recycling if available. **If partly filled**, Call your local sold waste agency for disposal instructions. Never place unused products down any indoor or outdoor drains.

**NOTICE TO BUYER AND USER:** Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Distributed by: Reckitt Benckiser, Inc Parsippany, NJ 07054

EPA Reg. No.: 3282-88 EPA Est. No.: 475-MS-1

15 318

Revised: August 2, 2006 Page: 13 of 16

#### 20/1.0 oz. Bait Pack Outer Box - FRONT PANEL

(GOOD HOUSEKEEPING SEAL)

#### d-CON® BAIT PACKS III

#### KILLS MICE AND RATS

Rats and mice may consume a lethal dose in one night's feeding with first dead rodents appearing 4 or 5 days after feeding begins.

Keep out of reach of children.CAUTION:May be harmful if swallowed.Read additional precautionary statements on back panel.

<b>ACTIVE INGREDIENT:</b> Difethialone		0.0025%
INERT INGREDIENTS:		<u>99.9975%</u>
	TOTAL	100.0000%

NET WT. 20/1.0 oz (28g) bait packs (20 place packs)

Kills both mice and rats

SATISFACTION GUARANTEED OR YOUR MONEY BACK

16 7-18

Revised: August 2, 2006 Page: 14 of 16

#### 20/1.0 oz. Bait Pack Outer Box - BACK LABEL

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. **IMPORTANT:** Do not expose children, pets, or other non-target animals to rodenticides. To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by children under six years of age and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

#### **USE RESTRICTIONS:**

This product may be used to control Norway Rats, Roof Rats and house mice only in the sites identified below.

- In URBAN AREAS, this product may only be used in and around homes; in and around industrial, commercial and public buildings; and in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. All applications "around" buildings must be made in tamper-resistant bait stations placed along the walls or other external parts of buildings (e.g. doorways, ramps, loading docks) where rats or mice might seek to gain entrance. Do not use in sewers.
- In **NON-URBAN AREAS**, this product may only be used inside of homes and agricultural buildings.

17 2 18

Revised: August 2, 2006 Page: 15 of 16

#### 20/1.0 oz. Bait Pack Outer Box - BACK LABEL

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or signs of rodents have been seen. Remove as much alternative food as possible. Use tamper-resistant bait stations wherever necessary (see "IMPORTANT:").

To Control Norway and Roof Rats: Use 4-16 bait packs per placement. Space placements at intervals of 15-30 feet in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days.

To Control House Mice: Use one bait pack per placement. Space placements at intervals of 8 to 12 feet. 2 bait packs may be used at points of extremely high mouse activity. Maintain a supply of fresh bait for at least 15 days.

FOR RATS and MICE: Check bait locations every 2 days for signs of feeding. Replenish bait if more than 1/2 of the original amount has been removed by rodents. If bait packs are not fed from for 5 consecutive days, relocate them to other places where rodent activity exists and where placements consistent with the requirements of this label can be made. Collect and

- dispose of all dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, establish permanent bait stations and replenish as needed.
- hav

18718

Revised: August 2, 2006 Page: 16 of 16

#### 20/1.0 oz bait pack outer box - BACK LABEL

## PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** May be harmful if swallowed. Keep away from humans, domestic animals, and pets. Wash hands after handling bait. Wear gloves if bait or dead animal may be handled.

	FIRST AID
<b>F</b>	lave this label with you when obtaining treatment advice.
	HOT LINE NUMBER: 1-800-228-4722
IF SWALLOWED	<ul> <li>Call a Poison Control Center or doctor immediately for treatment advice.</li> </ul>
	<ul> <li>Have person sip a glass of water if able to swallow. Do not induce vomiting until told to do so by a Poison Control Center or doctor.</li> </ul>
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
	NOTE TO PHYSICIAN AND VETERINARIAN
Contains Difethialone	, an anticoagulant. For humans or dogs that have ingested this product or
have obvious poisonil intramuscular or oral normal.	ng symptoms (bleeding) or elevated prothrombin times, give Vitamin K1 by administration. Check prothrombin time every 3 days until values return to

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish, birds and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water.

#### STORAGE AND DISPOSAL

**STORAGE:** Store in original container in a dry place inaccessible to children and pets. **DISPOSAL: If empty,** do not reuse this container. Place in trash or offer for recycling if available. **If partly filled**, Call your local sold waste agency for disposal instructions. Never place unused products down any indoor or outdoor drains.

**NOTICE TO BUYER AND USER:** Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Distributed by: Reckitt Benckiser, Inc Parsippany, NJ 07054

EPA Reg. No.: 3282-88 EPA Est. No.: 475-MS-1