



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Reckitt Benckiser Inc. c/o Heather Bjornson Technology Sciences Group, Inc. 1150 18th St., N.W., Ste. 1000 Washington, D.C. 20036

FEB 0 5 2009

Subject:

Notification of Change to Label

Mimas

EPA Reg. No. 3282-91

Dear Ms. Bjornson:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated <u>February 3, 2009</u> for the product <u>Mimas</u>. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The Confidential Statement of Formula (CSF) and/or label submitted with the application has (have) been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-5967.

omeorery,

Jennifer Gaines

Wildlife Biologist

Insecticide-Rodenticide Branch Registration Division (7505P) Office of Pesticide Programs

\$EPA	United States Environmental Protection Washington, DC 20460		√	Registra Amendn Other		OPP Identifier Number
		for Pesticide - Sec	tion			
1. Company/Product Number NOTIFICATION 3282-91		2. EPA Product Mar John Hebert	2. EPA Product Manager John Hebert		3. Proposed Classification None Restricted	
4. Company/Product (Name) Mimas	FEB 0 5 2009	PM# 4B				110110
Parsippany, NJ 07054	iter IV, 399 Interpace Parkway	(b)(i), my product	is sim	nilar or identi		FIFRA Section 3(c)(3) mposition and labeling
	and the second section of the sec	Section - II				
Notification - Explain Explanation: Use addition This notification is to make m This notification is consistent labeling of the Confidential st PEPA. I further understand the	onse to Agency letter dated	Agency let "Me Too" Other - Exp and Section II.) Please see the cover letter for nd EPA regulations at 40 CFR erstand that it is a violation of the terms of PR Notice 98-10	details 152.41 18 U.S and 40	ation. elow. 6, and no other C. Sec. 1001 t	changes o willfully	make any false statement to
		Section - III				
1. Material This Product Will Child-Resistant Packaging Yes No Certification must be submitted 3: Location of Net Contents	Unit Packaging ✓ Yes No If "Yes" Unit Packaging wgt. container 0.7 oz 1-2	Water Soluble Packaging Yes No If "Yes" No. per Package wgt Container		2. Type of C	Metal Plastic Glass Paper Other (S	Specify)
S. Location of Net Contents Information 4. Size(s) Netall Container 1 & 2 bait stations (0.7 oz each)			E			
6. Manner in Which Label is	Affixed to Product ' Lithograp Paper glu Stenciled	oh Othe	r		·	
		Section - IV				
Name		of individual to be contacted, tle legulatory Consultant	if nec			No. (Include Area Code)
	Certification ments I have made on this form and all y knowlingly false or misleading stater	on attachments thereto are true		urate and com	plete.	6. Date Application Received (Stamped)

4. Typed NameHeather R. Bjornson

Regulatory Consultant to Reckitt Benckiser Inc.

February 3, 2009

5. Date



February 3, 2009

WASHINGTON

1150 18th Street, N.W.

Suite 1000

Washington, D.C. 20036

Telephone 202 223-4392

Fax 202 872-0745

Jennifer Gaines

Insecticide - Rodenticide Branch

Office of Pesticide Products

U.S. Environmental Protection Agency

Room S-4900, One Potomac Yard

2777 South Crystal Drive Arlington, VA 22202-4501

RE: Mimas (EPA Reg. No. 3282-91)

Notification per PR Notice 98-10

SACRAMENTO

712 Fifth Street

Suite A

Davis, CA 95616

Telephone 530 757-1298

Fax 530 757-1299

Dear Jennifer:

Technology Sciences Group, on behalf Reckitt Benckiser, Inc., is submitting the enclosed notification to:

- Add an EPA Establishment Number,
- Clarify/reword the directions for use section so it is not confusing to the consumer,
- Add optional text for where the product is made and/or assembled, and
- Add an additional non-FIFRA claims.

CANADA

275 Slater Street

Suite 900

Ottawa, Ontario

K1P 5H9

Telephone 613 247-6285

Fax 613 236-3754

Please do not hesitate to contact me directly with any questions and/ or concerns at (202) 828-8945 or via e-mail: hbjornson@tsgusa.com.

Sincerely,

Heather R. Bjornson

Regulatory Consultant to Reckitt Benckiser, Inc.

colle R. Br

E-mail tsg@tsgusa.com

http://www.tsgusa.com

Mimas

EPA REG. NO: 3282-91

Page 1 of 6 February 3, 2009

OUTER CARTON FRONT LABEL

NOTIFICATION

[Alternate Brand Name: d-CON Bait Station II]

FEB 0 5 2009

Mimas

KILLS MICE

CAN KILL IN ONE FEEDING

*Mice may consume a lethal dose in one feeding with first dead rodents appearing 4 or 5 days after feeding begins.

KEEP OUT OF REACH OF CHILDREN

CAUTION: Read additional precautionary statements on back panel.

ACTIVE INGREDIENT:

Brodifacoum 3-[3-(4'-bromo-{1,1'-

biphenyl}-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]

-4-hydroxy-2H-1-benzopyran-2-one 0.005%

OTHER INGREDIENTS: 99.995%

EPA Reg. No.: 3282-xxx-91

EPA Est. No.: 61282-WI-1

475-MS-1

777-NJ-001

8791-MO-1

074291-MO-001

Contains: (x) Prefilled Bait Station(s)

(Net Contents:) (20 grams (0.7 oz)) up to 50 lbs (2 x 20 grams (0.7 OZ.)) (40 grams (1.4 OZ.))

Patent Pending

Page 2 of 6 February 3, 2009

OUTER CARTON BACK LABEL

Important: For Directions for Use and First Aid instructions in Spanish, please call 1-866-648-1819

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

USE RESTRICTIONS: THIS IS NOT A TAMPER RESISTANT BAIT STATION. DO NOT USE THIS PRODUCT IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS OR NONTARGET WILDLIFE. DO NOT USE THIS PRODUCT OUTDOORS.

Use only to control house mice in homes. Do not place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Selection of Treatment Areas

Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where mice or their signs have been observed.

House Mice

- 1. Remove (this product) from the carton prebaited with a (this product)
- 2. Placement: Place along walls or in corners with the entrance holes exposed.

For best performance, use (this product) (multiple stations) spaced 8 to 12 feet apart along walls where mice or their signs have been seen.

Replace bait station when contents are consumed. Replace bait station if station is damaged and the bait is exposed. If bait is not touched after 3 days it should be moved to a new location where mouse activity is evident. Wearing gloves collect and dispose of all dead animals and leftover bait properly as specified on this label. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

CAUTION: May be harmful or fatal if swallowed. Keep away from humans, domestic animals, and pets. Wear gloves when handling bait stations or animals. Wash hands with soap and water after handling bait (station).

IF BAIT IS EATEN BY ANIMALS OR PETS, CALL A VETERINARIAN AT ONCE.

FIRST AID					
	tainer or label with you when calling a Poison Control Center or				
doctor, or going for to	reatment.				
If swallowed:	 Call a Poison Control Center, or doctor IMMEDIATELY for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the Poison Control Center or doctor. 				
N	OTE TO PHYSICIAN OR VETERINARIAN				

This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K_1 are indicated, as in poisoning from overdose of bishydroxy coumarin.). **FOR HUMAN CASES**: Vitamin K_1 is antidotal at doses of 10 to 20 mg (not mg/kg). **FOR ANIMAL CASES**: Vitamin K_1 is antidotal at 2-5 mg/kg intramuscularly. Repeated doses may need to be given for up to 2 weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water.

STORAGE AND DISPOSAL

This is a non-refillable container. Do not reuse or refill this container.

PESTICIDE STORAGE: Store in original container in a dry place inaccessible to children and pets.

PESTICIDE DISPOSAL: If empty, do not reuse this container. Place in trash or offer for recycling if available. If partly filled, Call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drains.

NOTICE TO BUYER AND USER: Buyer and User assume all responsibility for safety and risk associated with any use not in accordance with directions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, SELLER SHALL NOT BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE

Mimas EPA REG. NO: 3282-91 Page 4 of 6 February 3, 2009

USE OR HANDLING OF THIS PRODUCT AND SELLER'S SOLE LIABILITY AND BUYER'S AND USER'S EXCLUSIVE REMEDY SHALL BE LIMITED TO THE REFUND OF THE PURCHASE PRICE.

Questions? Comments? Call 1-800-228-4722

Visit us at www.d-conproducts.com

Distributed by: Reckitt Benckiser, Inc.

Parsippany, NJ 07054-(XXXX)

(Made in USA) (Assembled in USA.) (Components from USA and Mexico.)

RBI © [date]

Labeling for Station

ACTIVE INGREDIENT:

Brodifacoum 3-[3-(4'-bromo-{1,1'-

biphenyl}-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]

-4-hydroxy-2H-1-benzopyran-2-one 0.005%

OTHER INGREDIENTS: 99.995%

Net Contents: 20 grams (0.7 oz) up to 50 lbs, (2 x 20 grams (0.7 OZ.)) (40 grams (1.4

OZ.))

EPA Reg. No.: 3282-xxx91

EPA Est. No.: 61282-WI-1

475-MS-1

777-NJ-001

8791-MO-1

074291-MO-001

Keep out of reach of children

CAUTION: Contains anticoagulant rodenticide. If swallowed, call a physician at once. See outer package label for additional precautionary statements, first aid information and directions for use.

This is not a tamper-resistant bait station. Do not use in areas accessible to children, pets, domestic animals, or nontarget wildlife.

Questions? Comments? Call 1-800-228-4722

Visit us at www.d-conproducts.com

Distributed by: Reckitt Benckiser, Inc.

Parsippany, NJ 07054-(XXXX)

(Made in USA) (Assembled in USA.) (Components from USA and Mexico.)

RBI © [date]

Optional Marketing Claims

1 step bait station (dispenser) (box)

America's #1 mouse killer (source: based on Nielson data)

Attack mouse problems (now)

Bait

Bait Dispenser

Bait Box

Bait Station

Can kill up to xxxx mice

Clear window lets you know when to replace (dispose) it

Compact design

Compact bait station

Consumer Friendly

Contains bittering agent

D-con's Best Bait Block

Demonstrated to help reduce mouse problems

Disposable

(x) Disposable Bait Shield(s)

**Easily fits behind furniture (appliances)

**Easy placement around the home

Easy to tell when the bait is eaten

Easy to dispose

Easy to use

Efficient Bait Station Plus

Fights mice

**Fits in almost in any corner

Guaranteed to kill (Satisfaction Guaranteed or your Money back)

Hassle free bait station (dispenser) (box)

Helps reduce mouse problems

Horizontal (placement)

Kills Mice

Kill mice 100% dead

Kills mice dead

Low profile bait box

Low profile bait dispenser

Low profile bait shield

Low profile bait station

(Mice go in) (eat the bait) (Mice go out)

Micro Bait Station

(Mini) Bait Station

(Mini)

Neat Bait Station (design)

No hassle bait station (dispenser) (box)

No loose bait

No loose pellets to spill or scatter

Page 6 of 6 February 3, 2009

No need to touch the bait

Pre-baited

Ready to use

Replacement Indicator

(Sealed) bait (station) (dispenser) (box)

Sealed

See thru (through) window

See when the bait is gone

See when the mouse has eaten the bait

Simple, easy to use

Small size bait station

**Use inside (in) (between) (underneath) (under) (cabinets)(closets) (garages) (attics) and (behind) or (appliances)

**Use in tight spaces

Versatile (design)

Vertical (placement)

Bait Base

Bait Case

Bait and Go

Bite and Go

Bait Stop

Slides

Sliver

Slide and Hide

Hideaway

Corner Fit

Edge

Cornered

Angled

Corner Away

Corner Pass

Shield

^{**} Must adhere to the Use Restrictions in the Directions for Use section of this label.