

[3286-20]

# HOW TO USE

Spray bird cages and aviary thoroughly, paying special attention to cracks and crevices or metal-to-metal apertures. There is no necessity for removing birds from cages or aviaries when spraying with STAFFEL'S CAGE AND AVIARY SPRAY, but care must be taken, when applying this material to cages or aviaries, not to play the spray directly on the birds. Spray cage holders or stands thoroughly, as well as immediate area under and around cages.

FERD STAFFEL CO. 331 BURNEY ST., SAN ANTONIO, TEXAS 78298

# Staffel's

CONTENTS  
ONE QUART

**ACTIVE INGREDIENTS:**

Refined Petroleum Solvent	99.55%
Pyrethrins	0.05%
Technical Piperonyl Butoxide	0.40%
Total	100.00%
Equivalent to 0.32% (Butylcarbityl (6-propylpiperonyl) Ether and 0.08% other related compounds)	




# CAGE and AVIARY SPRAY

**KILLS MITES**

**CAUTION:**  
Harmful if swallowed. Keep out of reach of children. See side panels for added cautions.

Be sure to dip ends of perches in this solution as part of the spraying treatment. REPEAT TREATMENT whenever necessary.



Keep out of reach of children and pets. Do not store this container near heat or open flame. Do not store in medicine cabinet without further identifying this product as not for human consumption.