

**DIRECTIONS
READ WARNING AND
NOTICE STATEMENTS
CAREFULLY AND READ
DIRECTIONS BEFORE USE.**

MIXING INSTRUCTIONS — Add Lindane-Toxaphene Stock Spray and Dip Concentrate to required amount of water specified in specific directions. Agitate or stir mixture thoroughly before using. **TO REPLENISH DIPPING VATS** — add Lindane-Toxaphene Stock Spray and Dip Concentrate as per recommended dilutions, to all fresh water added to vat.

CATTLE — Mix at the rate of 1 quart Lindane-Toxaphene Stock Spray and Dip Concentrate to 20 gals. of water. Wet animals thoroughly. Kills ticks, horn flies and lice.

For small quantities use two tablespoons Stock Spray and Dip concentrate to make one gallon of spray or dip.

SHEEP AND GOATS — To control lice and sheep ticks, use at the rate of 1 QUART to 120 gallons of water. Wet animals down thoroughly. For complete kill of sheep scab in a single dipping, mix at the rate of one quart to 24 gallons of water and immerse sheep not less than 1/2 minute, ducking heads at least twice. For control of fleece worms and ticks dilute at the rate of one quart to 40 gals. of water. Wet sheep thoroughly. Repeat as needed.

HOGS — To control lice dilute at the rate of 1 QUART to 30 gallons of water. One application is usually enough.

SARCOPTIC MANGE — Dilute at the rate of 1 QUART to 20 gallons of water and spray animals twice at 14-day intervals. Wet animals thoroughly.

BACKRUBBER USE — Mix 1 pint Lindane-Toxaphene Stock Spray and Dip Concentrate with one gallon of diesel oil or No. 2 fuel oil. Apply mixture to rubbing device covering or pour into oil reservoir. Be sure covering is soaked. Exposure should appreciably reduce Horn Fly population. Continual use and exposure is necessary for effective lice control. Recharge units every 3 to 5 weeks. **CAUTION** — do not mix with used motor or crankcase oil or grease. Do not allow calves under 6 months of age to use rubbing devices. Do not allow animals to use treated back-rubber within 30 days of slaughter.

RESIDUAL SURFACE USE — To control flies and mosquitoes, DILUTE 1 QUART to 10 gallons of water. Wet surfaces thoroughly. Spray on outside walls of dairy barns, inside hog pens, on fences, garbage cans, etc. using 1" gallons per 1,000 square feet.

WARNING: Avoid treating animals during cold, stormy weather. Avoid treating overheated or sick animals. Do not spray or dip calves under 6 months. Do not use or pour near heat or open flame. Do not use in dairy barns or milk rooms, forage or feed fed to dairy animals. Do not dip animals within 30 days of slaughter or spray within 30 days of slaughter. Do not use on dairy animals or dairy goats. Do not use on dogs or household pets. Harmful if swallowed. This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. **AVOID BREATHING OF SPRAY MIST. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. WASH THOROUGHLY AFTER USING. AVOID CONTAMINATION OF FOOD, FEED, STREAMS, LAKES OR PONDS.** Misuse as to timing, quantity or method of application can cause damage or injury to animals, persons, property or crops or cause residues in excess of official tolerances.

NOTICE: Damages, if any, which may result from the failure of this product to conform to the description on this label shall be limited to direct damages but shall not include consequential damages such as those resulting from crop injury or failure to give adequate control. Buyer assumes all responsibility at time of purchase.



**Toxaphene-Lindane
STOCK SPRAY
AND DIP
CONCENTRATE**

CONTENTS 1 QUART



**FERD STAFFEL COMPANY — 331 Burnet St.
San Antonio, Texas 78298**



[illegible]

GENERAL DIRECTIONS

Staton's Oxidren Emulsifiable Concentrate (EC) is the perfect can be used in conventional hydraulic sprayers, low volume ground application. Use this product only for recommended purposes and at recommended dosages.

MIXING DIRECTIONS

min. Staffed. Dried to Equiv. Concentration with water by agitation agitate the mixture while spraying if allowed to, don't co-agitate before

USE AND DIRECTIONS FOR APPLICATION

[illegible]

USE OF THE PRODUCT UNDER NORMAL CONDITIONS, IN ACCORD WITH THE STATEMENTS MADE ON THIS LABEL.

NOTICE OF WARRANTY

THE FEND STAFFEL CO MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the instructions made on this label.

DIELDRIN

EMULSIFIABLE CONCENTRATE

(Contains 1.5 lbs. Dieldrin Per Gal.)

FOR USE ON ORNAMENTALS AND ORNAMENTAL TURF

WARNING: Keep out of reach of children

ACTIVE INGREDIENTS

.....	75.4%
.....	4.0%
TOTAL.....	100.0%

*Equivalent to 15.5% Hexamethoxytriphyde-imide, exceeds the strength, tens and 5.2% of Related Compound.

SA 44-1987
FIND STAFFEL, C. SAN ANTONIO, TEXAS 78296

RECEIVED
JAN 10 1964

1990

100