

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION:** Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs. Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pets. Birds and cover fish aquariums before spraying.

**PHYSICAL HAZARDS**  
 Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

**DIRECTIONS FOR USE**

**GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Store in a cool, dry area away from heat or open flame. Do not re-use empty container. Wrap container and put in trash collection.

This product will kill Flies, Mosquitoes, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Spiders, Centipedes, Ticks, Wasps, Pill Bugs, Crickets and Silverfish. Aids in control of Cockroaches. Cover exposed food, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

**TO OPERATE VALVE:** To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in center of room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

**TO KILL TICKS:** Remove and destroy old pet bedding. Apply this product as for other insects. Put fresh bedding in pets' quarters after treatments. Treat dogs and cats with a registered tick control product before allowing them to enter.

Use one can for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured.

Manufactured for THE STAFFEL COMPANY, San Antonio, TX 78208

**ACCEPTED**

FEB 29 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3286-56

**Staffel's™**

**total release  
room fogger**

FSI-95A

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins.

Kills Houseflies, Mosquitoes, Spiders, Centipedes, Wasps, Ticks, Black Carpet Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets and Silverfish. Aids in the control of Cockroaches.

One Unit Treats Up to 6,000 Cubic Feet

<b>ACTIVE INGREDIENTS:</b>	
d-trans Allethrin (allyl homolog of Cinerin II).....	.300%
Related compounds.....	.023%
*3-Phenoxybenzyl d-cis and trans**2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate.....	.191%
*Other isomers.....	.008%
Petroleum distillate.....	14.477%
<b>INERT INGREDIENTS:</b> .....	85.000%
<b>TOTAL</b> .....	<b>100.000%</b>

\*d-(cis, trans) phenothrin

\*\*cis/trans isomer ratio: max. 25% (+ or -) cis  
min. 75% (+ or -) trans

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel for Additional Precautionary Statements

EPA Reg. No. 3286-56 EPA Est. No. 3286-TX-1

Net Contents 7.5 oz.

BEST DOCUMENT AVAILABLE