


Turn Cap Over... Set Firmly On Valve



Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION!

- Harsh if inhaled. Avoid inhalation of vapors. Avoid contact with skin. Eye irritation. Wash thoroughly with plenty of water. Flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feed.
- Do not use in commercial food processing, preparation, serving or storage areas. In the home, do not use on food processing surfaces and equipment. Do not use during treatment of thoroughly cleaned surfaces. Use. Cover exposed food. Remove pets, birds, and other animals from area.

Physical Hazards

Contains under pressure. Do not use or store near heat or open flame. Do not puncture or otherwise compromise the integrity of the container. Do not use if damaged.

DIRECTIONS FOR USE

General Classification

Use a minimum of 1000 cc per 1000 sq ft in a manner consistent with its labeling.

Storage and Disposal

Store in a cool, dry area away from heat or open flame. Dispose in accordance with local regulations.

This product will kill Fleas, Mosquitoes, Black Carpet Beetles, Saw Toothed Grain Beetles, Rice Weevils, Small Flying Moths, Scabies, Combed Fleas, Ticks, Fleas, Flea Pupae, Crickets and Silverfish.

Use in control of Cockroaches. Cover exposed food, dishes and feeding equipment. Open curtains and doors to area to be treated. Shut off fans and air conditioners. Pull out all furniture and other objects. Close doors and windows. Place open sprayer away from food and avoid other people. Use one unit for each 6000 sq ft of unobstructed area. Use additional units for complete rooms or where flea infestation is not allowed. Do not reenter the area during treatment and ventilate thoroughly before reentry.

TO OPERATE VALVE: To rack valve in open position for automatic discharge, press in at bottom of the valve down, holding the knob. Then place nozzle at corner or base of the center. The open spray valve is held open by a spring. Laying off nozzle or just a few feet. Leave nozzle at end and keep holding knob for 10 or 15 minutes before pulling out. Shake all doors and windows and allow to air for 30 minutes. Repeat spraying in next week or when necessary.

To Kill Ticks: Douse pets and bedding and replace with product as above. Treat dogs and cats with registered tick control products prior to reentry.

To Kill Fleas: Follow directions for tick but use one unit per 1000 sq ft of floor area.

MURD COMPANY

PHILADELPHIA, PA 19122

EPA Reg. No. 3298-35

EPA Est. No. 3298-PA-01



1
2
3
4
5
6
7
8
9
10

ACCEPTED
OCT 1 1981
U.S. DEPARTMENT OF
COMMERCE
OFFICE OF
TECHNOLOGY
AND
STANDARDIZATION
3298-35