[3314-32]

E.P.A. Reg. No. 3314-FL-3

PTO.

AQUEOUS AEROSOL to professional, selectioned income to the control of the control

KILLS that settings musiquitines ignate wasps, maches earwijks siwhis is potentially on the co

ACTIVE INGREDIENTS.

 \uparrow + (5 Benzyl 3 furyl) (methyl 2.2 dimethyl 3.

(2 methylpropenyl) cyclopropanecarboxylate
 Related compounds

d trans Allethrin (allyl homolog of Cineriii 1) Related compounds

Aromatic petroleum hydrocarbons INERT INGREDIENTS

J 200% * *

0 028% 0 150%

0.012%

0.272%


99.338%

100.000% w/w

Manufactured by
















DIRECTIONS FOR USE

Cutagram was to target engine of the Removal of Control of Control

FOR HOUSEFLIES MOSQUITOES AND GNATS of a first and windows. Plant no rise upward street the epoc, must be a wind of the later appears, what we may also appears the windows may first their ease the restrict area keep the noon consent for it east to minimistic venture the noon when treatment is completed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary

FOR CRAWLING INSECTS: Roaches, earwigs, sowbugs and spiders. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly chainsects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible, Repeat as necessary.

CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove pats, birds and cover fish aquariums before spraying. Do not use on edible crops. When treating edible product areas of food processing plants, restaurants or other areas where food is propared or processed, foods should be removed or covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in covered.

the contents under pressure. Do not use or siere near that or poen flame. Co not puncture. Never throw container into the principal and processes to temporatures above 150°F. may be apprent the processes of the processes and the processes of th

[3314-32]

LP.A. Reg No. 3314-11 3 E.P.A. Est. No. 3314-FL-1 PTO.
WITH B-2**

AQUEOUS AEROSOL: for professional use in homes, motels hotels institutions restaurants, and food processing plants

KILLS: house lies, mosquite s, gnats, wasps, roaches, earwigs, sowbugs, spiders, and ants-

ACTIVE INGREDIENTS:

*+(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate 0 200% w/w

Related compounds 0.0 d trans Allethrin (allyl homolog of Cinerin I) 0.

Related compounds

Aromatic petroleum hydrocarbons
INERT INGREDIENTS

0.028% 0.150%

0.012% ..**0.272%**

99.338%

100.000% w/w

DIRECTIONS FOR USE

Shake well before each use. Remove protective cap. Air opening away from person. Push button to opray.

FOR HOUSEFLIES, MOSQUITOES AND GNATS: Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, sowbugs and spiders. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on treacts where possible. Repeat as necessary.

ANTE: Soray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs.