

ACCEPTED

MAR 18 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3314-47

FLOWER AND GARDEN CONCENTRATE

Insecticide Concentrate

Mix With Water for Use on Vegetable and Ornamental Plants

Quick-Action

Acceptable for Use To Day of Harvest on Edible Plants

KEEP OUT OF REACH OF CHILDREN CAUTION

Hazard & caution

See side panel for additional precautionary statements

ACTIVE INGREDIENTS

Pyrethrin	1.0%
*Pyrethrin Extract, Technical	10.0%
Permethrin Chloride	79.0%
INERT INGREDIENTS	100.0%
*Equivalent to 0.0% (Auxiliary)	
(N-Propylphenol) ester and to 2.0% alcohol	

EPA Reg. No. 3314-47 EPA Est. No. 3316711
Mitsui Chemicals

Colonel Products, Inc.
1620 Hib Avenue, North, Lake Worth, Florida 33461

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION
HARMFUL IF SWALLOWED. IF SWALLOWED, DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY. HAZARDOUS TO AQUATIC LIFE.

The product is toxic to fish. Keep out of fish, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.


STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or residue that cannot be used or otherwise processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supply. Recycle container and offer for recouping or triple rinse (or equivalent) and offer for recycling, reconditioning or disposal as approved landfill or bury in a safe place. Consult Federal, state or local disposal authorities for appropriate disposal procedures.

The use of this product may be restricted or prohibited throughout the entire growing season or in a particular treatment when other restrictions are prohibited due to residue restrictions and use limitations. To control insects named on the plants listed below, apply concentrate at a rate of 12 to 26 fluid ounces per acre, in sufficient water for thorough coverage (usually 100 gallons per acre). For smaller gardens, use 0.6 to 1.5 fluid ounces of concentrate in 5 gallons of water or 1 to 3 fluid ounces per 1 gallon. Apply to ensure thorough coverage of upper and lower leaf surfaces. Precede only the amount of spray required. Holding date spray more than 24 hours is not recommended.

- | | |
|-----------------------|---|
| CROP | TO CONTROL: |
| ASPARAGUS | Aphids, Beetles |
| BEANS | Aphids, Leafhoppers, 12-Spotted Cucumber Beetle, White Fly, Mexican Bean Beetle |
| BROCCOLI | Aphids, Cabbage Looper, Cross-striped Cabbageworm, Diamondback Moth Larvae, Flea Beetle, Harlequin Bug, Imported Cabbageworm, Root Bug |
| CELERY | Green Peach Aphid, Leaf Miner, Cabbage Looper |
| CRANBERRIES | Fireworm, Leafhopper |
| SOOPLANTS | Blow Beetle, Colorado Potato Beetle, Flea Beetle, Green Peach Aphid |
| LETTUCE | Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbageworm |
| MUSTARD GREENS | Imported Cabbageworm, Diamondback Cabbageworm, Aphids, Cabbage Looper |
| SALS COLLARDS | |
| TURNOPS | |
| POTATOS | Green Peach Aphid, Colorado Potato Beetle, Flea Beetle, Leafhoppers |
| BASIN | Aphids, Flea Beetle |
| SPINACH | Aphids, Cabbage Looper, Weevils |
| TOMATOES | Green Peach Aphid, Root Bug, Colorado Flea Beetle, Flea Beetle |
| ORNAMENTALS | (African Violets, Azaleas, Azaleas, Begonias, Camellias, Cereus, Chrysanthemums, Dahlias, Daylilies, Geraniums, Gladioli, Marigolds, Roses, Rubber Plants, Wandering Jew, etc.) Aphids, Flea Beetle, Leafhopper |

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given hereon.



13