

SIDE PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Remove pets and aquariums from rooms being treated. Do not insert articles other than PIC Mosquito Killer in heater. Do not cover unit with cloth or other material.

STORAGE

Store in original container and keep in a locked area.

DISPOSAL

Unplug heater, turn heater upside down to allow PIC Mosquito Killer to fall out. Securely wrap mat in several layers of newspaper and place in trash. Do not reuse container. Discard container in trash.

EASY TO USE

CLEAN AND FRAGRANT

LONG LASTING

ECONOMICAL

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Tear seal, then plug into electric outlet. PIC Mosquito Killer efficiently destroys mosquitoes in a room of up to 2300 cu.ft. (approx. 15 x 19 x 8 feet). One PIC Mosquito Killer lasts ten hours. PIC Mosquito Killer turns white when active ingredients have been exhausted. To change mat, unplug heater, turn upside down, to allow PIC Mosquito Killer to fall out. For indoor use only when mosquitoes are an annoyance. Do not use in rooms while people are sleeping.

Log # 3314 53
PM 17
p. 1 of 3

Copy No. 1 - To be added to the front panel of the labeling.

"KILLS GYPSY MOTH CATERPILLARS AND JAPANESE BEETLES"

"INDOOR FLEA CONTROL"

"ADULT MOSQUITO CONTROL OUT-OF-DOORS"

Copy No. 2 - TO KILL GYPSY MOTH CATERPILLARS AND ADULTS, ADULT JAPANESE BEETLES AND EASTERN FOREST TENT CATERPILLARS ON CONTACT.
To be added in Directions For Use On trees and shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree turnks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

On Roses and Flower Gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Rpeat application every 7 days or as necessary for contro.

INDOORS AS A SPACE SPRAY - To control House Flies, Fruit Flies, Mosquitoes, Gnats and small flying insect moths apply using a good space sprayer adjusted to deliver a fine mist. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct spray towards the upper portions of the enclosure filling the room with mist. Use 4 to 5 ounces per 1,000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate treated areas and ventilate before re-occupying. Repeat treatment as necessary.

ACCEPTED
APR 30 1985
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 3314-53

INDOOR FLEA CONTROL - For the control of Fleas apply a fine particle mist broadcast spray to infested rugs, carpets, pet beds, and pet resting areas. Use approximately 1 ounce per average size room (12 ft. x 12 ft. = 144 Sq. Ft.) or up to 6 ounces per 1,000 Sq. Ft. of floor surface. Cover aquariums and fish bowls and remove birds from area prior to treatment. Other than the applicator, vacate the area during application and do not allow humans or pets to contact treated surfaces until the spray has dried. After it has dried, vacuum the area thoroughly before re-occupying. Old pet bedding should be replaced with fresh, clean bedding after treatment. Treat pets with an EPA approved product recommended for use directly on pets.

OUTDOORS - ADULT MOSQUITO CONTROL - Apply as a fine mist to treat the entire area. For best results treat when the air is calm. Treat shrubbery and vegetation where mosquitoes may rest particularly around the perimeter of mosquito breeding sites such as swamps, marshes, stagnant pool and ponds. Apply at the rate of 5 to 6 quarts per acre (4 ounces per 1,000 Sq. Ft.)

To control Mosquito larvae, apply at the rate of 7.75 gallons or .18 gallons (23 ounces) per 1,000 Sq. Ft. Apply as a coarse wetting spray to the border of, or on shallow waters of wetlands, swamps and marshes where mosquito larvae are known to breed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. Thoroughly wash hands after handling and before eating or smoking. Remove pets, birds, and cover fish aquariums before spraying. Keep humans and pets out of treated areas until the spray has dried.

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to fish. Do not apply directly to water. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **STORAGE ;** Store product in original container in a cool, dry, locked place out of reach of children. **CONTAINER DISPOSAL:** Do not re-use empty bottle. Wrap bottle and put in trash.

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Never give anything by mouth to an unconscious or convulsing person. **IF ON SKIN:** Wash thoroughly with soap & water. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

Copy No. 2 Amendment [Directions For Use Continued]

OUT-OF-DOORS ADULT FLEA CONTROL

When Fleas are known to be present in areas adjacent to dwellings apply an Over-All Spray Mist application to turf grass & vegetation, under and around porches and home entrance ways, along the house foundation and where ever pets may rest or run. Repeat the treatment within one week to kill any new insects that may have emerged. Pet living quarters and also the pets should be treated with a suitable approved product for control of Fleas on the animals. Repeat treatments as needed for control. Plan on using between 4 to 6 ounces to cover 1,000 Sq. Ft. of ground surface.

April 4, 1984 Amendment Submission

All Precautionary Statements replaced
by this amendment copy page 2 of 2.
Includes copy for Statement of Practical
Treatment.

Precautionary Statements
Hazard to Humans and Domestic Animals
Caution: Harmful if swallowed
Environmental Hazards—The product is toxic to fish. Keep out of lakes, streams, or ponds.
Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
Do not reuse empty container. Wrap container and place in trash collection.

NOTICE: Seller's warranty shall be limited to the terms of the label and subject thereto. The buyer assumes any risks to persons or property arising out of use or handling and accepts the product on these conditions.

EPA Reg No 3314-53 EPA Est. No 3314-F1-1
Net Wt. _____
Manufactured by
Colonial Products, Inc. 1830 10th Ave. North, Lake Worth, Florida 33461

This copy replaces the above
ACTIVE INGREDIENT STATEMENT

FLOWER AND GARDEN READY-TO-USE

An Effective Fast Acting Insecticide
for Use on Vegetables and Ornamental Plants
A Concentrated Micro Emulsion
Clear • Stable
Leaves No Oily Residue

Apply with Conventional Mechanical or Compressed Air Equipment
In view of the National Energy Shortage, this product is extremely low in petroleum distillate.

ACTIVE INGREDIENTS:	
Pyrethrum	0.02%
*Piperonyl Butoxide Technical	0.20%
Petroleum Distillate	0.06%
INERT INGREDIENTS:	99.78%
	100.00%

*Equivalent to 0.16% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds.

CAUTION
KEEP OUT OF REACH OF CHILDREN
See label panel for further precautions.

ACTIVE INGREDIENTS:	
Pyrethrins	0.02%
*Piperonyl Butoxide, Tech.	0.20%
INERT INGREDIENTS:	99.78%
	Total 100.00%

*Equivalent to 0.16%(butylcarbityl)(6-propylpiperonyl) ether and 0.04% related compounds.

GARDEN SPRAY

This insecticide may be used outdoors on prepared structures when other insecticides are not available.

To control insects, repeat apply this spray every 7-10 days. Repeat treatments weekly or as needed.

- ASPARAGUS ASPARAGUS BEETLE
- BEANS APHIDS, LEAFHOPPERS
- 12-SPOTTED CUCUMBER BEETLE
- BROCCOLI CABBAGE BRUSSEL SPINACH
- CROSS-STRIPED CABBAGE BEETLE, MARLBOROUGH BUG
- CELERY GREEN PEACH APHID
- CHAMBERLAIN FIREWORM, LEAFHOPPER
- EGGPLANTS BLISTER BEETLE, GREEN PEACH APHID
- LETTUCE CABBAGE LOOPER, LARVAE, IMPORTED CABBAGE MOTH
- MUSTARD GREENS KALE COLLARDS
- DIAMONDBACK CATERPILAR
- PEPPERS GREEN PEACH APHID
- POTATOES APHIDS, COLORADO POTATO BEETLE, FLEA BEETLE
- SPINACH APHIDS, CABBAGE LOOPER
- TOMATOES GREEN PEACH APHID, FLEA BEETLE

ORNAMENTALS (African Violets, Azaleas, Begonias, Geraniums, etc.)
APHIDS, FLEA BEETLES, etc.

Protexall Products, Inc.
1109-11 Hwy. 427 North
Longwood, FL 32750

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 4972-75" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.


A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL



DATE

9-16-85

AMENDMENT : FLOWER & GARDEN Ready To Use EPA Reg. #3314-53 Page 1 of 2

Copy No. 1 - To be added to the front panel of the labeling.

"KILLS GYPSY MOTH CATERPILLARS AND JAPANESE BEETLES"

"INDOOR FLEA CONTROL"

"ADULT MOSQUITO CONTROL OUT-OF-DOORS"

Copy No. 2 - TO KILL GYPSY MOTH CATERPILLARS AND ADULTS, ADULT JAPANESE BEETLES AND EASTERN FOREST TENT CATERPILLARS ON CONTACT. To be added in Directions For Use On trees and shrubs: Treat trees and shrubs as soon as insects emerge (usually late spring). Treat leaves, branches and tree turnks evenly, making sure to penetrate dense foliage. Repeat application every 7 days as necessary for control.

On Roses and Flower Gardens: Treat plants and flowers as soon as insects appear. Spray plants and flowers making sure to penetrate dense foliage. Rpeat application every 7 days or as necessary for contro.

INDOORS AS A SPACE SPRAY - To control House Flies, Fruit Flies, Mosquitoes, Gnats and small flying insect moths apply using a good space sprayer adjusted to deliver a fine mist. Cover or remove exposed food and food handling surfaces. Close windows and doors and shut off ventilating systems. Direct spray towards the upper portions of the enclosure filling the room with mist. Use 4 to 5 ounces per 1,000 cubic feet of space. Keep area closed for at least 30 minutes. Vacate treated areas and ventilate before re-occupying. Repeat treatment as necessary.

ACCEPTED

APR 30 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for the pesticide registered under EPA Reg. No. 3314-53

INDOOR FLEA CONTROL - For the control of Fleas apply a fine particle mist broadcast spray to infested rugs, carpets, pet beds, and pet resting areas. Use approximately 1 ounce per average size room (12 ft. x 12 ft. = 144 Sq. Ft.) or up to 6 ounces per 1,000 Sq. Ft. of floor surface. Cover aquariums and fish bowls and remove birds from area prior to treatment. Other than the applicator, vacate the area during application and do not allow humans or pets to contact treated surfaces until the spray has dried. After it has dried, vacuum the area thoroughly before re-occupying. Old pet bedding should be replaced with fresh, clean bedding after treatment. Treat pets with an EPA approved product recommended for use directly on pets.

OUTDOORS - ADULT MOSQUITO CONTROL - Apply as a fine mist to treat the entire area. For best results treat when the air is calm. Treat shrubbery and vegetation where mosquitoes may nest particularly around the perimeter of mosquito breeding sites such as swamps, marshes, stagnant pool and ponds. Apply at the rate of 5 to 6 quarts per acre (4 ounces per 1,000 Sq. Ft.)

To control Mosquito larvae, apply at the rate of 7.75 gallons or .18 gallons (23 ounces) per 1,000 Sq. Ft. Apply as a coarse wetting spray to the border of, or on shallow waters of wetlands, swamps and marshes where mosquito larvae are known to breed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. Thoroughly wash hands after handling and before eating or smoking. Remove pets, birds, and cover fish aquariums before spraying. Keep humans and pets out of treated areas until the spray has dried.

ENVIROMENTAL HA7ARDS

Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to fish. Do not apply directly to water. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.


STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE ; Store product in original container in a cool, dry, locked place out of reach of children. CONTAINER DISPOSAL: Do not re-use empty bottle. Wrap bottle and put in trash.

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Induce vomiting by giving victim 1 or 2 glasses of water and touching back of throat with finger. Never give anything by mouth to an unconscious or convulsing person. IF ON SKIN; Wash thoroughly with soap & water. IF IN EYES; Flush eyes with plenty of water. Get medical attention if irritation persists. IF INHALED; Remove victim to fresh air. Apply artificial respiration if indicated. Get medical attention.

Copy No. 2 Amendment[Directions For Use Continued]



OUT-OF-DOORS ADULT FLEA CONTROL

When Fleas are known to be present in areas adjacent to dwellings apply an Over-All Spray Mist application to turf grass & vegetation, under and around porches and home entrance ways, along the house foundation and where ever pets may rest or run. Repeat the treatment within one week to kill any new insects that may have emerged. Pet living quarters and also the pets should be treated with a suitable approved product for control of Fleas on the animals. Repeat treatments as needed for control. Plan on using between 4 to 6 ounces to cover 1,000 Sq. Ft. of ground surface.