

P.T.O. DURSBAN - DDVP 1.25 E.C.

INDOOR & OUTDOOR
PEST CONTROL

ROACHES, ANTS, CRICKETS, FLEAS,
SPIDERS, CHINCH BUGS,
SOD WEBWORMS.

ORNAMENTAL INSECT CONTROL

Only For Sale To, Use And Storage By
Pest Control Operators or Other Servicepersons



ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-diethyl 0(3,5,6-trichloro 2-pyridyl) phosphorothioate)	12.75%
2,2-Dichlorovinyl dimethyl phosphate	3.19%
Related Compounds	0.24%
Xylene Range Aromatic Solvent	77.75%
INERT INGREDIENTS:	6.03%
Total	100.00%

Contains 1 lb. Chlorpyrifos & .25 lb. Dichlorvos (DDVP) per Gallon
EPA REG. NO. 3314-67 EPA Est. No. 3314-FL-1

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See Side Panel For Additional Precautionary Statements
STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DON'T INDUCE** vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air. Apply respiration if indicated.

If On Skin: Wash immediately with soap and water. Call a physician immediately.

If In Eyes: Flush eyes with plenty of water. Call a physician immediately.

If Warning Symptoms Appear: Keep patient prone and quiet. Start artificial respiration immediately, if patient is not breathing. Transport patient immediately to the nearest physician.

Net Contents _____ Gallon

DIRECTIONS FOR USE
ATTENTION:

**DOSAGE S AND DIRECTIONS
FOR USE ON ORNAMENTAL PLANTS**

Pests	Amount of Concentrate
	to use in Water to Make
	3 Gal 10 Gal 100 Gal

For use on ornamental plants, apply as a spot treatment to areas where pests are found. Do not use in areas where food is prepared or stored. Do not use in areas where food is served. Do not use in areas where food is stored. Do not use in areas where food is prepared or stored. Do not use in areas where food is served. Do not use in areas where food is stored.

DIRECTIONS FOR USE

For use on ornamental plants, apply as a spot treatment to areas where pests are found. Do not use in areas where food is prepared or stored. Do not use in areas where food is served. Do not use in areas where food is stored.

INDOOR PEST CONTROL

Do not use this product in areas where food is prepared or stored. Do not use in areas where food is served. Do not use in areas where food is stored. Do not use in areas where food is prepared or stored. Do not use in areas where food is served. Do not use in areas where food is stored.

DILUTION CHART

Amount of Spray (Water or Oil)	Amount of Concentrate To Use
	Maintenance Spray Extra Strength Spray
1 Gallon	2.25 ounces 5 1/3 ounces
3 Gallon	8 ounces 16 ounces
5 Gallon	10.10 ounces 20 ounces

The lower strength should be used as a maintenance spray while the stronger rate should be used to quickly reduce heavy infestations of Cockroaches, Ants, Crickets, Firebrats, Silverfish, and Spiders.

HOW TO APPLY: Apply as a coarse spray or with a paint brush to localized areas where the above mentioned pests are found or normally occur, including dark corners of rooms, and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets around plumbing and other utility installations. For ants, apply to ant trails, also around doors and windows and wherever these pests may find entry. For Brown Dog Ticks (Do not treat pests with this product) apply as a spot treatment to infested areas such as pet's bedding and resting quarters, nearby cracks and crevices, along and behind baseboards, windows and door frames and other localized areas where pests may hide. Old bedding should be removed and replaced with fresh clean bedding after treatment.

**DIRECTIONS FOR APPLICATION IN
NON-FOOD AREA**

Non-Food areas include Garbage Rooms, Lavatories, floor drains (to sewer vents) and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Use the "maintenance" rate (See Dilution Chart above) as a spot treatment by applying as a coarse spray or with a paint brush to areas where Cockroaches are normally found. Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets, and similar areas where insects hide or through which they may enter. Do not let spray or mist contact food, feedstuffs and water supplies. Dishes and food handling equipment should be thoroughly washed with soap and water if they have become contaminated with this product. Repeat treatment as needed for control.

WARNING: Use as spot treatment only for indoor pests. Do not use in poultry houses or other animal buildings. Do not allow children or pets to contact treated surfaces until spray has dried. Remove or cover fish bowls before spraying.

AT.O. AN - DDVP 25 E.C.

FOR & OUTDOOR
PEST CONTROL
ANTS, CRICKETS, FLEAS,
FLIES, CHINCH BUGS,
AND WEBWORMS.
TOTAL INSECT CONTROL
Safe To Use And Storage By
Operators or Other Servicepersons



3,5,6-trichloro-2-pyridyl)	12.79%
phosphate	3.18%
	0.24%
solvent	77.75%
	6.03%
Total	100.00%

pyrifos & 25 lb. Dichlorvos (DDVP) per Gallon
EPA Est. No. 3374-FL-1

OUT OF REACH OF CHILDREN DANGER

For Additional Precautionary Statements
SEE BOTTOM OF PRACTICAL TREATMENT

Physician or Poison Control Center. Immediately. Gastric
emesis was taken internally. DO NOT INDUCE vomiting unless
advised. Vomiting may cause aspiration pneumonia. If it is
induced, give victim one or two glasses of water and insert
nasogastric tube until vomit fluid is clear. Do not induce vomiting or
use emetics on an unconscious person.
Move to fresh air. Apply respiration if indicated.
Wash thoroughly with soap and water. Call a physician immediately.
If necessary, give plenty of water. Call a physician immediately.
If necessary, keep patient prone and quiet. Start artificial
respiration if patient is not breathing. Transport patient immediately to

Net Contents _____ Gallon

DIRECTIONS FOR USE

ATTENTION: Read and follow all directions on this label.

DOSAGES AND DIRECTIONS FOR USE ON ORNAMENTAL PLANTS

Pests	Amount of Concentrate to use in Water to Make		
	3 Gal	10 Gal	100 Gal

Apply this product to ornamental plants as a spot treatment for the control of Aphids, Mealybugs, Scale Insects, Spider Mites, and Whiteflies. Do not use on plants which are stressed or in bloom. Do not use on plants which are to be eaten. Do not use on plants which are to be used for medicinal purposes. Do not use on plants which are to be used for food. Do not use on plants which are to be used for seed. Do not use on plants which are to be used for propagation. Do not use on plants which are to be used for display. Do not use on plants which are to be used for research. Do not use on plants which are to be used for education. Do not use on plants which are to be used for entertainment. Do not use on plants which are to be used for recreation. Do not use on plants which are to be used for relaxation. Do not use on plants which are to be used for stress relief. Do not use on plants which are to be used for mood enhancement. Do not use on plants which are to be used for cognitive enhancement. Do not use on plants which are to be used for physical enhancement. Do not use on plants which are to be used for mental enhancement. Do not use on plants which are to be used for emotional enhancement. Do not use on plants which are to be used for spiritual enhancement. Do not use on plants which are to be used for metaphysical enhancement. Do not use on plants which are to be used for paranormal enhancement. Do not use on plants which are to be used for supernatural enhancement. Do not use on plants which are to be used for occult enhancement. Do not use on plants which are to be used for magic enhancement. Do not use on plants which are to be used for witchcraft enhancement. Do not use on plants which are to be used for sorcery enhancement. Do not use on plants which are to be used for wizardry enhancement. Do not use on plants which are to be used for wizardry enhancement. Do not use on plants which are to be used for wizardry enhancement.

DIRECTIONS FOR USE

INDOOR PEST CONTROL

Do not use this product in or near areas of food preparation, food storage, or food consumption. Do not use in areas where food is commercially prepared or stored. Do not use in serving areas where food is exposed. **USE ONLY IN NON-FOOD AREAS** as directed below.

Use this product as a spot treatment for the control of Cockroaches, Ants, Crickets, Fleas, Silverfish, Spiders, Fleas and Brown Dog Ticks in and around residential, institutional, and commercial buildings, including homes, apartment buildings, hospitals, stores, and warehouses. It may be used with water or a deionized base for a maintenance spray or extra strength spray. Follow directions for control of pests listed and repeat as needed for control.

DILUTION CHART

Amount of Spray (Water or Oil)	Amount of Concentrate To Use	
	Maintenance Spray	Extra Strength Spray
1 Gallon	2.23 ounces	5.13 ounces
3 Gallon	8 ounces	16 ounces
5 Gallon	10.13 ounces	26 ounces

The lower strength should be used as a maintenance spray while the stronger rate should be used to quickly reduce heavy infestations of Cockroaches, Ants, Crickets, Fleas, Silverfish, and Spiders.

HOW TO APPLY — Apply as a coarse spray or with a paint brush to localized areas where the above mentioned pests are found or normally occur, including dark corners of rooms, and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets, ground plumbing and other utility installations. For ants apply to ant trails, also around doors and windows and wherever these pests may find entry. For Brown Dog Ticks (Do not treat pests with this product) apply as a spot treatment to infested areas such as pet's bedding and resting quarters, nearby cracks and crevices, along and behind baseboards, windows and door frames and other localized areas where pests may hide. Old bedding should be removed and replaced with fresh clean bedding after treatment.

DIRECTIONS FOR APPLICATION IN NON-FOOD AREA

Non-Food areas include: Garbage Rooms, Lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after cleaning or bottling). Use the "maintenance" rate (See Dilution Chart above) as a spot treatment by applying as a coarse spray or with a paint brush to areas where Cockroaches are normally found. Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, toilets, and similar areas where insects hide or through which they may enter. Do not let spray or mist contact food, feedstuffs and water supplies. Dishes and food handling equipment should be thoroughly washed with soap and water if they have become contaminated with this product. Repeat treatment as needed for control.

WARNING — Use as spot treatment only for indoor pests. Do not use in poultry houses or other animal buildings. Do not allow children or pets to contact treated surfaces until spray has dried. Remove or cover fish bowls before spraying.

DIRECTIONS FOR APPLICATION WITHIN FOOD AREAS

FOOD AREAS APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY — This product is not to be used in food preparation areas, food storage areas, or food consumption areas. It is to be used only for the control of pests in cracks and crevices in non-food areas.

USE HIGH RATE

Use the high rate of this product for the control of pests in cracks and crevices in non-food areas. Do not use in food preparation areas, food storage areas, or food consumption areas. It is to be used only for the control of pests in cracks and crevices in non-food areas.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

This product is toxic to humans and domestic animals. It is to be used only for the control of pests in cracks and crevices in non-food areas. Do not use in food preparation areas, food storage areas, or food consumption areas. It is to be used only for the control of pests in cracks and crevices in non-food areas.

NOTE TO PHYSICIAN — WARNING SYMPTOMS

Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. **TREATMENT** — Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation Atropine Sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may result in a warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by a blood test.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Combustible Mixture—Do not use, pour, spill, or store near heat or open flame.



ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 12 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, the pesticide
registered under EPA Reg. No.
334-67

334-67

334-67

OCT 12 1982

3314-67

PTO Luridan-DLGP J.2: EC

Colonial Products, Inc.
1630 Tenth Avenue North
Lake Worth, FL 33461

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 3314-67" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. Labocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure