

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

HARMFUL IF INHALED OR SWALLOWED. Avoid breathing of dust. Do not take in. Avoid contact with skin or eyes. Wear regular long sleeved work clothing. Change to clean clothing daily. Wash hands and face before eating. Wash thoroughly after handling. **NOTE TO PHYSICIAN:** Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidote. Do not use 2-PAM, dimesylate or cholinesterase-inhibiting drugs. **AVOID CONTAMINATION OF FOOD, FEED, WATER SUPPLIES, STREAMS, AND PONDS DURING APPLICATION OR WHEN CLEANING EQUIPMENT.** Keep pets off treated areas.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to areas, streams or ponds. Do not contaminate water by washing of equipment or disposal of wastes. Do not apply this product when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

May kill honey bees in substantial numbers. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not use when value of bees as pollinators is more important than insect control. Before applying, warn beekeepers to escape hives beyond bee flight range until one week after application or to take other equally effective precautions.

IMPORTANT PRE-HARVEST AND GRAZING USE INFORMATION


Tolerances established under the Federal Food, Drug, and Cosmetic Act permit the sale of crops bearing probable Sevin residues when SEVIN is used in accordance with application directions. SEVIN insecticide is used in accordance with label directions. These crops including bean, pea, carrot, food, pea, wheat, sugar beet, food, corn forage, and cotton forage may be grazed or harvested for use as feed for dairy and meat animals without resulting in residues in milk or meat in excess of established tolerances.

**DIRECTIONS FOR USE
STORAGE & DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Pesticide Disposal: Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

Container Disposal: Completely empty drum by shaking and taping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of drum in a sanitary landfill or by other means if allowed by State and local authorities.



INSECT BAIT

**5% Sevin
AN ATTRACTANT INSECTICIDE
For Control Of Insect Pests Such As**

**Anis, Cutworms, Armyworms, Crickets, Darkling Beetle,
Sowbugs, and Grasshoppers.**

ACTIVE INGREDIENT:

Carbaryl (1-Naphthyl-methyl carbamate)

5%

INERT INGREDIENTS

Total

95%

100%

* SEVIN is the registered trademark of Union Carbide Corporation for Carbaryl insecticide.

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS

CAUTION

Statements of Practical Treatments

If Swallowed: Call a physician or Poison Control Center immediately. Induce vomiting by drinking 1 or 2 glasses of water and touching the back of throat with fingers or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. **If In Eyes:** Flush with plenty of water. If irritation persists get medical attention. **If On Skin:** Wash thoroughly with soap and water.

NOTE TO PHYSICIAN: Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidote. Do not use 2-PAM, dimesylate or cholinesterase-inhibiting drugs.

EPA Reg. No. 3314-71

EPA Est. No. 3314-FL 1

See Side Panel For Additional Precautionary Statements

READY TO USE

Net Weight _____ 1 lb 4 lb 50 lb

COLONIAL PRODUCTS, INC.
1830 Tenth Avenue North
Lake Worth, FL 33461

DIRECTIONS FOR USE

Apply granules as attractant bait over the soil with either ground or aerial equipment. Treatments may be necessary at intervals from 20 to 40 days per application. For control of Anis, Cutworms, Armyworms, Crickets, Darkling Beetles, Grasshoppers and Sowbugs.

Crop	DOSAGE RATE 1 000 sq ft Per Acre	DAYS BETWEEN FINAL APPLICATION AND HARVEST
Cucumbers, Squash, Melons, Peanuts	1-2 lb	20 days
Asafa, Peas, Corn	3-4 lb	30 days
Beans, Carrots, Corn (certain), Cava, Peppers, Potatoes, Sweet Corn, Tomatoes	1 lb	40 days
Asparagus, Strawberries	1 lb	40 days
Brussels Sprouts, Cabbage, Cauliflower, head lettuce, Garden Beets, Parsnips, Horseradish, Parsnips, Rutabagas, and Turnips (roots)	1 lb	40 days
Sugar Beets, Collards, Endive, Garden Beets (tops), Kale, leaf lettuce, Parsley, Spinach, Swiss Chard, Turnips (tops)	1 lb	40 days
Tobacco	1-2 lb	20-40 days
Fruits - Apples, Apricots, Cherries, Citrus, Grapes, Nectarines, Peaches, Pears, Plums, Prunellas, Annual plants, Herbaceous plants and shrubs, Trees, woody plants	1 lb	40-60 days

NOTICE - Buyer assumes all risk and liability of use, storage and handling of this material in accordance with the terms of this label.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Do not allow spray to contact food, feedstuff, and water supplies. Thoroughly wash food contact surfaces with soap and water if they become contaminated by application of this product. Keep children and pets from contact with treated surface until spray dries. Remove pets and cover fish bowls (tanks) before spraying. Do not apply this product in and around electrical fixings, switches, and switch boxes or other electrical equipment. Do not use in areas of food processing plants, restaurants, or other areas where food is commercially processed or prepared. Do not use in serving areas where food is exposed. **NOTE TO PHYSICIAN:** Cholinergic syndrome (muscarinic inhibition) treat symptomatically. Atropine only by physician's advice.

STATEMENT OF PRACTICAL TREATMENT: If in eyes or on skin, flush with plenty of water. If ingestion persists get medical attention. If swallowed, Drink 1 or 2 glasses of water and induce vomiting by forcing back of throat with finger.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning, pouring, or discarding material. Apply this product only as directed on the label.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame.

DIRECTIONS FOR USE: This is a restricted use Federal law to use this product in a manner consistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat, open flame, and moisture. Do not use empty container. Wash container and place in trash collection.

What Complete Treatment Bug Killer gives rapid kill of crawling ants and leaves an invisible film that keeps killing for weeks.

This product is designed for spot treatment in homes, apartments, and food areas of commercial and institutional buildings, food processing establishments, schools, day care centers, markets, restaurants, auto dealers, dog kennels, and other facilities. Do not use as a general spray. **SHAKE WELL BEFORE USE.**



Turn sprayer tip to adjust spray

How To Use Hand Sprayer Attachment

1. Submerge sprayer and hose in warm tap water for about 5 minutes to soften hose.
2. Remove shipping cap from container.
3. Insert hose into container and tighten hose clamp cap.
4. Insert sprayer away from face and open tip by turning in direction of arrow.
5. Hold sprayer below the level of the container and pump several times to prime.
6. Sprayer may be adjusted from a fine spray mist to a direct stream by turning sprayer tip. Hold sprayer 8 to 12 inches from treated surface.
7. After each use, remove sprayer hose and replace shipping cap to prevent sprayer evaporation.
8. Spray clean water through hose after each use to clean sprayer.

Sprayer should be used only with this spot treatment bug killer.

TO KILL ROACHES, ANTS, CRACKS, SILVERFISH SPIDERS, FLEAS, CLOVER MITES, CENTIPEDS, MILLIPEDS, EAR WIGS, SAWFLIES: Apply to cracks, crevices, baseboards, cracks in walls, openings around pipes and sinks, under

plates, under other dark moldy areas, and in the walls. Do not use in children's and animals' rooms where bugs may bite. Do not use on grass, lawn and lawn. Repeat as necessary.

TO KILL CARPET BEETLES: Thoroughly spray along baseboard, under furniture legs, and under all furniture, shelving, and wherever else the insects are seen or suspected.

TO KILL FLEAS AND BROWN BUG TIERS: Thoroughly spray all areas for spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, wall and ceiling baseboards, window and door frame, and localized areas of floor and floor coverings where these insects may be present. In kennels, dog units should be removed and cleaned with clean, fresh bedding after treatment of pet area. **DO NOT USE AT PET.** With this product, to control the source of the flea infestation, pet infesting the treated premises should be treated with a product requiring application to animals.

TO KILL FLIES: Use indoors only to reduce annoyance from these insects. Apply to outside surface of building, screen in patios, porches, and other areas where these insects congregate. Fly traps and other fly traps should be used to help control fly infestation and control fly population.

Money Back Guarantee: Guaranteed kill. The money back when used as directed or your money back.

EPA REG. NO. 5748-77
EPA EST. 5748 TN-1

Made in U.S.A. by Household Products Division, Corwood Corporation, Memphis, Tennessee 38101

