




DANGER-POISON-PRECAUTIONS



DO NOT SWALLOW

POISONOUS IF SWALLOWED—This product can kill you if swallowed even in small aerosolic spray mist or dust may be fatal if swallowed.



DO NOT TOUCH

POISONOUS BY SKIN CONTACT—Poisonous if touched by hands or spilled or splashed on skin. In eyes or on clothing (liquid goes through clothes).



DO NOT BREATHE

POISONOUS IF BREATHED—Breathing vapors spray mist or dust may be fatal.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS



DANGER

Poisonous if swallowed, inhaled or absorbed through the skin. Rapidly absorbed through the skin or eyes.

Do not get in eyes, on skin or on clothing. Do not breathe the spray mist or vapor. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to poisoning.

Clothing wet with this material must be removed immediately.

Exposed persons must receive prompt medical attention or they may die.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

Wear clean, heavy duty, natural rubber gloves, waterproof pants, coat, hat, rubber boots or rubber overshoes and gully goggles when handling, mixing or applying this product. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 29 CFR PART 11.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to a Methyl Parathion-EPN combination and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF
SUSPECTED POISONING

FIRST AID PROCEDURES, ANTIDOTES AND
PHYSICIAN'S INSTRUCTIONS.

POISON SIGNS (Symptoms)

WARNING SYMPTOMS include weakness, headache, lightness in the chest, labored respiration, blurred vision, nausea, abdominal cramps, diarrhea, sweating, vomiting, salivation and nonreactive pinpoint pupils.

+ FIRST AID TREATMENT +

IF SWALLOWED—Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

INHALATION—Remove victim from contaminated atmosphere.

SKIN—In case of contact, immediately remove patient from the vicinity of insecticides. Remove contaminated clothing and immediately wash skin thoroughly with soap and water.

EYES—In case of contact, immediately remove victim from the vicinity of the pesticide. Flush eyes immediately with water for at least 15 minutes.

IF WARNING SYMPTOMS (See Above) OCCUR—

Keep victim prone and quiet. Start artificial respiration if victim is not breathing. Transport victim to nearest hospital immediately.

ANTIDOTE: ATROPINE is the specific antidote for Methyl parathion poisoning. Obtain emergency supply of atropine 1/100 grain tablets from your physician. Keep on hand.

INFORMATION FOR PHYSICIAN

Give 2 to 4 mg (1/30 to 1/15 grain) of atropine, immediately, preferably by intravenous injection, and repeat at 5 to 10 minute intervals until signs of atropinization appear (dry, flushed skin, dilated pupils, rapid pulse). Maintain full atropinization and give 1 mg (adult dosage) Protipem (2-PAM) intravenously, slowly, to restore normal erythrocyte cholinesterase levels. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Methyl Parathion and EPN are strong cholinesterase in-

(continued on right panel)

RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY GARDENERS OR PERSONS UNDER THEIR DIRECT SUPERVISION. THOSE USES COVERED BY THE CERTIFIED APPLICATION.

VELSICOL

BA

EMULSIFIABLE CONCENTRATE
NO. 9

**KEEP OUT
OF THE
REACH OF
CHILDREN**

DANGER



POISON

See side panels
for precautionary
and first aid statements

NOT FOR HOME USE

VELSICOL CHEMICAL CORPORATION

341 East Ohio Street, Chicago, Illinois 60601

ACTIVE INGREDIENTS:
O, O-Dimethyl phosphorothioate
Related to O-Ethyl phosphorothioate
Xylene
INERT INGREDIENTS

*Methyl Parathion
**EPN
Contains 2.5% water
net weight 6.40%

E.P.A. Reg. No. 100-100000
E.P.A. Reg. No. 100-100000
NET WEIGHT 6.40%

CAUTIONS



DO NOT BREATHE

Poisonous if
in skin, in eyes

POISONOUS IF BREATHED—Breathing vapors,
spray mist or dust may be fatal

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF
SUSPECTED POISONING

FIRST AID PROCEDURES, ANTIDOTES AND
PHYSICIAN'S INSTRUCTIONS

POISON SIGNS (Symptoms)

WARNING SYMPTOMS include weakness, headache, tightness in the chest,
difficulty of respiration, blurred vision, nausea, abdominal cramps, diarrhea, sweat
tingling, salivation and nonreactive pinpoint pupils.

FIRST AID TREATMENT

ALLOWED—Drink 1 or 2 glasses of water and induce vomiting by touch-
ing of throat with finger or blunt object. Do not induce vomiting or give
anything by mouth to an unconscious person. Get medical attention.

EVACUATION—Remove victim from contaminated atmosphere.

—In case of contact, immediately remove patient from the vicinity of insecti-
cides. Remove contaminated clothing and immediately wash skin
thoroughly with soap and water.

—In case of contact, immediately remove victim from the vicinity of the
pesticide. Flush eyes immediately with water for at least 15 minutes.

WARNING SYMPTOMS (See Above) OCCUR—

Keep victim prone and quiet. Start artificial respiration if victim is not
breathing. Transport victim to nearest hospital immediately.

NOTE ATROPINE is the specific antidote for Methyl parathion poisoning.
Keep an emergency supply of atropine 1/100 grain tablets from your physician
on hand.

INFORMATION FOR PHYSICIAN

2 to 4 mg (1/30 to 1/15 grain) of atropine immediately, preferably by
venous injection, and repeat at 5 to 10 minute intervals until signs of atropine
appear (dry, flushed skin, dilated pupils, rapid pulse). Maintain full atropine
and give 1 mg (adult dosage) Protosol (2-PAM) intravenously, slowly, to
return normal erythrocyte cholinesterase levels. DO NOT GIVE MORPHINE OR
Sedatives. Methyl Parathion and EPN are strong cholinesterase in-

(continued on right panel)

RESTRICTED USE PESTICIDE
FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS
OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR
THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFI-
CATION.

VELSICOL® BARRICADE

EMULSIFIABLE CONCENTRATE INSECTICIDE
no. 9

**KEEP OUT
OF THE
REACH OF
CHILDREN**

DANGER



POISON

See side panels
for precautionary
and first aid statements

NOT FOR HOME USE

**STOP—READ LABEL
BEFORE USING!**

ACTIVE INGREDIENTS:

O, O-Dimethyl O-p-nitrophenyl phosphorothioate*	29.83%
Related compounds	1.57%
O-Ethyl O-(p-nitrophenyl) phenyl phosphonothioate**	31.40%
Xylene Range Aromatic Solvent	26.14%
INERT INGREDIENTS	11.06%
TOTAL	100.00%

*Methyl Parathion
**EPN

Contains 2.85 lbs./gal. Methyl Parathion by isomer specific AOAC
methods 8400/8406 and 3 lbs./gal. EPN.

E.P.A. Reg. No. 876-415

E.P.A. Est. No.

NET CONTENTS: 30 GALLONS

VELSICOL CHEMICAL CORPORATION

341 East Ohio Street, Chicago, Illinois 60611

(continued from left panel)

INFORMATION FOR PHYSICIAN

Inhibitors affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At the first sign of pulmonary edema, the patient should be given supplementary oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal releases have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary.

Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been obtained as determined by a blood test.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from crops treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Re-entry Statement

Workers entering treated fields within 48 hours of application should wear protective clothing.

Where a dosage range is given, use the lower rate on small, young plants or where insect infestation is light; use the higher rates on large or mature plants or where insect infestation is heavy.

BARRICADE may be applied by ground or aerial application. When making ground application, apply the recommended dosage in at least 3 gallons of water per acre, using sufficient water to give good coverage of the foliage. For aerial application, use 3 to 10 gallons of water per acre.

To make spray mixture, fill half of the spray tank with water, agitate, add the proper amount of BARRICADE, then fill the spray tank with water while still agitating. Continue to agitate while using.

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting of treated areas.

CROP	INSECT	RATE OF BARRICADE PER ACRE	APPLICATION DIRECTIONS AND LIMITATIONS
Cotton	Aphids Belt Weevil Cotton Leafhopper Cotton Leafworm Fall Armyworm Flutehoppers Garden Webworm Grasshoppers Lygus Bugs (and other Miridae) Red So for Mites Thrips	2/3 to 1-1/3 pints	Make application at 5 to 7 day intervals until control is obtained. Do not apply within 7 days of hand-picking or harvest. Do not feed treated forage or gin trash to livestock.
	Darkling Ground Beetle Mexican Bean Beetle Pink Bollworm Plant Bug (Rapid, Tarnished) Rustlet Mites Serpentine Leafminer Southern Armyworm Supercat Webworm Two-Spotted Mites	2-1/2 pints	
	Beet Armyworm Bollworm Cabbage Looper Cotton Leaf Perforator Saltmarsh Caterpillar Tobacco Budworm Yellow Striped Armyworm	2-2/3 pints	

CROP	INSECT	RATE OF BARRICADE PER ACRE	APPLICATION DIRECTIONS AND LIMITATIONS
Corn	Climbing Cutworms Corn Leaf Aphids Corn Rootworms (adults) Fall Armyworms Stinkbugs	1/2 pint	Repeat application as necessary. Do not apply within 14 days of harvest.
	Armyworms (up to third instar)	2/3 pint	Make first application when 25% of the plants show evidence of leaf feeding and continue at 5 day intervals as long as leaf feeding is evident. From 1 to 3 treatments may be required.
	European Corn Borer (sweet corn)	2/3 to 3/4 pints	For control of second brood borers apply when eggs begin to hatch. Do not apply within 14 days of harvest.
	European Corn Borer (field corn)	2/3 pint	Make application 10 days after eggs first hatch or when 75% of the plants show evidence of feeding in leaf whorls. Repeat 7 to 10 days later if new evidence of leaf feeding is observed. For control of second brood borers apply when eggs begin to hatch. Do not apply within 14 days of harvest.
	Southwestern Corn Borer (second to third generation) (field corn)	2/3 pint	Apply when 10% of the plant population have egg masses. Repeat if 5 to 10 day intervals as needed. Do not apply within 14 days of harvest.

CROP	INSECT
Beans (Dry, green, late)	Aphids Armyworms Belt Weevil Pink Bollworm Leafhoppers Lygus Bugs Mites
Beans (Dry, green)	Darkling Ground Beetle Mexican Bean Beetle Pink Bollworm Plant Bug Rustlet Mites Serpentine Leafminer Southern Armyworm Supercat Webworm Two-Spotted Mites
Soybeans	Climbing Cutworms Stinkbugs Webworms Aphids Belt Weevil Cotton Leafhopper Cotton Leafworm Fall Armyworm Flutehoppers Garden Webworm Grasshoppers Lygus Bugs Mites Thrips Two-Spotted Mites
Tomatoes	Cabbage Looper Corn Earworm Green Clover Fall Armyworm Third instar
	Potato Aphid Serpentine Leafminer Southern Armyworm Tomato Pinworm Mites Psyllids Rustlet Mites Sugar Beet Thrips Two-Spotted Mites Yellow Striped Armyworm
	Pink Bollworm Cabbage Looper

This product may be used on 1" or 1 1/2" or 2" procedures which apply the insect pest that is

* Galacron 4E is a true
* Fundal 4E and Fundal
* NOR-Ad Agrichlor
* Lunate and Lunet
* Hydrex 1.0 and Red