

NOTICE OF PESTICIDE: REGISTRATION
 REREГИSTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

pyre-Thrin Flying Insect Spray

NAME AND ADDRESS OF REGISTRANT (Include ZIP Code)

Commercial Products, Inc.
1200 North Ave.
Lisle, North, Ill. 60531

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Please submit a storage stability study on your product or a substantially similar product. The storage stability study submitted with your application is not acceptable.
2. Add the phrase "replace can" to your storage and disposal statement.
3. Add the phrase, "EPA Registration No. 3314-93," to your label before you release the product for shipment.
4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-207)

Enclosure

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE



ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 17 1965

P Y R E - T H R I N
F L Y I N G I N S E C T S P R A Y

Aerosol Insecticide
Especially Formulated For

Under the Federal Insecticide,
Fungicide and Rodenticide Act
as amended, for the purpose
registered under EPA Reg. No.

3314-93

Animals Quarters, Bakeries, Boats, Cabins, Chicken
Houses, Dairies, Garbage Receptacles, Grain Bins, Feed
Mills, Feed Lots, Food & Bottling Plants, Hog Parlors,
Homes, Horse Stables & Trailers, Hospitals, Hotels,
Kennels, Milkrooms, Motels, Restaurants, Rice Mills,
Schools, Storage Areas, Attics and Warehouses. -

KILLS - Exposed Stages of Ants, Boxelder Bugs, Bedbugs, Brown
Dog Ticks, Carpet Beetles, Cockroaches, Crickets, Face
Flies, Fleas, Flour Beetles, Fruit Flies, Grain Moths,
Gnats, House Flies, Horse Flies, Mosquitoes, Mushroom
Flies, Silverfish, Spiders, Stable Flies, Wasps. -

THIS PRODUCT IS ADAPTABLE TO AUTOMATIC & METERED INSECT CONTROL SPRAYING SYSTEMS -
EPA Reg. No. 3314- EPA Est. No. 3314-FL-1

ACTIVE INGREDIENTS:

| | |
|---|---------------|
| Pyrethrins | 0.5% |
| *Piperonyl Butoxide, Technical. | 5.0% |
| Petroleum Hydrocarbons | 14.5% |
| INERT INGREDIENTS: | 80.0% |
| Total | <u>100.0%</u> |

*Equivalent to 4% (butylcarbityl)(6-propylpiperonyl)-
ether and 1% Related Compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Side/Back Panel For Additional Precautionary Statements.

Statement Of Practical Treatment

If In Eyes: Flush eyes with plenty of water. Get medical attention. If On Skin:
Wash affected area with soap and water. Get medical attention if irritation
persists. If Inhaled: Remove victim to fresh air. Get medical attention.

NET WEIGHT _____

COLONIAL PRODUCTS, INC.
1830 Tenth Avenue North
Lake Worth, FL - 33461

PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Remove pets and birds and cover fish aquariums before use. Do not remain in treated areas. Ventilate the area after treatment is completed.

ENVIRONMENTAL HAZARDS

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in Bakeries and other food processing plants, wash with potable water, all equipment benches, shelving, etc., where exposed food will be handled. In the Home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store product in a cool, dry, locked place out of reach of children. **CONTAINER DISPOSAL:** Do not re-use empty small hand held aerosol containers. Wrap and put in trash. Do not discard larger re-usable steel containers. Contact the manufacturer for method of return for refilling.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Shake before using. Hold container up-right with nozzle pointed away from you. Press valve and spray as directed. To avoid possible staining of surfaces, hold dispenser three feet away from surfaces. **READ PRECAUTIONARY STATEMENTS BEFORE USING THIS PRODUCT.**

SCHOOLS, HOSPITALS, INSTITUTIONS, HOTELS, RESTAURANTS
BOTTLING PLANTS, HOMES, BAKERIES, WAREHOUSES, BOATS,
STORAGE ROOMS, GARBAGE RECEPTACLES, OTHER AREAS AS LISTED.

House Flies, Mosquitoes, Gnats, Wasps, Small Flying Moths (Millers):

Close all doors and windows and spray room at the rate of 2 seconds per 1,000 cubic feet. Direct spray upward to all parts of the room, especially windows, and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat as necessary. Sweep up and destroy fallen insects.

Roaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes, and Boxelder Bug: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting as many insects with spray as possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Fleas: In Pets Sleeping Quarters: Spray old bedding & bedding receptacle & destroy or cleanse by washing. Treat adjacent flooring and floor covering and baseboards. Replace fresh bedding after spray is dry. Repeat treatment as needed for control. Treat pets with an approved flea control product for that use.

Wasp and Mud Dauber Nests: Spray nest after dark when insects are at rest. Spray the nest directly hitting as many insects as possible. Thoroughly treat hiding & breeding places. Destroy nest. Repeat as necessary.

Fleas: In buildings - close windows and doors. Hold aerosol 3 feet above floor and direct the mist toward the floor and lower wall areas. Spray 10 seconds for a 10'x 10' size room making sure that the entire floor area is covered. For upholstered sofa and chairs remove cushions and lightly mist from three feet away both sides of cushion and chairs. Do not replace until dry (10-15 minutes). Remove, spray and destroy pets old bedding. Thoroughly treat area and allow to dry before replacing pets fresh bedding. Repeat as needed. Dogs and Cats should be treated with an approved Flea Killer before they are allowed access to their new clean bedding.

Carpet Beetles: Spray directly on Beetles, baseboards, floors, shelves and carpets. Repeat treatment as needed. Spray and destroy old infested carpeting.

Bed Bugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors. Allow treated fabric to dry thoroughly before using. Repeat treatment as needed.

POULTRY HOUSES, FEED & RICE MILLS

DAIRIES, MILK ROOMS, HORSE STABLES AND ANIMAL QUARTERS

For rapid control of House Flies, Mosquitoes, Gnats, Wasps, and Small Flying Moths, close windows and doors and spray at the rate of 2 seconds per 1,000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed. Start spraying at far end of room and move backwards toward the exit.

To Treat Animals: To protect Beef Cattle, Dairy Cattle, Goats and Hogs from attack of Stable Flies, Horse Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes, and Gnats, spray about 1 to 2 seconds on each side of the animal being careful to spray back, withers, and forelegs thoroughly. To protect from Face Flies, spray face and head being very careful not to get spray into animals eyes. Repeat treatment as needed for fly control. This treatment will also kill Horse Flies hit by the spray.

Horse Stables, Trailers and Corrals: For House Flies, Mosquitoes, Gnats and biting flies - Stables and trailers may be treated when the animals are exercising or it may be done while they are present day or night. Treat wall, ceiling and floor surfaces spraying about 1 to 3 seconds per unit. If horses are not present close all windows and doors to increase effectiveness of the insecticide fog. Keep closed for 10 to 15 minutes and ventilate before re-entry. Spray and replace manure tainted bedding. For animals treat both sides making sure to reach the back, withers, and forelegs. Keep the spray out of animals eyes. During "Fly Season" plan on daily spraying of horses & animals quarters for continued protection against biting flies. Daily... treatment will also repel biting flies. For Fleas that may be present and bothersome to horses treat the stable as indicated above and also spray the lower half of the horses legs with a 1 second burst, each. Repeat as needed.

Kennels: For Dogs and Cats treat cages and runs when empty with a 1 second spray treatment each. Repeat as needed for control of House Flies, Fleas, Gnats and Biting Flies. Cover or remove feeding and food utensils.