



Controls insects & diseases

SEAH

white

Pink Background

**ROSE & FLOWER
DUST**

*white Background
with black copy*

CONTROLS:
Major Rose Pests
such as Aphids,
Thrips, Japanese
Beetles, Black Spot,
Rust and Powdery
Mildew and certain
other flower pests

\$1.49

Net Weight 10 oz.

CAUTION

KEEP OUT OF REACH OF CHILDREN.
See back panel for additional cau-
tions

ACCEPTED WITH COMMENTS

ACCEPTED

30 pt.

SEVIN

Remove the lid...
Squeeze the Pack...
Seek "Puffs" Out!

Headings are
heavy 6 pt.

DIRECTIONS: BEFORE USE READ CAUTION AND NOTICE STATEMENTS CAREFULLY. Use this container to apply dust to plants. Apply so exposed parts are contacted, including upper and lower leaf surfaces and stems. Apply morning or evening when temperature is low and air still. Cover plants with light cover of dust. Begin application in spring when growth starts and continue on weekly schedule for best protection. Do not use on ferns or crassulac.

INSECTS: Treat when insects or damage first noticed. Repeat as necessary. Controls Rose Leaf Beetle, Rose Curculio, Leafroller, Rose Slug, Flea Beetle, Japanese Beetle, Thrips, Red Spider, Asiatic Garden Beetle, Aphids, Leaf Hopper, White Fly, Rose Chater, Tarnished Plant Bug, Rose Midge, Rose Budworm, Leaf Cutter Bees, and Mealy Bug.

DISEASES: Start preventive program against Black Spot and powdery mildew when foliage appears. Continue 7-10 day applications during growing season, twice weekly during periods of severe infection or rapid growth caused by humid weather.

CAUTION: Harmful if swallowed or inhaled. Avoid inhalation of dust or spray mist. Avoid prolonged contact with skin; wash skin and hands after using. Do not get in eyes. Use with adequate ventilation. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Misuse as to quantity, timing or method of application can cause damage or injury to animals, persons, property or crops or cause residues in excess of official tolerances. May be a skin irritant and/or sensitizer.

ACTIVE INGREDIENTS:

Captan (N-trichloromethylthio-1,3,5-triazine-2-thiolimidide)	7.000%
Malathion (O,O-dimethyldithiophosphate of diethyl mercaptosuccinate)	4.000%
*Dinitro (1-methylheptyl) phenyl crotonate other nitrophenols and derivatives chiefly dinitro (1-methylheptyl) phenol	1.250%
*Carbaryl (1-Naphthyl-N-Methylcarbamate)	0.125%
INERT INGREDIENTS	77.325%

*U.S. Pat. 2,526,660
**Sevin Reg. Trademark of Union Carbide Corp.

USDA Reg. No. 3325-2

Clarence Boord & Sons, Inc.

Leon, Iowa, USA

8 pt.

12 pt.

8 pt.

white copy

8 pt.

Pink background

white background

Black or dark brown copy

Copy in 6 pt. (6)

All white copy

ACCEPTED
2/3/69

ACCEPTED WITH COMMENTS