

hide

HOUSEHOLD INSECT FOGGER

For use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins

One Unit Treats up to 6,000 Cubic Feet

ACTIVE INGREDIENTS:

Tetramethrin (1-Cyclohexene-1,2-dicarboximido)	
methyl 2,2-dimethyl-3(2-methylpropenyl) cyclopropanecarboxylate.....	200%
*3-Phenoxybenzyl d-cis and trans** 2,	
2-dimethyl-3(2-methylpropenyl) Cyclopropanecarboxylate	383%
*Other isomers.....	017%
Petroleum distillate	10,000%

INERT INGREDIENTS:..... 89.40%
..... 100.00%
d-(cis, trans) phenothrin
**cis/trans isomer ratio: max. 25% (+ or -) cis
min. 75% (+ or -) Trans

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Back Panel for Additional Precautionary Statements

Houseflies, Mosquitoes, Cockroaches, Centipedes, Fleas, Wasps, Saw-Toothed Grain Beetles, Ticks, Black Carpet Beetles, Pill Weevils, Small Flying Moths, Pill Bugs, Crickets, and Silverfish.

Net Weight 7.5 Ounces

BEST DOCUMENT AVAILABLE

Precautionary Statements Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes: Wash with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and foodstuffs.

Do not use in commercial food processing, preparation, serving or storage areas in the home. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

Direction for Use General Classification

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

This product will kill houseflies, mosquitoes, black carpet beetles, saw-toothed grain beetles, rice weevils, small flying moths, spiders, centipedes, fleas, ticks, ants, pill bugs, crickets and silverfish.

Aids in control of cockroaches.

Cover exposed food, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioner. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when treating. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before reentry.

TO OPERATE VALVE. To lock valve in open position for automatic discharge, press + the button all the way down, locking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open doors and windows and allow to air for 30 minutes. Repeat spraying in 1 to 2 weeks or when necessary.

TO KILL TICKS AND FLEAS. Remove and destroy old pet bedding. Apply this product as for other insects. Put fresh bedding in pets quarters after treatment. Treat dogs and cats with a registered tick and flea control product before allowing them to enter.

Hide International
Box 449
Leon, Ia. 50144

EPA Reg. No. 3325-65
AUG 1974 E D
Reg. No. 3325-65
NOV 26 1974
Under the Federal Insecticide, Fungicide and Rodenticide Act,
use is prohibited for the pesticide
registered in Ia.
EPA Reg. No. 3325-65