Unc. Sept. 1. Sept. 1

When swimming season is over, add 1 gallon of **POOL-KLEER** (by sprinkling around edge of pool) to 20,000 gallons of water, in treating water left in pool. This dose helps provide a measure of control of algae growth during the winter months. This treatment will also help the servicing of the pool before it is returned to use the following season.

When POOL—KLEER is used as directed, it will kill and prevent development of Chlorella pyrenoidosa (green), phormidium
inundatum (black algae), phormidium retzii (square D algae),
Lyngba versicolor (blue-green) and other swimming pool algae.
POOL—KLEER is compatible with most commonly used swim—
ning pool chemicals, but should not be mixed with soap or other
icleaners, or premixed with other water—treating chemicals,
POOL—KLEER works best when added by itself directly to
pool water. POOL—KLEER at use dilution is non—corrosive
to inanimate surfaces.

Pool-Kleer

FOR AFTER SEASON SWIMMING POOL CARE

Keeps Pool Water Clear and FREE of Visible Algae
Controls Algae Slimes

ACTIVE INGREDIENTS:

n-Alkyl (60%C ₁₄ , 30%C ₁₆ , 5%C ₁₂ , 5%C ₁₈) dimethyl benzyl ammonium chlorides	2%
n-Alkyl (68%C12, 32%C14) dimethyl ethylben zyl ammonium chlorides	
INERT INGREDIENTS	96%
1	00%

NET CONTENTS...... EPA Reg. No. 3339-17 EPA Est. No. 3339-NY-1

WARNING

Keep Out of Reach of Children.
Set right side panel for first aid and additional precautionary statements.

FISH AND / OR WILDLIFE PRECAUTIONS

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Apply this product only as specified on this label.

WARNING

Keep Out of Reach of Children.

Causes eye or skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measure against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard.

PARKE-HILL CHEMICAL CORPORATION, 29 BERTEL AVENUE, MOUNT VERNON, N.Y. 10550