

DIRECTIONS FOR USE:

Disinfection

Use 2 ounces per gallon. This product will provide 500ppm quaternaries to the use solution. This is enough for general disinfection, fungicidal activity against pathogenic fungi and deodorizing.

For use in hospitals, 3 ounces per gallon of water will be required for disinfection against Pseudomonas aeruginosa.

For best results use SANOMINT as directed above with a cloth, or mop and apply to walls, floors, and similar inanimate hard surfaces.

For heavy soil, a pre-cleaning step is recommended before using SANOMINT.

Sanitization

If used for sanitization of previously cleaned food contact items, limit the level of active quaternaries to 200ppm (4 ounces per 5 gallons of water). NO RINSE required at this level.

PHENOL COEFFICIENTS:

Guaranteed	Minimum
S. aureus	20.5
S. typhosa	13.0

Rinse empty container thoroughly with water and discard.

SANOMINT

CLEANER DISINFECTANT
DEODORANT FUNGICIDE

ACTIVE INGREDIENTS:

- n-Alkyl (60%C₁₄, 30%C₁₆, 5%C₁₂, 5%C₁₈) dimethyl benzyl ammonium chlorides..... 1.6%
- n-Alkyl (68%C₁₂, 32%C₁₄) dimethyl ethylbenzyl ammonium chlorides..... 1.6%
- Sodium Carbonate..... 3.0%
- Tetrasodium ethylenediamine tetraacetate..... 1.0%

INERT INGREDIENTS: 92.8%

100.0%

NET CONTENTS:
EPA REG. NO. 3339-19
EPA EST. NO. 3339-NY-1

WARNING

Keep Out Of Reach Of Children.

See right side panel for additional precautionary and first aid statements.

SANOMINT is a cleaner, disinfectant, and sanitizer designed for general household and light industrial cleaning. For use on walls, floors, and similar inanimate hard surfaces. When used as directed, SANOMINT will also deodorize those areas which generally are hard to keep fresh smelling, such as garbage pails, sink tops and bathroom areas which are prone to odors caused by the growth of some microorganisms. Effective against staphylococcus aureus and Salmonella choleraesuis at 2 ounces per gallon. Also effective against pathogenic fungi, Trichophyton interdigitale, at 2 ounces per gallon.

At 3 ounces per gallon SANOMINT is effective against Pseudomonas aeruginosa.

When used for sanitization of previously cleaned food processing and food contact items, limit the active quaternaries to 200ppm (4 ounces per 5 gallons of water). At this level, NO POTABLE WATER RINSE is required.

WARNING

Keep Out Of Reach Of Children.

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

PARKE-HILL CHEMICAL CORPORATION, 29 BERTEL AVENUE, MOUNT VERNON, N.Y. 10550

